



ROCKJUMPER

Worldwide Birding Adventures

Kenya & Tanzania

Birds & Big Game V

1st November to 20th November 2020 (18 days)

Trip Report



African Elephant by Rob Williams

Trip report compiled by Tour Leader: Rob Williams

Tour Summary

2020 had been a long-year of uncertainty for many, so we were all relieved when the tour was confirmed and, although we had to jump through a few extra hoops, we all managed to get to Kenya for an enjoyable tour of some of the most impressive protected areas in Africa. The focus was on both Birds and Mammals and we enjoyed exploring a variety of amazing habitats and finding good numbers of species of both.

Africa captures the imagination, like few other places on earth and these famous parks of Kenya and Tanzania are the crown jewels of African conservation and wildlife tourism. Due to the reduction in numbers of people travelling, we had a privileged experience in near empty parks which meant we could go exactly where we wanted and when we wanted. The only downside being fewer other people looking for animals and a little less information.



Long-tailed Widowbird by Rob Williams

Top 10 Birds

1. Martial Eagle
2. Golden-winged Sunbird
3. African Pygmy Kingfisher
4. Verreaux's Eagle
5. Greater Flamingo
6. Kori Bustard
7. Vulturine Guineafowl
8. Malachite Kingfisher
9. Greater Painted Snipe
10. Long-tailed Widowbird

1 November 2020: Pre-Tour extension to Nairobi National Park

We met in the hotel lobby at 7.30 for a full-day extension to Nairobi National Park ahead of the main tour. Meeting up with Peter, our driver, we soon arrived at the park gate we got to grips with our first birds and soon had good looks at a Hartlaub's Turaco. The day provided a great introduction to East African birding as we got to grips with many of the more common and widespread birds and mammals, racking up a total of just over 100 bird species seen. We also succeeded in picking up a few birds we would not see again such as Hartlaub's Bustard, Little Bittern, and African Darter. Mammals were also well represented with our first Lions - two fast asleep, 5 White Rhinos including good looks at a male, female and calf and a nice group of Giraffe.



Tacaze Sunbird by Rob Williams

2 November 2020: Nairobi to Mount Kenya

The tour proper started the next day and after an early breakfast we headed north toward Mt Kenya. Peter skilfully negotiated the Nairobi traffic whilst we marvelled at the abundance of Marabou Stork nests over the highway. A series of stops near the town of Thika gave us a run of nice birds including: African Hawk-eagle, White-headed Barbet, Red-headed Weaver, African Golden Weaver, Grey-capped Warbler, Red-faced Cisticola and Red-collared Widowbird. Continuing onwards we scanned some rice fields near Mewa and enjoyed the White-winged Widowbird, and Yellow-crowned Bishop.



Cheetah by Rob Williams

In the late afternoon we arrived at Castle Forest Lodge. A first stop beside the river gave us Mountain Wagtail and African Black Duck as well as good looks at several Cinnamon-chested Bee-eaters. Late afternoon was spent in the lodge clearing and where we picked up the fabulous Tacazze Sunbird, Kandt's Waxbill and had both Scarce Swift and Red-fronted Parrot fly-over. After dinner the clear sky was filled with stars and Tree Hyraxes screeched from the surrounding forest.

3 November 2020: Nairobi to Mount Kenya

We awoke to rain and it continued most of the morning, though to varying degrees. We birded from the verandas and took short walks near the lodge as it eased. The early morning was slow but we steadily accumulated a respectable list of birds including specialities such as Kandt's Waxbill, Abyssinian Crimsonwing, Hunter's Cisticola and Scaly Francolin. As the weather eased, we headed down the entrance road and found Giant Kingfisher, Purple-throated Cuckoo-Shrike, and Black-throated Apalis before we located our main target bird,



Vulturine Guinea fowl by Rob Williams

Olive Ibis. We found two perched in a dead tree and enjoyed walk-away scope looks at this shy forest ibis. The same area then came alive with a mixed flock and we enjoyed picking up Spectacled Weaver, Brown-capped Weaver and Tullberg's Woodpecker amongst others.

In the afternoon we walked up the track beyond the lodge. We had continuous birds to entertain us and enjoyed good views at some difficult forest species including Black Cuckoo, African Emerald Cuckoo, White-headed Wood-hoopoe, and White-starred Robin.

4 November 2020: Mt Kenya to Shaba National Reserve

At dawn some of us enjoyed good views of a pair of Montane Nightjars. A much clearer morning gave us brief views of the summit of Mount Kenya before we had to leave to drive to Shaba National Reserve. En route we made a few short stops picking up some common highland birds. As we dropped down into the arid northern lowlands we stopped and found the localised endemic Boran Cisticola near the Mt Kenya elephant corridor. We also enjoyed good looks at our first elephant of the trip.

Arriving at Shaba a couple of stops along the entrance road produced Somali Bee-eater, Golden-breasted Starling, Black-throated Barbet,

Parrot-billed Sparrow and the very local Brown-tailed Chat. After lunch we took a drive in the fabulous Shaba reserve, famous from the work of the Adamson's and once home to the lioness Elsa. We enjoyed nice looks at Grevy's Zebra and Gerenuk, two of the mammal specialities of the arid north. The birds were also fantastic and it was hard to know where to look, as we had great looks at Rosy-patched Bush-Shrike, Somali Courser, White-throated Bee-eater, Red-bellied Parrot, Pink-breasted Lark, Pygmy Falcon, Hunter's Sunbird and Black-faced Sandgrouse amongst many others.



Martial Eagle by Rob Williams

5 November 2020: Shaba and Buffalo Springs

An early start saw us cross the reserve to an area of lava rocks, picking up a Shikra and our first flocks of the spectacular Vulturine Guinea fowl en route. Walking we flushed a pair of Harlequin Quails. We found a Williams's Lark of the rufous form and also added our first Somali Ostrich, Taita Fiscal Shrike and Donaldson-Smith's Sparrow-Weaver. We then spent the rest of the morning meandering back across the reserve enjoying the fabulous fauna and vistas of this arid landscape. Highlights included White-bellied and Buff-crested Bustards, Violet Woodhoopoe, and Black-capped Social-weavers.

After lunch we headed to Buffalo Springs National Reserve. We were still adding new birds fast but highlights included Black-bellied Sunbird and Kori Bustard. We heard from the rangers that a couple of Cheetah had been seen and after a quick drive back towards the main gate located the two young female Cheetahs resting up under a bush looking out over a small plain below. We spent nearly an hour watching them waking up, mutually grooming, playing, stretching and observing the plains. As they sauntered off, we noted the more dominant individual seemed to be slightly lame; we left them to it and headed back to the hotel.

6 November 2020: Buffalo Springs

As dawn broke we picked up our first Rufous Chatterers of the trip feeding close below the dining room. We spent the whole day exploring the Buffalo Springs Reserve. During the day we enjoyed good looks at Bateleur, Martial Eagle, Blue-naped Mousebird, Sooty Falcon, Pygmy Batis, Black-cheeked Waxbill, and Golden Pipit on game drives. Around the hotel we found Thrush Nightingale, Dwarf Bittern and Pearl-spotted Owlet.



Purple Grenadier by Rob Williams

7 November 2020: Buffalo Springs to Lake Nakuru

North of the town of Isiolo we picked up a pair of Fan-tailed Ravens and Red-and-yellow Barbet. The oxidation ponds gave us a suite of waterbirds and a magnificent immature female calidus subspecies Peregrine passed over causing havoc. Just after the town of Nanyuki we turned west and passed to the south of a private game ranch where we enjoyed some



Mount Kilimanjaro at dawn by Rob Williams

larks, pipits and our first Montagu's Harrier of the tour. A bit further on we stopped at a known site for the Mackinder's form of Cape Eagle-Owl (a possible future split). Local owl biologist Paul was waiting for us and showed us the male in its roost. Several raptors passed overhead including a couple of pale Booted Eagles.

In the afternoon we searched a couple of wetlands for Lesser Jacana but construction work seemed to have disturbed them. We arrived at Lake Nakuru National Park in the late afternoon. 3 Verreaux's Eagle-Owls were in a tree beside the road and we also soon saw our first Whalberg's Eagle. Several White-throated Bee-eaters showed very well. The water-levels in Lake Nakuru are very high, following several years of heavy rain and the famed flamingoes have gone elsewhere, we travelled around the shore and saw standing dead trees in the water. These trees held African Fish-Eagles. At the hotel birding in the grounds gave us both African and Abyssinian Thrushes together.

8 November 2020: Lake Nakuru to Amboseli National Park

A stop in the Kinangop grasslands gave us a few Long-tailed Widowbirds, including one very cooperative male right by the road. Three of the endemic Sharpe's Longclaws were seen well in the short tussock grassland. The Manguo swamp held a good quantity of waterfowl including our only Fulvous Whistling-Ducks and White-backed Ducks of the trip.

Once we got a bit south of Nairobi, we found a large shady Acacia to eat our picnic under. We could not have chosen better the tree held a Green Woodhoopoe nest and also gave us our first Banded Parisoma. Turning east from the border town of Namanga we soon found our first Fischer's Starlings and a Beautiful Sunbird. We arrived in the fabulous Amboseli National Park and enjoyed the late afternoon at the lake, watching myriad waterfowl, waders, elephants, zebra and even hyenas in the water.

9 November 2020: Amboseli National Park



Verreaux's Eagle by Rob Williams



Chestnut-banded Plover by Rob Williams

We awoke to a spectacular dawn with Mount Kilimanjaro towering over the plains in front of the lodge covered in Wildebeest, Zebra and Elephants. We spent the morning exploring the various wetland areas and enjoying the incredible abundance and diversity of birds and mammals that gather around these natural springs. The various areas have differing salinities and these offer habitat for different species. The more saline shores being favoured by the Lesser and Greater Flamingoes, Pied Avocets, and other waders including the fabulous Chestnut-banded Plover, here of the rare and very localised *venustus* subspecies, which may be split from the nominate which occurs in southern Africa. We also found a flock of 60+ Black-tailed Godwit and 2 Red-necked Phalaropes, both unusual for the site.

White-winged Black and Whiskered Terns fed over the lakes and we found several flocks of Collared Pratincoles and a single Black-winged Pratincole seen in flight. The fresher habitats held more vegetation and here we found Greater Painted-Snipe and an African Rail. The surround arid plain contrasted with the abundance of the lake and was inhabited by a few larks, including Athi Short-toed Lark. Climbing a hill to look over the lakes we found Chestnut Sparrow and Taveta Golden Weaver. In the afternoon we found some vultures, including our first Lappet-faced of the trip.

10 November 2020: Amboseli to Tarangire National Park

After a night of rain, we departed Amboseli picking up White-headed Mousebird, Grey-headed Social-Weaver, and Red-backed Scrub-Robin en route. Arriving at Namanga, we cleared the border, said good-bye to Peter and transferred to Geitan's vehicle. Driving towards Arusha we passed through various rain showers and picked up an Abyssinian Wheatear on the roadside.

Arriving at Tarangire we soon found Yellow-collared Lovebird and Red-chested Cuckoo by the entrance gate. Nearby our first Red-throated Spurfowl and Ashy Starlings of the trip were found. Dark storm clouds were bearing down on us as we started into the park, and although we did experience a few minutes of heavy rain this created a spectacle of bird activity. Vultures and eagles plummeted from the sky to perch in the baobabs, swarms of swifts, swallows and bee-eaters travelled ahead of the storm front as did two African Hobbies. As soon as the rain passed flying ants started to hatch and a variety of birds and mammals took advantage of the feast. Ovampo Sparrowhawks were catching them on the ground, even Speckle-fronted Weaver and waxbills were fly-catching. A small pool gave us looks at two Knob-billed Ducks. At dusk Rob and Steve had a Slender-tailed nightjar fly past the verandah.

11 November 2020: Tarangire National Park

Lions were roaring nearby most of the night and at dawn Rob was delayed in exiting his tent due to mating lions just outside - it seemed polite and prudent not to interrupt. After some birding and lion-watching on foot in the lodge,



Rufous-tailed Weaver by Rob Williams



Lion with Common Wildebeest prey by Rob Williams

we headed out on the Lemiyon Grasslands Circuit for the morning. Over the next day and a half, we explored this area building up a good list of birds and mammals. Particularly abundant in the area were mongooses and we saw many Banded, several Slender and a few groups of Dwarf Mongoose. A roosting African Scops Owl in camp was exceptionally welcome after hearing its calls during the night.

12 November 2020: Tarangire NP to Ngorongoro Crater

After yet another noisy night of lion passion, we arose to find the amorous couple snoozing behind the tents. A morning game drive gave us a few new

birds, including the only Yellow-throated Sandgrouse of the trip. At lunch an African Pygmy Kingfisher was at the lodge pool

We stopped at the viewpoint over Lake Manyara to admire the spectacular view of the lake and the edge of the rift valley. A Great White Pelican soared past at eye-level, followed by a string of vultures and, just as we were about to depart, two Verreaux's Eagles that circled just a few feet above our heads before drifting south along the escarpment. A group of European Bee-eaters trilled as they passed overhead.

At the gate to Ngorongoro crater we spent some time birding the humid forest finally getting closer looks at Silvery-cheeked Hornbill and finding a confiding diminutive Green-backed Honeyguide that fed like a lethargic chickadee on the mossy twigs. Other new birds included: Delegorgue's Pigeon, Moustached Tinkerbird, White-tailed Blue-Flycatcher and Eastern Mountain Greenbul. We arrived at the viewpoint over the Ngorongoro crater in time to enjoy the fabulous view and see a couple of Silver-cheeked Hornbills and some Mbulu White-eyes and a nice African Hobby that flew right over us; all just before the mist rolled in.

13 November 2020: Ngorongoro Crater

One of the most anticipated days of the trip. We made an early start to the road down into the crater and were the first vehicle in. At the guard post we picked up a fly-over White-necked Raven. On the way down we found four very confiding Hildebrandt's Francolins and several Abyssinian Wheatears.

The lowlands of the crater are one of, if not, the most productive savanna ecosystems in the world; the density of herbivores and their predators is astounding, benefitting from the rich volcanic soils and regular rainfall. The crater has a variety of ecosystems: saline lake, freshwater lakes and swamps, savanna, woodland and montane forest.



Golden-winged Sunbird by Rob Williams



Grey Kestrel by Rob Williams

Its relative isolation means that the fauna is largely isolated from other populations and there are some noticeable absences in the species present. Our day in the crater floor was incredibly productive, we recorded 121 bird species.

A pride of lions was still feasting on the remains of a Wildebeest and we spent about an hour watching them and the Golden and Side-striped Jackals that were awaiting their turn. The lions seemed to be having seconds as it was only two males and a lioness that ate, several large clubs nearby already had very distended bellies and it seemed probable other lionesses had also had their fill and were asleep somewhere nearby.

We spent a lot of our time here exploring the routes around Lake Magadi, the shores of which teemed with birds. We found good numbers of Cape Teal and a couple of migrant Garganey with them. Gull-billed Terns, a few White-winged Black Terns and a single summer-plumaged Black Tern fed over the lake. Waders along the edge included Chestnut-banded Plover.

After lunch we headed to the eastern rim, driving up through epiphyte-laden Acacias. Near the ranger post we found our target, a stunning male Golden-winged Sunbird which gave superb views. It started to rain as we descended and on reaching a recently burned area, we found a couple of White Stork had dropped in. Here we also saw a Honey Badger walking past, fortunately it allowed us some quick looks before it reached a burrow and disappeared underground.

14 November 2020: Ngorongoro to Serengeti National Park

We descended from the Ngorongoro highlands into the rain shadow lowlands to the famous Oldupai (named for a local plant and often erroneously called Olduvai) gorge. Just by the turn off we found a group of vultures feeding on a dead cow which included a couple of Lappet-faced Vultures. Reaching the Oldupai gorge we listened to a short lecture of the history and significance of the archaeological findings there before looking at the fascinating site museum. The grounds also presented some good birding opportunities and we found Banded Parisoma, Red-



Ngorongoro Crater vista by Rob Williams

backed Scrub-Robin, Yellow-bellied Eremomela, Red-faced Crombec, Violet-backed Starling, Black-faced Waxbill and Cinnamon-breasted Bunting.

We then continued west through the Ngorongoro Conservation Area to the entrance to Serengeti National Park. The south-eastern area of the park is an incredible open grassland and we travelled through this before stopping at Naabi Hill for our picnic lunch and a walk around the Kopje. Here we found our first Lesser Kestrels and had good views of Silverbird, Hildebrandt's Starling and Golden-breasted Bunting. Continuing on we passed the Simba Kopjes and headed to Seronera. En route we found a lioness with three small cubs in the base of a thorn bush beside the road.

A Great Spotted Cuckoo, several European Rollers, Black-winged Kites and both Greater and Lesser Kestrels were in roadside bushes. A small wetland south of Seronera held a colony of at least 35 Black-headed Heron. En route to the lodge we watched European, Lilac-breasted and Rufous-crowned Rollers and Grey Kestrels feeding on a hatch of flying ants.



Serval by Rob Williams

15 and 16 November 2020: Serengeti National Park

We spent the next couple of days exploring the Seronera area of Serengeti National Park. This is an ideal area due to the mix of habitats in close proximity. Migration was underway in Serengeti and although we never saw enormous herds of wildebeest, they were constantly on the move, working their way southwards through the patches of savanna and woodland, moving mostly in herds of 30-500 animals. With them are smaller numbers of Zebra and also herds of Thompson's Gazelle favouring the more open areas. Over the days we saw a number of mammal highlights including: plenty of Lions, two Cheetahs at a Thompson's Gazelle kill, a grizzly crowd of Hyenas at a dying Hippo, a Serval - hunting rodents in some long grassland, with classic diving leaps. The birds also performed well and we amassed a decent list of the specialities including Karamoja Apalis, Usambiro Barbet, and Red-throated Tit. One

afternoon we headed west to some gallery forest along the Orangi river. This slightly different habitat quickly rewarded us with several good birds which we had not previously been in range for: Eastern Plantain-eater, Meyer's Parrot, Grey-headed Bush-Shrike and Black-headed Gonolek.



Plains Zebra by Rob Williams

17 November 2020: Serengeti to Arusha

On the road out of Serengeti we found two Cheetahs stalking migrating groups of Thompson's Gazelles in tall grass. We watched for a while and saw one

Cheetah start a run but pull up after a couple of strides. We waited a while watching this fascinating game of life and survival play out and several groups of Tommies safely get through the danger before we had to continue on our way. We also relocated the lioness we had seen with cubs on the way in.

Arriving at Ngorongoro crater we stopped for lunch at the viewpoint and enjoyed scope views of a Black Rhino below us. The area also gave us a few good birds. Two Silvery-cheeked Hornbills flew past for our best views yet and were followed by two high-speed Waller's Starlings. A Schalow's Turaco appeared. A mixed flock produced a series of good birds including Bar-throated Apalis of the localised murina subspecies.

We arrived at our delightful hotel in Arusha in the late afternoon, just in time for an afternoon walk on which we enjoyed good looks at Giant Kingfisher, Silvery-cheeked Hornbill and White-winged Widowbird before we enjoyed a delicious dinner.

18 November 2020: Departure and Arusha National Park Extension

A pre-breakfast exploration of the hotel grounds produced a nice selection of birds including Taveta Golden-Weaver and even a nice look at a pair of Marsh Mongoose. Four of us then took a day trip to the nearby Arusha National Park, as a post-tour extension. We enjoyed a great day finding 112 birds including Southern Pochard, Macoa Duck, Black Stork, Crowned Eagle, Black Goshawk, Narina Trogon (heard only), Bar-tailed Trogon, Brown-breasted Barbet, and Sulphur-breasted Bush-Shrike that we had not seen on the main tour.

That evening had great looks at African Wood Owl in the gardens just before dinner. We said our goodbyes and departed home, having enjoyed a great tour.

Annotated List of species recorded

List powered through the report generator of our partner iGoTerra.

	Birds			
	OSTRICH - Struthionidae			
1	Common Ostrich	<i>Struthio camelus</i>	Kenya: About 20 in Nairobi NP on the pre-tour extension. About 10 daily at Amboseli NP.	Tanzania: Seen daily at all sites.
2	Somali Ostrich - VU	<i>Struthio molybdophanes</i>	Kenya: Fairly common at Shaba NR and Buffalo Springs NR. One pair with 23 young seen well.	
	GUINEAFOWL - Numididae			
3	Helmeted Guineafowl	<i>Numida meleagris</i>	Kenya: Common at all sites apart from Mt Kenya.	Tanzania: Common at all sites.
4	Vulturine Guineafowl	<i>Acryllium vulturinum</i>	Kenya: 3 groups seen at Shaba NR and Buffalo Springs NR. Great looks.	
	PHEASANTS, GROUSE, AND ALLIES - Phasianidae			
5	Coqui Francolin	<i>Peliperdix coqui</i>	Kenya: 3 seen at Nakuru NP.	Tanzania: small numbers most days.
6	Crested Francolin	<i>Dendroperdix sephaena</i>	Kenya: a few in Shaba NR, Buffalo Springs NR,	Tanzania: Fairly common at Taranagire NP, a few in Serengeti.
7	Scaly Spurfowl	<i>Pternistis squamatus</i>	Kenya: 4 seen crossing a track at Bishops Forest Lodge.	
8	Hildebrandt's Spurfowl	<i>Pternistis hildebrandti</i>		Tanzania: Five seen in Ngorongoro crater.
9	Yellow-necked Spurfowl	<i>Pternistis leucoscepus</i>	Kenya: pre-tour: 2 Nairobi NP. Common at Shaba NR, Buffalo Springs NR, Amboseli NP.	Tanzania: Common at Taranagire NP.

10	Grey-breasted Spurfowl - E	<i>Pternistis rufopictus</i>		Tanzania: 10 seen in Serengeti NP.
11	Red-necked Spurfowl	<i>Pternistis afer</i>		Tanzania: Fairly common at Taranagire NP.
12	Harlequin Quail	<i>Coturnix delegorguei</i>	Kenya: Several seen at Shaba NR and Buffalo Springs NR.	
DUCKS, GEESE, AND WATERFOWL - Anatidae				
13	White-faced Whistling Duck	<i>Dendrocygna viduata</i>	Kenya: fairly common at Manguo swamp and Amboseli NP.	
14	Fulvous Whistling Duck	<i>Dendrocygna bicolor</i>	Kenya: about 10 at Manguo swamp.	
15	White-backed Duck	<i>Thalassornis leuconotus</i>	Kenya: about 15 at Manguo swamp.	
16	Spur-winged Goose	<i>Plectropterus gambensis</i>	Kenya: 4 on a pool near Thika, common at Amboseli NP.	Tanzania: Several at Ngorongoro crater.
17	Knob-billed Duck	<i>Sarkidiornis melanotos</i>	Kenya: 1 in flight north of Isiolo.	Tanzania: 2 juveniles on a pool and 11 in flight at Taranagire NP.
18	Egyptian Goose	<i>Alopochen aegyptiaca</i>	Kenya: Common.	Tanzania: Common.
19	Garganey	<i>Spatula querquedula</i>		Tanzania: 2 at Ngorongoro crater.
20	Hottentot Teal	<i>Spatula hottentota</i>	Kenya: about 20 at Manguo swamp and 20 daily at Amboseli NP.	Tanzania: About 50 in Ngorongoro crater.
21	Northern Shoveler	<i>Spatula clypeata</i>		Tanzania: About 40 seen in Ngorongoro crater.
22	African Black Duck	<i>Anas sparsa</i>	Kenya: good looks at several at Castle Forest Lodge.	Tanzania: A pair seen at Ngare Sero Lodge.
23	Yellow-billed Duck	<i>Anas undulata</i>	Kenya: 2 near Thika. About 30 en route to Nakuru and about 100 at Manguo swamp.	
24	Cape Teal	<i>Anas capensis</i>		Tanzania: About 25 seen in Ngorongoro crater. About 120 in Arusha NP on post-tour extension.
25	Red-billed Teal	<i>Anas erythrorhyncha</i>	Kenya: about 50 at Manguo swamp and 50 daily at Amboseli NP.	Tanzania: Common in Ngorongoro crater and the lake above.
26	Southern Pochard	<i>Netta erythrophthalma</i>		Tanzania: 7 seen in Arusha NP on the post-tour extension.
27	Maccoa Duck - NT	<i>Oxyura maccoa</i>		Tanzania: About 10 seen in Arusha NP on the post-tour extension.
NIGHTJARS AND ALLIES - Caprimulgidae				
28	Montane Nightjar	<i>Caprimulgus poliocephalus</i>	Kenya: 1 flushed from a trail and 2 seen at dawn.	
29	Freckled Nightjar	<i>Caprimulgus tristigma</i>		Tanzania: 1 seen at Serengeti Serena Lodge.
30	Slender-tailed Nightjar	<i>Caprimulgus clarus</i>	Kenya: 1 seen by Rob at Shaba NR.	Tanzania: Singles seen on two consecutive nights at Taranagire Safari Lodge.
31	Square-tailed Nightjar	<i>Caprimulgus fossii</i>	Kenya: About 5 seen at Amboseli lodge.	
SWIFTS - Apodidae				
32	Scarce Swift	<i>Schoutedenapus myoptilus</i>	Kenya: Several seen at Castle Forest Lodge.	
33	Mottled Spinetail	<i>Telacanthura ussheri</i>		Tanzania: a few seen at Taranagire NP.
34	African Palm Swift	<i>Cypsiurus parvus</i>	Kenya: Common.	Tanzania: Common.
35	Mottled Swift	<i>Tachymarptis aequatorialis</i>	Kenya: Singles seen at a few sites.	
36	Common Swift	<i>Apus apus</i>	Kenya: A few seen at scattered localities. Many high swifts unidentified to species.	Tanzania: 1000+ ahead of a thunderstorm at Taranagire NP. A few others.
37	Nyanza Swift	<i>Apus niansae</i>	Kenya: At least 10 Lake Nakuru.	

38	African Black Swift	<i>Apus barbatus</i>	Kenya: At least 10 Lake Nakuru.	Tanzania: 1 at Taranagire NP, 2 at Serengeti NP.
39	Little Swift	<i>Apus affinis</i>	Kenya: Common.	Tanzania: Common.
40	Horus Swift	<i>Apus horus</i>		Tanzania: At least 2 at Olduvai gorge.
41	White-rumped Swift	<i>Apus caffer</i>		Tanzania: Fairly common at all sites.
TURACOS - Musophagidae				
42	Schalow's Turaco	<i>Tauraco schalowi</i>		Tanzania: Singles twice at Ngorongoro crater and one seen well in Serengeti NP.
43	Hartlaub's Turaco	<i>Tauraco hartlaubi</i>	Kenya: One on the pre-tour extension in Nairobi NP, several daily at Castle Forest Lodge.	Tanzania: Fairly common in Arusha NP on post-tour extension.
44	Bare-faced Go-away-bird	<i>Corythaixoides personatus</i>		Tanzania: a few in Taranagire NP, common in Serengeti NP.
45	White-bellied Go-away-bird	<i>Corythaixoides leucogaster</i>	Kenya: fairly common at Shaba NR, Buffalo Springs NR, Nakuru and Amboseli NP.	Tanzania: a few in Taranagire NP.
46	Eastern Plantain-eater	<i>Crinifer zonurus</i>		Tanzania: 2 seen well in Serengeti NP.
BUSTARDS - Otididae				
47	Kori Bustard - NT	<i>Ardeotis kori</i>	Kenya: Fairly common at Buffalo Springs NR, a single at Amboseli NP.	Tanzania: Common in Ngorongoro crater and grassland habitats of Serengeti NP.
48	White-bellied Bustard	<i>Eupodotis senegalensis</i>	Kenya: Several at Shaba NR, Buffalo Springs NR and Amboseli NP.	Tanzania: Fairly common at Taranagire NP and Serengeti NP.
49	Buff-crested Bustard	<i>Lophotis gindiana</i>	Kenya: heard and two seen at Shaba NR.	
50	Black-bellied Bustard	<i>Lissotis melanogaster</i>	Kenya: Pre-tour extension: 4 seen in Nairobi NP. 1 at Amboseli NP.	Tanzania: Several seen in Ngorongoro crater and Serengeti NP.
51	Hartlaub's Bustard	<i>Lissotis hartlaubi</i>	Kenya: A pair in long grass and 2 in flight at Buffalo Springs NR.	
CUCKOOS - Cuculidae				
52	Blue-headed Coucal	<i>Centropus monachus</i>	Kenya: 2 seen at Castle Forest Lodge.	
53	White-browed Coucal	<i>Centropus superciliosus</i>	Kenya: Common at most sites.	Tanzania: Common.
54	Great Spotted Cuckoo	<i>Clamator glandarius</i>		Tanzania: 1 seen in Serengeti NP.
55	Levaillant's Cuckoo	<i>Clamator levaillantii</i>		Tanzania: 1 seen in Taranagire NP.
56	Jacobin Cuckoo	<i>Clamator jacobinus</i>	Kenya: Steve saw 1 at Buffalo Springs NR.	Tanzania: Linda and George saw 1 in Serengeti NP.
57	Diederik Cuckoo	<i>Chrysococcyx caprius</i>	Kenya: Several at Shaba NR and Buffalo Springs NR.	Tanzania: 2 in Taranagire NP and 1 in Serengeti NP.
58	African Emerald Cuckoo	<i>Chrysococcyx cupreus</i>	Kenya: a few heard and 1 seen at Castle Forest Lodge.	
59	Black Cuckoo	<i>Cuculus clamosus</i>	Kenya: 2 seen at Castle Forest Lodge.	
60	Red-chested Cuckoo	<i>Cuculus solitarius</i>	Kenya: heard and 1 seen at Castle Forest Lodge.	Tanzania: Fairly common by voice and several seen.
61	African Cuckoo	<i>Cuculus gularis</i>	Kenya: 1 seen well at Shaba NR.	
62	Common Cuckoo	<i>Cuculus canorus</i>	Kenya: 1 seen at Castle Forest Lodge.	Tanzania: 1 seen at Taranagire NP.
SANDGROUSE - Pteroclididae				
63	Chestnut-bellied Sandgrouse	<i>Pterocles exustus</i>		Tanzania: Fairly common at Taranagire NP.
64	Yellow-throated Sandgrouse	<i>Pterocles gutturalis</i>		Tanzania: Three seen at Taranagire NP.

65	Black-faced Sandgrouse	<i>Pterocles decoratus</i>	Kenya: A few seen at Shaba NR and Buffalo Springs NR and 1 at Amboseli NP.	Tanzania: Fairly common at Taranagire NP>
PIGEONS AND DOVES - Columbidae				
66	Rock Dove - I	<i>Columba livia</i>	Kenya: Fairly common around human habitation.	Tanzania: Fairly common around human habitation.
67	Speckled Pigeon	<i>Columba guinea</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
68	African Olive Pigeon	<i>Columba arquatrix</i>	Kenya: 3 flew over at Castle Forest Lodge clearing (leader only).	
69	Eastern Bronze-naped Pigeon	<i>Columba delegorguei</i>	Kenya: A few seen at Castle Forest Lodge.	Tanzania: A few at the gate to Ngorongoro highlands.
70	Lemon Dove	<i>Columba larvata</i>	Kenya: One seen briefly at Castle Forest Lodge.	
71	Dusky Turtle Dove	<i>Streptopelia lugens</i>	Kenya: A few in highlands.	Tanzania: Fairly common in Ngorongoro highlands.
72	Mourning Collared Dove	<i>Streptopelia decipiens</i>	Kenya: A few at scattered localities, most common at Amboseli NP.	Tanzania: A few daily in Taranagire NP and Ngorongoro crater.
73	Red-eyed Dove	<i>Streptopelia semitorquata</i>	Kenya: Fairly common at Castle Forest, Nakuru NP and Amboseli NP.	
74	Ring-necked Dove	<i>Streptopelia capicola</i>	Kenya: Common and widespread in lowlands.	Tanzania: Common and widespread in lowlands.
75	Laughing Dove	<i>Spilopelia senegalensis</i>	Kenya: Common in Shaba NR and Buffalo Springs NR.	Tanzania: Fairly common and widespread.
76	Emerald-spotted Wood Dove	<i>Turtur chalcospilos</i>	Kenya: Seen most days in wooded savanna habitats.	Tanzania: Seen most days in wooded savanna habitats.
77	Blue-spotted Wood-Dove	<i>Turtur afer</i>		Tanzania: One flushed from the road driving up from Ngorongoro crater (leader only).
78	Tambourine Dove	<i>Turtur tympanistria</i>	Kenya: A couple seen at Castle Forest Lodge.	
79	Namaqua Dove	<i>Oena capensis</i>	Kenya: Fairly common at Shaba NR and Buffalo Springs NR, a few elsewhere.	Tanzania: A few at Taranagire NP and Serengeti NP.
RAILS, GALLINULES, AND COOTS - Rallidae				
80	African Rail	<i>Rallus caerulescens</i>	Kenya: 1 seen well at Amboseli NP.	
81	Common Moorhen	<i>Gallinula chloropus</i>	Kenya: About 15 at Manguo swamp, 2 at Amboseli NP.	Tanzania: 1 at Ngorongoro crater, a few in Serengeti NP. Post-tour extension: A few at Arusha NP.
82	Red-knobbed Coot	<i>Fulica cristata</i>	Kenya: Common at Manguo swamp and Amboseli NP.	Tanzania: About 50 at Ngorongoro crater, 1 in Serengeti NP. Post-tour extension: 1 at Arusha NP.
83	Black Crake	<i>Amauornis flavirostra</i>	Kenya: Common and widespread in wetlands.	Tanzania: Common and widespread in wetlands.
CRANES - Gruidae				
84	Grey Crowned Crane - VU	<i>Balearica regulorum</i>	Kenya: 2 at Buffalo Springs NR, 2 en route to Nakuru, about 10 daily at Amboseli NP.	Tanzania: Pairs in Taranagire NP and Serengeti NP, about 25 in Ngorongoro crater.
GREBES - Podicipedidae				
85	Little Grebe	<i>Tachybaptus ruficollis</i>	Kenya: Common at Amboseli NP.	Tanzania: 2 at Ngorongoro crater, 10 at Ngare Sero. Post-tour extension: 100+ at Arusha NP.
86	Black-necked Grebe	<i>Podiceps nigricollis</i>	Kenya: 1 at Amboseli NP.	Tanzania: 2 at Ngorongoro crater. Post-tour extension: 30 at Arusha NP.
FLAMINGOS - Phoenicopteridae				

87	Greater Flamingo	<i>Phoenicopterus roseus</i>	Kenya: Common at Amboseli NP.	Tanzania: Common at Ngorongoro crater. Post-tour extension: About 30 at Arusha NP.
88	Lesser Flamingo - NT	<i>Phoeniconaias minor</i>	Kenya: Common at Amboseli NP.	Tanzania: Common at Ngorongoro crater. Post-tour extension: About 50 at Arusha NP.
THICK-KNEES - Burhinidae				
89	Water Thick-knee	<i>Burhinus vermiculatus</i>	Kenya: A few at Shaba NR. About 10 daily at Amboseli NP.	
90	Spotted Thick-knee	<i>Burhinus capensis</i>	Kenya: Pre-tour extension: 2 Nairobi NP. 1 at Amboseli NP.	Tanzania: Pairs at Taranagire NP, Serengeti NP.
STILTS AND AVOCETS - Recurvirostridae				
91	Black-winged Stilt	<i>Himantopus himantopus</i>	Kenya: Fairly common and widespread. Common at Amboseli NP.	Tanzania: About 10 in Ngongoro crater. Post-tour extension: 10 in Arusha NP.
92	Pied Avocet	<i>Recurvirostra avosetta</i>	Kenya: Common at Amboseli NP.	Tanzania: About 10 in Ngongoro crater. Post-tour extension: 2 in Arusha NP.
PLOVERS AND LAPWINGS - Charadriidae				
93	Long-toed Lapwing	<i>Vanellus crassirostris</i>	Kenya: A few near Nairobi, common at Amboseli NP.	Tanzania: About 10 in Ngongoro crater.
94	Blacksmith Lapwing	<i>Vanellus armatus</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
95	Spur-winged Lapwing	<i>Vanellus spinosus</i>	Kenya: Common and widespread.	Tanzania: Singles on two days in Serengeti NP.
96	Black-winged Lapwing	<i>Vanellus melanopterus</i>	Kenya: A few en route to Lake Nakuru.	Tanzania: About 20 in Ngongoro crater.
97	Crowned Lapwing	<i>Vanellus coronatus</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
98	Little Ringed Plover	<i>Charadrius dubius</i>	Kenya: Pre-tour extension: 2 at Nairobi NP.	
99	Common Ringed Plover	<i>Charadrius hiaticula</i>	Kenya: Singles at Buffalo Springs NR, several at Amboseli NP.	Tanzania: 2 at Taranagire NP, 2 at Ngorongoro crater.
100	Kittlitz's Plover	<i>Charadrius pecuarius</i>	Kenya: Fairly common at Amboseli NP.	Tanzania: 4 at Ngorongoro crater.
101	Three-banded Plover	<i>Charadrius tricollaris</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
102	Chestnut-banded Plover - NT	<i>Charadrius pallidus</i>	Kenya: Up to 10 daily at Amboseli NP.	Tanzania: 2 at Ngorongoro crater.
103	Caspian Plover	<i>Charadrius asiaticus</i>	Kenya: 3 seen from vehicle en route to Amboseli NP.	
PAINTED-SNIPES - Rostratulidae				
104	Greater Painted-snipe	<i>Rostratula benghalensis</i>	Kenya: Good looks at a pair at Amboseli NP.	
JACANAS - Jacanidae				
105	African Jacana	<i>Actophilornis africanus</i>	Kenya: 10 at wetlands en route to Mt Kenya. Common at Amboseli NP.	Tanzania: 2 at Ngare Sero. Several on post-tour extension in Arusha NP.
SANDPIPERS AND ALLIES - Scolopacidae				
106	Black-tailed Godwit - NT	<i>Limosa limosa</i>	Kenya: A flock of about 60 seen at Amboseli NP.	
107	Ruff	<i>Calidris pugnax</i>	Kenya: Common at Amboseli NP.	Tanzania: Fairly common along Taranagire river. About 50 in Ngorongoro crater. Several on post-tour extension in Arusha NP.
108	Curlew Sandpiper	<i>Calidris ferruginea</i>	Kenya: Common at Amboseli NP.	Tanzania: A few at Taranagire NP and Ngorongoro crater.
109	Temminck's Stint	<i>Calidris temminckii</i>	Kenya: 2 on river at Buffalo Springs NR.	

110	Little Stint	<i>Calidris minuta</i>	Kenya: A few at Buffalo Springs NR. Common at Amboseli NP.	Tanzania: A few at Taranagire NP, 30+ Ngorongoro crater, a few daily in Serengeti.
111	Common Snipe	<i>Gallinago gallinago</i>	Kenya: Pre-tour extension: 2 in Nairobi NP. 6 at Amboseli NP.	Tanzania: 1 in Serengeti NP.
112	Red-necked Phalarope	<i>Phalaropus lobatus</i>	Kenya: Two seen very well at Amboseli NP.	
113	Common Sandpiper	<i>Actitis hypoleucos</i>	Kenya: Fairly common and widespread.	Tanzania: A few in Taranagire NP. 1 Serengeti NP, Post-tour extension: 1 Arusha NP.
114	Green Sandpiper	<i>Tringa ochropus</i>	Kenya: Pre-tour extension: 5 Nairobi NP. Up to 5 daily at Shaba NR and Buffalo Springs NR.	Tanzania: A few at Taranagire NP.
115	Marsh Sandpiper	<i>Tringa stagnatilis</i>	Kenya: Common at Amboseli NP.	Tanzania: Several daily in Taranagire NP. Post-tour extension: 1 at Arusha NP.
116	Wood Sandpiper	<i>Tringa glareola</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
117	Common Greenshank	<i>Tringa nebularia</i>	Kenya: 1 Buffalo Springs NR, several daily at Amboseli NP.	Tanzania: Several daily at Taranagire NP.
	PRATINCOLES AND COURSERS - Glareolidae			
118	Somali Courser	<i>Cursorius somalensis</i>	Kenya: 9 seen at Shaba NR.	
119	Temminck's Courser	<i>Cursorius temminckii</i>		Tanzania: 4 seen in Ngorongoro crater.
120	Double-banded Courser	<i>Rhinoptilus africanus</i>	Kenya: 5 at Amboseli NP.	Tanzania: Fairly common in Taranagire NP, a few daily in Serengeti.
121	Collared Pratincole	<i>Glareola pratincola</i>	Kenya: Common at Amboseli NP.	
122	Black-winged Pratincole	<i>Glareola nordmanni</i>	Kenya: a single seen well in flight at Amboseli NP.	
	GULLS, TERNS, AND SKIMMERS - Laridae			
123	Grey-headed Gull	<i>Chroicocephalus cirrocephalus</i>	Kenya: about 100 at Lake Nakuru and 2 at Amboseli NP.	
124	Gull-billed Tern	<i>Gelochelidon nilotica</i>	Kenya: a few daily at Amboseli NP.	Tanzania: About 10 in Ngorongoro crater.
125	Whiskered Tern	<i>Chlidonias hybrida</i>	Kenya: Fairly common at Amboseli NP.	Tanzania: About 5 in Ngorongoro crater.
126	White-winged Tern	<i>Chlidonias leucopterus</i>	Kenya: Common at Amboseli NP.	Tanzania: About 15 in Ngorongoro crater.
127	Black Tern	<i>Chlidonias niger</i>		Tanzania: One seen over the lake in Ngorongoro crater..
	STORKS - Ciconiidae			
128	Yellow-billed Stork	<i>Mycteria ibis</i>	Kenya: Scattered sightings at several localities; fairly common at Amboseli NP.	Tanzania: About 20 in Ngorongoro crater and 1 near Lake Manyara.
129	Black Stork	<i>Ciconia nigra</i>		Tanzania: Post-tour extension: 3, 1 adult and 2 juveniles, seen at Arusha NP.
130	White Stork	<i>Ciconia ciconia</i>	Kenya: About 20 in fields north of Mt Kenya.	Tanzania: 4 foraging at Ngorongoro crater. Two large flocks (estimated 450) flying south over Serengeti NP, 1 single seen on ground.
131	Saddle-billed Stork	<i>Ephippiorhynchus senegalensis</i>	Kenya: Several daily at Amboseli NP.	Tanzania: 4 seen at Taranagire NP.
132	Marabou Stork	<i>Leptoptilos crumenifer</i>	Kenya: Common in Nairobi city. Common at Amboseli NP.	Tanzania: Fairly common, seen daily.
	ANHINGAS - Anhingidae			
133	African Darter	<i>Anhinga rufa</i>	Kenya: Pre-tour extension: About 10 in Nairobi NP. 2 at Lake Nakuru.	Tanzania: Linda saw one in flight near Lake Manyara.
	CORMORANTS AND SHAGS - Phalacrocoracidae			

134	Reed Cormorant	<i>Microcarbo africanus</i>	Kenya: Pre-tour extension: 2 at Nairobi NP. 2 en route to Mt Kenya, common at Amboseli NP.	Tanzania: Up to 4 at Ngare Sero Lodge. Post-tour extension: 4 Arusha NP.
135	White-breasted Cormorant	<i>Phalacrocorax lucidus</i>	Kenya: 5 at Amboseli NP.	Tanzania: Post-tour extension: One at Arusha NP.
IBISES AND SPOONBILLS - Threskiornithidae				
136	African Sacred Ibis	<i>Threskiornis aethiopicus</i>	Kenya: Common and widespread.	Tanzania: About 100 in Ngorongoro crater. Post-tour extension: About 20 in Arusha NP.
137	Olive Ibis	<i>Bostrychia olivacea</i>	Kenya: Two scoped perched in a tree below Castle Forest lodge.	
138	Hadada Ibis	<i>Bostrychia hagedash</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
139	Glossy Ibis	<i>Plegadis falcinellus</i>	Kenya: Fairly common in wetlands at Amboseli NP.	Tanzania: About 30 in Ngorongoro crater. Post-tour extension: 5 in Arusha NP.
140	African Spoonbill	<i>Platalea alba</i>	Kenya: Fairly common and widespread, about 50 daily in Amboseli NP.	Tanzania: About 30 in Ngorongoro crater. Post-tour extension: 1 in Arusha NP.
HERONS, EGRETS, AND BITTERNS - Ardeidae				
141	Little Bittern	<i>Ixobrychus minutus</i>	Kenya: Pre-tour extension: 2 seen at Nairobi NP.	
142	Dwarf Bittern	<i>Ixobrychus sturmii</i>	Kenya: One seen at Buffalo Springs NR.	
143	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Kenya: Pre-tour extension: 1 seen at Nairobi NP. One seen at Shaba NR.	
144	Striated Heron	<i>Butorides striata</i>	Kenya: Pre-tour extension: 3 seen at Nairobi NP. One seen at Shaba NR.	Tanzania: Two at Ngare Sero Lodge. One on post-tour extension in Arusha NP.
145	Squacco Heron	<i>Ardeola ralloides</i>	Kenya: Abundant in wetlands at Amboseli NP.	
146	Western Cattle Egret	<i>Bubulcus ibis</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
147	Grey Heron	<i>Ardea cinerea</i>	Kenya: Fairly common and widespread, large numbers at Amboseli NP.	Tanzania: Fairly common and widespread. 30 at Ngorongoro crater.
148	Black-headed Heron	<i>Ardea melanocephala</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread. A nesting colony in Serengeti NP.
149	Goliath Heron	<i>Ardea goliath</i>	Kenya: A few daily at Amboseli NP.	
150	Purple Heron	<i>Ardea purpurea</i>	Kenya: One disappeared into reeds at a wetland en route to Mt Kenya (leader only).	
151	Great Egret	<i>Ardea alba</i>	Kenya: A few at scattered sites, several daily at Amboseli NP.	Tanzania: A single at Ngare Sero lodge.
152	Intermediate Egret	<i>Ardea intermedia</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
153	Little Egret	<i>Egretta garzetta</i>	Kenya: A few daily at Amboseli NP.	
HAMERKOP - Scopidae				
154	Hamerkop	<i>Scopus umbretta</i>	Kenya: Widespread, small numbers most days.	Tanzania: Widespread, small numbers most days.
PELICANS - Pelecanidae				
155	Great White Pelican	<i>Pelecanus onocrotalus</i>		Tanzania: A single soaring over Lake Manyara.
SECRETARY-BIRD - Sagittariidae				
156	Secretarybird - VU	<i>Sagittarius serpentarius</i>	Kenya: singles at Nairobi NP, Shaba NR and Buffalo Springs NR, Several Amboseli NP.	Tanzania: Seen most days in small numbers.
OSPREY - Pandionidae				
157	Western Osprey	<i>Pandion haliaetus</i>	Kenya: a couple seen at Lake Nakuru.	

	HAWKS, EAGLES, AND KITES - Accipitridae			
158	Black-winged Kite	<i>Elanus caeruleus</i>	Kenya: Fairly common at most sites.	Tanzania: Fairly common in Taranagire NP, abundant in Serengeti NP.
159	African Harrier-Hawk	<i>Polyboroides typus</i>	Kenya: A single at Bishop's Lodge Forest.	Tanzania: A single at Ngorongoro crater.
160	Hooded Vulture - EN	<i>Necrosyrtes monachus</i>		Tanzania: 2 seen well in Serengeti NP, waiting for Cheetahs to finish eating.
161	White-backed Vulture - NT	<i>Gyps africanus</i>	Kenya: Pre-tour extension: 40 in Nairobi NP. 1 in Shaba NR, 2 in Buffalo Springs NR, common at Amboseli NP.	Tanzania: Common at all sites.
162	Rüppell's Vulture - EN	<i>Gyps rueppelli</i>	Kenya: Pre-tour extension: 4 in Nairobi NP. 10 in Shaba NR, 25 in Buffalo Springs NR, fairly common at Amboseli NP.	Tanzania: Common at all sites.
163	White-headed Vulture - VU	<i>Trigonoceps occipitalis</i>		Tanzania: 2 distant sightings at Taranagire NP.
164	Lappet-faced Vulture - VU	<i>Torgos tracheliotos</i>	Kenya: 4 at Amboseli NP.	Tanzania: Up to 8 daily in all sites.
165	Black-chested Snake Eagle	<i>Circaetus pectoralis</i>	Kenya: 2 at Buffalo Springs NR, 1 at Amboseli NP.	Tanzania: 1 in Serengeti NP.
166	Brown Snake Eagle	<i>Circaetus cinereus</i>	Kenya: Singles at Shaba NR and Buffalo Springs NR, 2 at Amboseli NP.	Tanzania: 1 in Taranagire NP.
167	Bateleur - NT	<i>Terathopius ecaudatus</i>	Kenya: 5+ in Shaba NR and Buffalo Springs NR.	Tanzania: DA few daily in Taranagire NP and Serengeti NP.
168	Crowned Eagle - NT	<i>Stephanoaetus coronatus</i>		Tanzania: 1 (leader only) at Ngorongoro highlands. Post-tour extension: 1 briefly in Arusha NP.
169	Martial Eagle - NT	<i>Polemaetus bellicosus</i>	Kenya: Singles at Buffalo Springs NR and Amboseli NP. The latter perched low and close facing off a female Thompson's Gazelle.	Tanzania: 3 in Taranagire NP and 1 in Serengeti NP.
170	Long-crested Eagle	<i>Lophaetus occipitalis</i>	Kenya: 3 at Lake Nakuru NP.	Tanzania: 3 in Serengeti NP.
171	Lesser Spotted Eagle	<i>Clanga pomarina</i>		Tanzania: 1 at Taranagire NP.
172	Clanga eagle sp.		Kenya: A Clanga eagle that appeared to be a Greater Spotted Eagle was seen at Buffalo Springs NR. But given the difficulty of identification, the relatively brief flight views, lack of photos and the possibility of it being a hybrid, the identification remains unproven.	
173	Wahlberg's Eagle	<i>Hieraaetus wahlbergi</i>	Kenya: One at Lake Nakuru NP.	Tanzania: Singles in Taranagire NP and Serengeti NP.
174	Booted Eagle	<i>Hieraaetus pennatus</i>	Kenya: 1 at Buffalo Springs NR, 3 en route to Lake Nakuru.	Tanzania: 2 in Taranagire NP.
175	Tawny Eagle	<i>Aquila rapax</i>	Kenya: A few at Shaba NR and Buffalo Springs NR.	Tanzania: Fairly common at Taranagire NP, Ngorongoro crater and Serengeti NP.
176	Steppe Eagle	<i>Aquila nipalensis</i>	Kenya: A few at Shaba NR and Buffalo Springs NR. Several at Amboseli NP.	Tanzania: Fairly common at Taranagire NP, a few at Ngorongoro crater and Serengeti NP.
177	Verreaux's Eagle	<i>Aquila verreauxii</i>		Tanzania: Two adults flew right over our heads and then circled before drifting south down the escarpment at Lake Manyara viewpoint.
178	African Hawk-Eagle	<i>Aquila spilogaster</i>	Kenya: Four sightings in the Mt Kenya area.	

179	Gabar Goshawk	<i>Micronisus gabar</i>	Kenya: 1 at Shaba NR and 2 at Buffalo Springs NR.	Tanzania: 1 in Serengeti NP.
180	Dark Chanting Goshawk	<i>Melierax metabates</i>		Tanzania: Fairly common in Serengeti NP.
181	Eastern Chanting Goshawk	<i>Melierax poliopterus</i>	Kenya: Fairly common at Shaba NR, Buffalo Springs NR and Amboseli NP.	
182	African Goshawk	<i>Accipiter tachiro</i>	Kenya: A single briefly down the track below Castle Forest Lodge.	
183	Shikra	<i>Accipiter badius</i>	Kenya: A single in Shaba NR.	Tanzania: A single in Serengeti NP.
184	Ovambo Sparrowhawk	<i>Accipiter ovampensis</i>		Tanzania: 3 feeding on hatching Ant-lions after a storm in Taranagire NP. 2 in serengeti NP.
185	Black Sparrowhawk	<i>Accipiter melanoleucus</i>		Tanzania: Post-tour extension: One flew over late afternoon.
186	Western Marsh Harrier	<i>Circus aeruginosus</i>	Kenya: Singles at Mango swamp and Amboseli NP.	Tanzania: 2 in Ngorongoro crater.
187	Pallid Harrier - NT	<i>Circus macrourus</i>	Kenya: Singles at Buffalo Springs NR and Amboseli NP.	Tanzania: Up to 5 daily in Serengeti NP.
188	Montagu's Harrier	<i>Circus pygargus</i>	Kenya: 1 en route to Nakuru, 2 at Amboseli NP.	Tanzania: Four in Serengeti NP.
189	Yellow-billed Kite	<i>Milvus aegyptius</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
190	African Fish Eagle	<i>Haliaeetus vocifer</i>	Kenya: Pre-tour extension: 3 Nairobi NP. Several daily at Lake Nakuru NP and Amboseli NP.	Tanzania: 1 in Serengeti NP. Post-tour extension: 3 at Arusha NP.
191	Long-legged Buzzard	<i>Buteo rufinus</i>	Kenya: Singles en route to Makuru and at Amboseli NP.	
192	Common Buzzard	<i>Buteo buteo</i>	Kenya: 3 seen in highlands near Mt Kenya. Subspecies vulpinus (Steppe Buzzard).	Tanzania: 6 seen in Ngorongoro highlands. Subspecies vulpinus (Steppe Buzzard).
193	Mountain Buzzard - NT	<i>Buteo oreophilus</i>	Kenya: 1 seen perched and in flight at Castle Forest Lodge.	
194	Augur Buzzard	<i>Buteo augur</i>	Kenya: Common and widespread, mainly in highlands.	Tanzania: Common and widespread in highlands; estimated 20 seen in Ngorongoro crater.
OWLS - Strigidae				
195	African Scops Owl	<i>Otus senegalensis</i>		Tanzania: Heard nightly and seen in a day roost at Taranagire Safari Lodge.
196	Cape Eagle-Owl	<i>Bubo capensis</i>	Kenya: A male of the mackinderi subspecies seen en route to Lake Nakuru.	
197	Spotted Eagle-Owl	<i>Bubo africanus</i>		Tanzania: One seen and heard nightly at Serengeti Serena Lodge.
198	Verreaux's Eagle-Owl	<i>Bubo lacteus</i>	Kenya: Two adults and a juvenile seen at Lake Nakuru.	
199	African Wood Owl	<i>Strix woodfordii</i>		Tanzania: One heard and seen at Ngare Sero Lodge.
200	Pearl-spotted Owlet	<i>Glaucidium perlatum</i>	Kenya: 1 seen at Buffalo Springs NR.	Tanzania: One seen at Taranagire NP.
MOUSEBIRDS - Coliidae				
201	Speckled Mousebird	<i>Colius striatus</i>	Kenya: Common.	Tanzania: Common.
202	White-headed Mousebird	<i>Colius leucocephalus</i>	Kenya: A few seen near Amboseli NP.	
203	Blue-naped Mousebird	<i>Urocolius macrourus</i>	Kenya: Fairly common at Shaba NR and Buffalo Springs NR.	Tanzania: Fairly common at Taranagire NP and Serengeti NP.
TROGONS - Trogonidae				

204	Narina Trogon	<i>Apaloderma narina</i>		Tanzania: Post-tour extension: One heard calling, but could not be lured into view.
205	Bar-tailed Trogon	<i>Apaloderma vittatum</i>		Tanzania: Post-tour extension: A male seen well and another heard calling.
	HOOPOES - Upupidae			
206	Eurasian Hoopoe	<i>Upupa epops</i>	Kenya: Pre-tour extension: A single seen in Nairobi NP.	
207	African Hoopoe	<i>Upupa africana</i>	Kenya: A few at scattered localities.	Tanzania: Fairly common in Taranagire NP, a few in Serengeti NP.
	WOODHOOPOES AND SCIMITAR-BILLS - Phoeniculidae			
208	White-headed Wood Hoopoe	<i>Phoeniculus bollei</i>	Kenya: A few seen at Castle Forest Lodge.	
209	Green Wood Hoopoe	<i>Phoeniculus purpureus</i>	Kenya: A few at Nairobi NP and Lake Nakuru NP.	Tanzania: A few seen at Taranagire NP and Serengeti NP.
210	Grant's Wood Hoopoe	<i>Phoeniculus granti</i>	Kenya: Several seen at Shaba NR and Buffalo Springs NR.	
211	Common Scimitarbill	<i>Rhinopomastus cyanomelas</i>	Kenya: A few at Lake Nakuru NP.	Tanzania: One in Serengeti NP.
212	Abyssinian Scimitarbill	<i>Rhinopomastus minor</i>	Kenya: Several at Shaba NR and Buffalo Springs NR.	
	GROUND HORN BILLS - Bucorvidae			
213	Southern Ground Hornbill - VU	<i>Bucorvus leadbeateri</i>	Kenya: 3 at Amboseli NP.	Tanzania: Fairly common at Taranagire NP and a group of 4 seen in Serengeti NP.
	HORN BILLS - Bucerotidae			
214	Tanzanian Red-billed Hornbill - E	<i>Tockus ruahae</i>		Tanzania: a few seen in Serengeti NP.
215	Northern Red-billed Hornbill	<i>Tockus erythrorhynchus</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common at Taranagire NP.
216	Von der Decken's Hornbill	<i>Tockus deckeni</i>		Tanzania: Fairly common at Taranagire NP and Serengeti NP.
217	Eastern Yellow-billed Hornbill	<i>Tockus flavirostris</i>	Kenya: Fairly common at Shaba NR and Buffalo Springs NR.	
218	Crowned Hornbill	<i>Lophoceros alboterminatus</i>	Kenya: Fairly common at Castle Forest Lodge.	Tanzania: Post-tour extension: 1 seen in Arusha NP.
219	African Grey Hornbill	<i>Lophoceros nasutus</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
220	Silvery-cheeked Hornbill	<i>Bycanistes brevis</i>	Kenya: 2 (leader only) at Castle Forest Lodge.	Tanzania: 3 at Lake Manyara, 2 at Ngorongoro crater, several at Ngare Sero Lodge and on post-tour extension at Arusha NP.
	ROLLERS - Coraciidae			
221	Purple Roller	<i>Coracias naevius</i>	Kenya: 2 at Shaba NR.	Tanzania: 3 in Serengeti NP.
222	Lilac-breasted Roller	<i>Coracias caudatus</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
223	European Roller - NT	<i>Coracias garrulus</i>	Kenya: A few at Shaba NR and Buffalo Springs NR.	Tanzania: Common in Serengeti NP.
	KINGFISHERS - Alcedinidae			
224	Grey-headed Kingfisher	<i>Halcyon leucocephala</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
225	Brown-hooded Kingfisher	<i>Halcyon albiventris</i>	Kenya: 2 near Thika.	
226	Striped Kingfisher	<i>Halcyon chelicuti</i>		Tanzania: Up to 2 daily in Taranagire NP and Serengeti NP.
227	African Pygmy Kingfisher	<i>Ispidina picta</i>		Tanzania: Singles at the swimming pool in Taranagire Safari Lodge and Ngare Sero.

228	Malachite Kingfisher	<i>Corythornis cristatus</i>	Kenya: Pre-tour extension: About 5 in Nairobi NP. 1 at Buffalo Springs NR.	
229	Giant Kingfisher	<i>Megaceryle maxima</i>	Kenya: 1 at Castle Forest Lodge.	Tanzania: 2 at Ngare Sero.
230	Pied Kingfisher	<i>Ceryle rudis</i>	Kenya: Pre-tour extension: 3 in Nairobi NP. 1 at Shaba NR, 2 at Buffalo Springs NR, up to 10 daily at Amboseli NP.	
BEE-EATERS - Meropidae				
231	Little Bee-eater	<i>Merops pusillus</i>	Kenya: Common and widespread in wooded savanna areas.	Tanzania: Common and widespread in wooded savanna areas.
232	Cinnamon-chested Bee-eater	<i>Merops oreobates</i>	Kenya: Common in Mt Kenya highlands.	Tanzania: Several in Ngorongoro highlands. Post-tour extension: 2 at Arusha NP.
233	White-fronted Bee-eater	<i>Merops bullockoides</i>	Kenya: About 10 at Lake Nakuru NP.	Tanzania: About 10 north of Arusha.
234	Somali Bee-eater	<i>Merops revollii</i>	Kenya: 3 pairs at Shaba NR.	
235	White-throated Bee-eater	<i>Merops albicollis</i>	Kenya: Fairly common at Shaba NR and Buffalo Springs NR.	Tanzania: 1 near Olduvai gorge.
236	Blue-cheeked Bee-eater	<i>Merops persicus</i>	Kenya: bout 8 at Amboseli NP.	
237	European Bee-eater	<i>Merops apiaster</i>	Kenya: Pre-tour extension: About 20 in Nairobi NP. Heard en route to MT Kenya.	Tanzania: Fairly common at Taranagire NP, a few at Serengeti NP.
AFRICAN BARBETS - Lybiidae				
238	White-eared Barbet	<i>Stactolaema leucotis</i>	Kenya: Pre-tour extension: 4 seen at Nairobi NP.	Tanzania: Post-tour extension: About 10 seen at Arusha NP.
239	Moustached Tinkerbird	<i>Pogoniulus leucomystax</i>	Kenya: Linda and Peter saw one at Mt Kenya.	Tanzania: One seen at Ngorongoro gate.
240	Yellow-rumped Tinkerbird	<i>Pogoniulus bilineatus</i>		Tanzania: Post-tour extension: One seen in Arusha NP.
241	Red-fronted Tinkerbird	<i>Pogoniulus pusillus</i>	Kenya: Pre-tour extension: One seen well in Nairobi NP.	
242	Red-fronted Barbet	<i>Tricholaema diademata</i>		Tanzania: One seen at Olduvai gorge and a pair at Serengeti visitor centre.
243	Spot-flanked Barbet	<i>Tricholaema lacrymosa</i>	Kenya: 3 en route to Mt Kenya at Thika.	
244	Black-throated Barbet	<i>Tricholaema melanocephala</i>	Kenya: 2 seen at Shaba NR.	
245	White-headed Barbet	<i>Lybius leucocephalus</i>	Kenya: Pre-tour: 2 in Nairobi NP. 2 en route to Mt Kenya.	
246	Brown-breasted Barbet	<i>Lybius melanopterus</i>		Tanzania: Post-tour extension: One seen at Arusha NP.
247	Red-and-yellow Barbet	<i>Trachyphonus erythrocephalus</i>	Kenya: 2 north of Isiolo.	Tanzania: A few seen in Taranagire NP.
248	D'Arnaud's Barbet	<i>Trachyphonus darnaudii</i>		Tanzania: One in Taranagire NP and several of the usambiro subspecies, which is now considered a separate species by BirdLife International, in Serengeti NP.
HONEYGUIDES - Indicatoridae				
249	Lesser Honeyguide	<i>Indicator minor</i>	Kenya: Singles at Nairobi NP, Thika, Shaba NR and Buffalo Springs NR.	
250	Greater Honeyguide	<i>Indicator indicator</i>	Kenya: Heard at Castle Forest Lodge and Buffalo Springs NR.	Tanzania: Heard in Taranagire NP.
WOODPECKERS - Picidae				
251	Nubian Woodpecker	<i>Campethera nubica</i>	Kenya: A few in Buffalo Springs NR, 2 at Amboseli NP.	Tanzania: 2 in Taranagire NP.
252	Golden-tailed Woodpecker	<i>Campethera abingoni</i>		Tanzania: 1 in Taranagire NP.

253	Fine-banded Woodpecker	<i>Campethera taeniolaema</i>	Kenya: 1 at Castle Forest Lodge. Also called Tullenberg's Woodpecker.	
254	Bearded Woodpecker	<i>Chloropicus namaquus</i>	Kenya: Pre-tour extension: 1 in Nairobi NP. Two at Lake Nakuru NP.	Tanzania: 2 in Taranagire NP.
255	Cardinal Woodpecker	<i>Dendropicos fuscescens</i>	Kenya: A few at Shaba NR, Buffalo Springs NR, Lake Nakuru NP, and Amboseli NP.	Tanzania: A few in Taranagire NP and Serengeti NP.
256	Eastern Grey Woodpecker	<i>Dendropicos spodocephalus</i>	Kenya: 2 Nairobi NP, 1 Amboseli NP.	Tanzania: 2 Taranagire NP.
257	Brown-backed Woodpecker	<i>Dendropicos obsoletus</i>		Tanzania: Post-tour extension: One in Arusha NP.
FALCONS AND CARACARAS - Falconidae				
258	Pygmy Falcon	<i>Polihierax semitorquatus</i>	Kenya: Fairly common at Shaba NR, Buffalo Springs NR and on the road to Amboseli NP.	
259	Lesser Kestrel	<i>Falco naumanni</i>		Tanzania: Fairly common in Serengeti NP. Over 100 seen some days.
260	Common Kestrel	<i>Falco tinnunculus</i>	Kenya: 1 at Shaba NR.	Tanzania: A few in Taranagire NP, Ngorongoro crater and Serengeti NP.
261	Greater Kestrel	<i>Falco rupicoloides</i>	Kenya: 1 at Amboseli NP.	Tanzania: A pair at a nest in Serengeti NP.
262	Grey Kestrel	<i>Falco ardosiaceus</i>	Kenya: 1 at Shaba NR.	Tanzania: A few most days at Taranagire NP and Serengeti NP.
263	Sooty Falcon	<i>Falco concolor</i>	Kenya: Two seen at Buffalo Springs NR. The long wings and distinctive flight were noted to separate it from Grey Kestrel.	
264	Eurasian Hobby	<i>Falco subbuteo</i>		Tanzania: A few in Taranagire NP, Ngorongoro crater and Serengeti NP.
265	African Hobby	<i>Falco cuvierii</i>		Tanzania: 2 at Taranagire NP, singles twice at Ngongoro crater, and 2 in Serengeti NP.
266	Lanner Falcon	<i>Falco biarmicus</i>	Kenya: 1 at Amboseli NP.	
267	Peregrine Falcon	<i>Falco peregrinus</i>	Kenya: A huge 1st year female calidus subspecies was hunting over the sewage ponds north of Isiolo.	
AFRICAN & NEW WORLD PARROTS - Psittacidae				
268	Red-fronted Parrot	<i>Poicephalus gulielmi</i>	Kenya: Up to 5 daily at Castle Forest Lodge.	
269	Meyer's Parrot	<i>Poicephalus meyeri</i>		Tanzania: Fairly common Taranagire NP and Serengeti NP.
270	Red-bellied Parrot	<i>Poicephalus rufiventris</i>	Kenya: A few daily in Shaba NR and Buffalo Springs NR.	
OLD WORLD PARROTS - Psittaculidae				
271	Fischer's Lovebird - NT	<i>Agapornis fischeri</i>	Kenya: Pre-tour extension: About 8 at Nairobi NP.	Tanzania: Fairly common in Serengeti NP.
272	Yellow-collared Lovebird	<i>Agapornis personatus</i>		Tanzania: Common in Taranagire NP.
WATTLE-EYES AND BATISES - Platysteiridae				
273	Chinspot Batis	<i>Batis molitor</i>	Kenya: A few en route to Mt Kenya, Castle Forest lodge and at Lake Nakuru NP.	Tanzania: A few at Ngorongoro highlands and Serengeti NP.
274	Pygmy Batis	<i>Batis perkeo</i>	Kenya: 1 in Shaba NR and 3 in Buffalo Springs NR.	
BUSHSHRIKES AND ALLIES - Malaconotidae				

275	Grey-headed Bushshrike	<i>Malaconotus blanchoti</i>		Tanzania: 2 in Serengeti NP.
276	Rosy-patched Bushshrike	<i>Telophorus cruentus</i>	Kenya: Several seen well at Shaba NR and Buffalo Springs.	Tanzania: 3 seen at Taranagire NP.
277	Brown-crowned Tchagra	<i>Tchagra australis</i>		Tanzania: Seen daily at Taranagire NP and serengeti NP.
278	Black-crowned Tchagra	<i>Tchagra senegalus</i>		Tanzania: Two seen in Ngorongoro crater.
279	Black-backed Puffback	<i>Dryoscopus cubla</i>	Kenya: 2 at Lake Nakuru.	Tanzania: 3 Taranagire NP, 2 Ngorongoro highlands.
280	Slate-colored Boubou	<i>Laniarius funebris</i>	Kenya: Fairly common in all wooded savannah localities.	Tanzania: Fairly common in all wooded savannah localities.
281	Tropical Boubou	<i>Laniarius major</i>	Kenya: Fairly common at Castle Forest Lodge, in Mt Kenya highlands.	Tanzania: Fairly common in Ngorongoro highlands.
282	Black-headed Gonolek	<i>Laniarius erythrogaster</i>		Tanzania: 2 in Serengeti NP.
283	Brubru	<i>Nilaus afer</i>	Kenya: A few at Shaba and Buffalo springs, 1 at Amboseli NP.	Tanzania: Several in Serengeti NP.
VANGAS & ALLIES - Vangidae				
284	Retz's Helmetshrike	<i>Prionops retzii</i>		Tanzania: Steve and Rob saw individuals at Ngare Sero Mountain Lodge at the end of the tour.
CUCKOO-SHRIKES - Campephagidae				
285	Grey Cuckooshrike	<i>Coracina caesia</i>	Kenya: 3 at Mt Kenya.	Tanzania: 1 Ngorongoro highlands.
286	Black Cuckooshrike	<i>Campephaga flava</i>		Tanzania: Singles Taranagire NP, Ngorongoro crater and Serengeti NP.
287	Purple-throated Cuckooshrike	<i>Campephaga quiscalina</i>	Kenya: 5 at Mt Kenya.	
SHRIKES - Laniidae				
288	Magpie Shrike	<i>Urolestes melanoleucus</i>		Tanzania: Common in Taranagire NP and Serengeti NP.
289	Northern White-crowned Shrike	<i>Eurocephalus ruppelli</i>	Kenya: Common in Shaba NR and Buffalo Springs.	Tanzania: Common in Taranagire NP and Serengeti NP.
290	Red-backed Shrike	<i>Lanius collurio</i>	Kenya: 1 male at Amboseli NP.	Tanzania: Fairly common in Taranagire NP and Serengeti NP.
291	Isabelline Shrike	<i>Lanius isabellinus</i>	Kenya: Several at scatter localities.	Tanzania: 5 in Serengeti NP.
292	Turkestan Shrike	<i>Lanius phoenicuroides</i>	Kenya: 1 seen well at Nairobi NP. Also called Red-tailed Shrike and previously considered conspecific Isabelline Shrike.	
293	Grey-backed Fiscal	<i>Lanius excubitoroides</i>	Kenya: 1 at Lake Nakuru NP.	Tanzania: Several daily in Serengeti NP.
294	Long-tailed Fiscal	<i>Lanius cabanisi</i>	Kenya: About 20 in Nairobi NP. Fairly common in Amboseli NP.	Tanzania: Several daily in Taranagire NP.
295	Taita Fiscal	<i>Lanius dorsalis</i>	Kenya: Several daily in Shaba NR and Buffalo Springs. 1 at Amboseli NP.	Tanzania: 1 near Arusha and several in Ngorongoro highlands.
OLD WORLD ORIOLES - Oriolidae				
296	Black-headed Oriole	<i>Oriolus larvatus</i>	Kenya: 1 (leader only) in Nairobi NP.	Tanzania: 2 in Taranagire NP and 2 in Serengeti NP.
297	Mountain Oriole	<i>Oriolus percivali</i>	Kenya: Several seen well at Castle Forest lodge.	
298	Eurasian Golden Oriole	<i>Oriolus oriolus</i>	Kenya: 1 seen well at the Blue Post Hotel, Thika.	
DRONGOS - Dicruridae				
299	Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	Kenya: Common.	Tanzania: Common.

	MONARCH FLYCATCHERS - Monarchidae			
300	African Paradise Flycatcher	<i>Terpsiphone viridis</i>	Kenya: 1 at Castle Forest Lodge and 2 at Amboseli NP.	Tanzania: A few most days in Taranagire NP and Serengeti NP.
	CROWS, JAYS, AND MAGPIES - Corvidae			
301	Cape Crow	<i>Corvus capensis</i>	Kenya: A few seen in the highlands.	Tanzania: A few seen in Ngorongoro highlands and Serengeti NP.
302	Pied Crow	<i>Corvus albus</i>	Kenya: Common and widespread.	Tanzania: Fairly common and widespread.
303	Fan-tailed Raven	<i>Corvus rhipidurus</i>	Kenya: 2 north of Isiolo.	
304	White-necked Raven	<i>Corvus albicollis</i>		Tanzania: 3 at Ngorongoro highlands. Post-tour extension: 1 Arusha NP.
	FAIRY FLYCATCHERS - Stenostiridae			
305	African Blue Flycatcher	<i>Elminia albicauda</i>		Tanzania: 1 at Ngorongoro gate.
306	White-tailed Crested Flycatcher	<i>Elminia albonotata</i>	Kenya: 2 at Castle Forest Lodge.	
	CHICKADEES AND TITS - Paridae			
307	White-bellied Tit	<i>Melaniparus albiventris</i>	Kenya: A few seen at Nairobi NP, Castle Forest Lodge, Lake Nakuru NP.	Tanzania: 3 seen in Serengeti NP.
308	Red-throated Tit	<i>Melaniparus fringillinus</i>		Tanzania: 4 seen in Serengeti NP.
	LARKS - Alaudidae			
309	Fischer's Sparrow-Lark	<i>Eremopterix leucopareia</i>	Kenya: Fairly common in arid savannah sites,	
310	Pink-breasted Lark	<i>Calendulauda poecilosterna</i>	Kenya: Fairly common in Shaba NR and Buffalo Springs.	
311	Foxy Lark	<i>Calendulauda alopex</i>	Kenya: A few In Shaba NR and Buffalo Springs.	
312	Red-winged Lark	<i>Mirafra hypermetra</i>	Kenya: A few In Shaba NR and Buffalo Springs.	
313	Rufous-naped Lark	<i>Mirafra africana</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
314	Flappet Lark	<i>Mirafra rufocinnamomea</i>	Kenya: A few in the highlands near Mt Kenya.	Tanzania: A few in the Ngorongoro highlands.
315	Williams's Lark - E - DD	<i>Mirafra williamsi</i>	Kenya: 1 seen at Shaba NR.	
316	Singing Bush Lark	<i>Mirafra cantillans</i>		Tanzania: 1 seen in Taranagire NP.
317	White-tailed Lark	<i>Mirafra albicauda</i>		Tanzania: 1 seen in Taranagire NP.
318	Red-capped Lark	<i>Calandrella cinerea</i>	Kenya: A few en route to Lake Nakuru and at Amboseli NP.	Tanzania: Common in Ngorongoro crater and highlands slopes.
319	Athi Short-toed Lark - NE	<i>Alaudala athensis</i>	Kenya: 3 seen well at Amboseli NP.	
	BULBULS - Pycnonotidae			
320	Sombre Greenbul	<i>Andropadus importunus</i>	Kenya: 4+ seen at Castle Forest Lodge.	
321	Slender-billed Greenbul	<i>Stelgidillas gracilirostris</i>	Kenya: 4+ seen at Castle Forest Lodge.	
322	Mountain Greenbul	<i>Arizelocichla nigriceps</i>	Kenya: 5+ seen at Castle Forest Lodge.	Tanzania: A few in the Ngorongoro highlands.
323	Yellow-whiskered Greenbul	<i>Eurillas latirostris</i>	Kenya: Common at Castle Forest Lodge.	
324	Northern Brownbul	<i>Phyllastrephus strepitans</i>	Kenya: 2 at Shaba NR.	
325	Dodson's Bulbul	<i>Pycnonotus dodsoni</i>	Kenya: Fairly common at Shaba NR, Buffalo Springs NR and Amboseli NP.	
326	Dark-capped Bulbul	<i>Pycnonotus tricolor</i>	Kenya: Common in Nairobi, Castle Forest Lodge and Lake Nakuru.	Tanzania: Common.
	SWALLOWS - Hirundinidae			

327	Black Saw-wing	<i>Psalidoprocne pristoptera</i>	Kenya: Common at Castle Forest Lodge and a few elsewhere in highlands.	Tanzania: Fairly common in Ngorongoro highlands.
328	Brown-throated Martin	<i>Riparia paludicola</i>	Kenya: 2 Nairobi NP, Common at Amboseli NP.	
329	Sand Martin	<i>Riparia riparia</i>	Kenya: 1 at Shaba NR and about 5 at Amboseli NP.	Tanzania: 2 Ngorongoro crater.
330	Banded Martin	<i>Riparia cincta</i>	Kenya: 2 at Amboseli NP.	Tanzania: 2 Ngorongoro crater and 1 at Olduvai gorge.
331	Barn Swallow	<i>Hirundo rustica</i>	Kenya: Common, often in huge numbers.	Tanzania: Common and widespread.
332	Wire-tailed Swallow	<i>Hirundo smithii</i>	Kenya: A few at Amboseli NP.	Tanzania: A few in Serengeti NP.
333	Rock Martin	<i>Ptyonoprogne fuligula</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
334	Common House Martin	<i>Delichon urbicum</i>		Tanzania: 1 in Taranagire NP with a large movement of hirundines ahead of rain.
335	Lesser Striped Swallow	<i>Cecropis abyssinica</i>	Kenya: Fairly common at Amboseli NP.	Tanzania: Several daily in Taranagire NP and Serengeti NP.
336	Mosque Swallow	<i>Cecropis senegalensis</i>	Kenya: A pair seen daily at Castle Forest Lodge.	Tanzania: Several in Taranagire NP.
337	Red-rumped Swallow	<i>Cecropis daurica</i>	Kenya: 2 at Nairobi NP, common at Amboseli NP.	Tanzania: Common at all sites.
	CROMBECS, AFRICAN WARBLERS - Macrosphenidae			
338	Northern Crombec	<i>Sylvietta brachyura</i>	Kenya: A few at Shaba and Buffalo Springs.	
339	Red-faced Crombec	<i>Sylvietta whytii</i>		Tanzania: 2 seen in Taranagire NP and 4 at Serengeti NP.
	LEAF-WARBLERS - Phylloscopidae			
340	Willow Warbler	<i>Phylloscopus trochilus</i>	Kenya: A few at Castle Forest Lodge, Buffalo Springs and Lake Nakuru.	Tanzania: 1 at Taranagire NP and 2 in Serengeti NP.
341	Brown Woodland Warbler	<i>Phylloscopus umbrovirens</i>	Kenya: A few seen at Castle Forest Lodge.	
	REED-WARBLERS AND ALLIES - Acrocephalidae			
342	Lesser Swamp Warbler	<i>Acrocephalus gracilirostris</i>	Kenya: 1 seen briefly (leader-only) and heard at roadside marsh en route to Lake Nakuru.	
343	Eurasian Reed Warbler	<i>Acrocephalus scirpaceus</i>	Kenya: 2 seen and heard at roadside marsh en route to Lake Nakuru.	
344	African Yellow Warbler	<i>Iduna natalensis</i>	Kenya: 2 seen in Nairobi NP and near Thika.	
	GRASSBIRDS AND ALLIES - Locustellidae			
345	Cinnamon Bracken Warbler	<i>Bradypterus cinnamomeus</i>	Kenya: Several heard at Castle Forest Lodge.	
	CISTICOLAS AND ALLIES - Cisticolidae			
346	Red-faced Cisticola	<i>Cisticola erythrops</i>	Kenya: 2 at Blue Post Hotel, Thika.	Tanzania: 1 in Ngorongoro highlands.
347	Singing Cisticola	<i>Cisticola cantans</i>	Kenya: 2 Nairobi NP, 1 near Thika.	
348	Hunter's Cisticola	<i>Cisticola hunteri</i>	Kenya: Common at Castle Forest Lodge.	Tanzania: 1 in Ngorongoro highlands.
349	Rattling Cisticola	<i>Cisticola chiniana</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
350	Boran Cisticola	<i>Cisticola bodessa</i>	Kenya: 2 seen at the usual site en route to Isiolo.	
351	Ashy Cisticola	<i>Cisticola cinereolus</i>	Kenya: 2 birds at each of Buffalo Springs and Amboseli NP.	

352	Lynes's Cisticola	<i>Cisticola distinctus</i>		Tanzania: About 10 in Ngorongoro crater.
353	Winding Cisticola	<i>Cisticola marginatus</i>	Kenya: Several at various localities.	
354	Stout Cisticola	<i>Cisticola robustus</i>		Tanzania: 1 at Serengeti NP.
355	Croaking Cisticola	<i>Cisticola natalensis</i>	Kenya: 5+ at Nairobi NP.	Tanzania: Several in Taranagire NP and Serengeti NP.
356	Tiny Cisticola	<i>Cisticola nana</i>	Kenya: 4+ at Amoseli NP.	
357	Zitting Cisticola	<i>Cisticola juncidis</i>	Kenya: Several seen and heard at various localities.	
358	Desert Cisticola	<i>Cisticola aridulus</i>		Tanzania: 4 in Ngorongoro crater.
359	Pectoral-patch Cisticola	<i>Cisticola brunnescens</i>		Tanzania: Fairly common in Ngorongoro and Serengeti NP.
360	Wing-snapping Cisticola	<i>Cisticola ayresii</i>	Kenya: Heard and 1 glimpsed at Kinangop plateau.	
361	Tawny-flanked Prinia	<i>Prinia subflava</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
362	Pale Prinia	<i>Prinia somalica</i>	Kenya: 5 at Shaba and Buffalo Springs.	
363	Buff-bellied Warbler	<i>Phyllolais pulchella</i>	Kenya: 2 at Nairobi NP.	Tanzania: 1 at Taranagire NP and several in Serengeti NP.
364	Bar-throated Apalis	<i>Apalis thoracica</i>		Tanzania: 1 in the Ngorongoro highlands of the locally endemic murina subspecies.
365	Yellow-breasted Apalis	<i>Apalis flavida</i>	Kenya: 2 Nairobi NP, 1 near Thika, 4 at Lake Nakuru NP.	Tanzania: 3 in Taranagire NP.
366	Black-throated Apalis	<i>Apalis jacksoni</i>	Kenya: 10 at Castle Forest Lodge.	
367	Chestnut-throated Apalis	<i>Apalis porphyrolaema</i>	Kenya: 3 at Castle Forest Lodge.	
368	Karamoja Apalis - NE - VU	<i>Apalis karamojae</i>		Tanzania: 2 in Serengeti NP.
369	Grey Apalis	<i>Apalis cinerea</i>	Kenya: 3 at Castle Forest Lodge.	
370	Brown-headed Apalis	<i>Apalis alticola</i>		Tanzania: 1 in Ngorongoro highlands (leader only).
371	Grey-capped Warbler	<i>Eminia lepida</i>	Kenya: 1 Thika, 5 Lake Nakuru NP.	Tanzania: 1 in Ngorongoro highlands.
372	Grey-backed Camaroptera	<i>Camaroptera brevicaudata</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
373	Grey Wren-Warbler	<i>Calamonastes simplex</i>	Kenya: Several heard and seen at Shaba NR, Buffalo Springs and Amboseli.	
374	Yellow-vented Eremomela	<i>Eremomela flavicrissalis</i>		Tanzania: 1 at Oldupai gorge.
	OLD WORLD WARBLERS - Sylviidae			
375	Eurasian Blackcap	<i>Sylvia atricapilla</i>		Tanzania: Several seen in the Ngorongoro highlands and 1 in Serengeti NP.
376	African Hill Babbler	<i>Pseudoalcippe abyssinica</i>	Kenya: 3 seen near Castle Forest Lodge.	
377	Banded Parisoma	<i>Sylvia boehmi</i>	Kenya: 2 en route to Amboseli NP.	Tanzania: 3 seen in Taranagire NP and 2 at Olduvai gorge.
	YUHNAS, WHITE-EYES, AND ALLIES - Zosteropidae			
378	Pale White-eye	<i>Zosterops flavilateralis</i>	Kenya: Pre-tour extension: several seen in Nairobi NP.	
379	Mubulu White-eye	<i>Zosterops mbuluensis</i>		Tanzania: A few seen in the Ngorongoro highlands
380	Kikuyu White-eye - E	<i>Zosterops kikuyuensis</i>	Kenya: Fairly common in the Mt Kenya highlands.	
381	Kilimanjaro White-eye	<i>Zosterops euryzocotus</i>		Tanzania: Post-tour extension. A few seen in Arusha NP.

382	Northern Yellow White-eye	<i>Zosterops senegalensis</i>	Kenya: About 10 seen en route to Mt Kenya.	
LAUGHINGTHRUSHES - Leiothrichidae				
383	Rufous Chatterer	<i>Turdoides rubiginosa</i>	Kenya: Good looks at several around the lodge at Buffalo Springs NR.	
384	Hinde's Babbler - E - VU	<i>Turdoides hindei</i>	Kenya: Heard calling distantly but could not be seen.	
385	Arrow-marked Babbler	<i>Turdoides jardineii</i>	Kenya: Heard at Lake Nakuru NP.	Tanzania: A few seen daily in Taranagire NP.
386	Black-lored Babbler	<i>Turdoides sharpei</i>		Tanzania: Fairly common in Serengeti NP.
387	Northern Pied Babbler	<i>Turdoides hypoleuca</i>	Kenya: Pre-tour extension. 10 in Nairobi National Park. 5 en route to Mt Kenya.	Tanzania: About 10 in Taranagire NP.
STARLINGS - Sturnidae				
388	Wattled Starling	<i>Creatophora cinerea</i>	Kenya: Common in Nairobi NP, Shaba NR, Buffalo Springs and Amboseli NP.	Tanzania: 1 in Serengeti NP.
389	Greater Blue-eared Starling	<i>Lamprotornis chalybaeus</i>	Kenya: 2 near Thick. Common at Lake Nakuru NP.	
390	Rüppell's Starling	<i>Lamprotornis purpuroptera</i>	Kenya: 5 Nairobi NP, 10 Lake Nakuru NP.	Tanzania: Common in Serengeti NP.
391	Golden-breasted Starling	<i>Lamprotornis regius</i>	Kenya: Several at Shaba NR.	
392	Superb Starling	<i>Lamprotornis superbus</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
393	Hildebrandt's Starling - NE	<i>Lamprotornis hildebrandti</i>	Kenya: 2 Nairobi NP.	Tanzania: Common in Serengeti NP.
394	Ashy Starling - NE	<i>Lamprotornis unicolor</i>		Tanzania: Common at Taranagire NP.
395	Fischer's Starling	<i>Lamprotornis fischeri</i>	Kenya: Fairly common on the entrance road to Amboseli NP.	
396	Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>		Tanzania: A couple in Serengeti NP.
397	Red-winged Starling	<i>Onychognathus morio</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
398	Slender-billed Starling	<i>Onychognathus tenuirostris</i>	Kenya: Linda saw one at Castle Forest Lodge.	
399	Waller's Starling	<i>Onychognathus walleri</i>		Tanzania: 2 flew past the viewpoint above Ngorongoro crater.
400	Bristle-crowned Starling	<i>Onychognathus salvadorii</i>	Kenya: 5 at Shaba NR.	
401	Magpie Starling	<i>Speculipastor bicolor</i>	Kenya: 4 in flight from the hill at Buffalo Springs.	
OXPECKERS - Buphagidae				
402	Yellow-billed Oxpecker	<i>Buphagus africanus</i>	Kenya: 3 in Nairobi NP.	Tanzania: A few in Serengeti NP.
403	Red-billed Oxpecker	<i>Buphagus erythrorhynchus</i>	Kenya: Fairly common near large herbivores. Nairobi NP, Shaba NR, Buffalo Springs, Amboseli NP.	Tanzania: Fairly common near large herbivores. Taranagire NP, Ngorongoro crater, Serengeti NP.
THRUSHES AND ALLIES - Turdidae				
404	African Thrush	<i>Turdus pelios</i>	Kenya: 4 seen at Nakuru in the hotel grounds.	
405	Abyssinian Thrush	<i>Turdus abyssinicus</i>	Kenya: Fairly common in Nairobi, Mt Kenya area, Nyahururu Falls and Lake Nakuru.	Tanzania: One near Arusha and a few in the Ngorongoro highlands.
OLD WORLD FLYCATCHERS - Muscicapidae				
406	White-browed Scrub Robin	<i>Cercotrichas leucophrys</i>	Kenya: 3 Amboseli NP entrance road.	Tanzania: Heard Taranagire NP and a few daily in Serengeti NP.
407	Rufous-tailed Scrub Robin	<i>Cercotrichas galactotes</i>	Kenya: 4 in Shaba NR and Buffalo Springs.	
408	Spotted Morning-Thrush	<i>Cichladusa guttata</i>	Kenya: Several in Shaba NR and Buffalo Springs.	Tanzania: 4 in Taranagire NP at lodge, very confiding.

409	Southern Black Flycatcher	<i>Melaenornis pammelaina</i>	Kenya: 1 near Thika.	
410	Pale Flycatcher	<i>Melaenornis pallidus</i>	Kenya: A few in savannah habitats.	Tanzania: A few in savannah habitats.
411	African Grey Flycatcher	<i>Melaenornis microrhynchus</i>		Tanzania: A few in Ngorongoro area, 1 in Serengeti NP and 2 in Arusha NP.
412	Silverbird	<i>Empidonax semipartitus</i>		Tanzania: Fairly common and widespread.
413	Spotted Flycatcher	<i>Muscicapa striata</i>	Kenya: 1 Nairobi NP, 2 other migrants.	
414	African Dusky Flycatcher	<i>Muscicapa adusta</i>	Kenya: Fairly common in highland forest areas.	Tanzania: A few in Ngorongoro highlands.
415	Brown-chested Alethe	<i>Pseudaethya poliocephala</i>	Kenya: 1 Castle Forest Lodge.	
416	Thrush Nightingale	<i>Luscinia luscinia</i>	Kenya: Singles seen at Buffalo Springs NR (George and Rob) and Amboseli (Steve).	
417	Cape Robin-Chat	<i>Cossypha caffra</i>	Kenya: 1 near Thika and 1 at Lake Nakuru NP.	Tanzania: A few in Ngorongoro area and 2 in Arusha NP.
418	Rüppell's Robin-Chat	<i>Cossypha semirufa</i>	Kenya: Heard at Castle Forest Lodge.	
419	White-browed Robin-Chat	<i>Cossypha heuglini</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
420	White-starred Robin	<i>Pogonochila stellata</i>	Kenya: 2 seen well at Castle Forest Lodge.	
421	Common Rock Thrush	<i>Monticola saxatilis</i>	Kenya: 1 at Buffalo Springs.	
422	Little Rock Thrush	<i>Monticola rufocinereus</i>	Kenya: 1 at Lake Nakuru NP.	
423	Whinchat	<i>Saxicola rubetra</i>	Kenya: Several Nairobi NP, 2 en route to Lake Nakuru and 1 Amboseli NP.	
424	African Stonechat	<i>Saxicola torquatus</i>	Kenya: Fairly common in highlands west of Mt Kenya.	Tanzania: A few in Ngorongoro crater area and Arusha NP.
425	Anteater Chat	<i>Myrmecocichla aethiops</i>	Kenya: Fairly common in highlands near Mt Kenya and at Lake Nakuru NP.	Tanzania: Common in Tarangire NP and Arusha NP.
426	Northern Wheatear	<i>Oenanthe oenanthe</i>	Kenya: Common and widespread in open short grasslands.	Tanzania: Common and widespread in open short grasslands.
427	Capped Wheatear	<i>Oenanthe pileata</i>	Kenya: A few in Shaba NR and en route to Lake Nakuru.	Tanzania: Fairly common in Ngorongoro crater and Serengeti NP.
428	Isabelline Wheatear	<i>Oenanthe isabellina</i>	Kenya: Common and widespread in open short grasslands.	Tanzania: Common and widespread in open short grasslands.
429	Pied Wheatear	<i>Oenanthe pleschanka</i>	Kenya: A few daily in Shaba NR and Buffalo Springs.	
430	Familiar Chat	<i>Oenanthe familiaris</i>		Tanzania: 3 en route to Arusha.
431	Brown-tailed Rock Chat	<i>Oenanthe scotocerca</i>	Kenya: A few in black lava flows at Shaba NR.	
432	Abyssinian Wheatear	<i>Oenanthe lugubris</i>		Tanzania: 1 en route to Arusha, fairly common in Ngorongoro slopes.
	SUNBIRDS AND SPIDERHUNTERS - Nectariniidae			
433	Eastern Violet-backed Sunbird	<i>Anthreptes orientalis</i>	Kenya: Several seen at: Shaba NR, Buffalo Springs and Amboseli NP.	Tanzania: 1 seen well at Oldupai gorge.
434	Collared Sunbird	<i>Hedydipna collaris</i>	Kenya: Common in Mt Kenya highlands at Castle Forest Lodge.	Tanzania: Common in Ngorongoro highlands.
435	Green-headed Sunbird	<i>Cyanomitra verticalis</i>	Kenya: 1 seen at Castle Forest Lodge.	
436	Olive Sunbird	<i>Cyanomitra olivacea</i>	Kenya: 2 at Castle Forest Lodge, 4 at Lake Nakuru NP.	
437	Amethyst Sunbird	<i>Chalcomitra amethystina</i>	Kenya: Several near Thika, in highlands and at Lake Nakuru.	Tanzania: 1 at Arusha NP.

438	Scarlet-chested Sunbird	<i>Chalcomitra senegalensis</i>	Kenya: A few Nairobi NP, near Thika and in highlands.	
439	Hunter's Sunbird	<i>Chalcomitra hunteri</i>	Kenya: A few Shaba NR and Buffalo Springs.	
440	Tacazze Sunbird	<i>Nectarinia tacazze</i>	Kenya: Several Castle Forest Lodge.	
441	Bronzy Sunbird	<i>Nectarinia kilimensis</i>	Kenya: A few near Thika, and in highlands near Mt Kenya.	
442	Golden-winged Sunbird	<i>Drepanorhynchus reichenowi</i>		Tanzania: 1 male seen well at Ngorongoro crater rim.
443	Northern Double-collared Sunbird	<i>Cinnyris reichenowi</i>	Kenya: Common in Mt Kenya highlands at Castle Forest Lodge.	
444	Eastern Double-collared Sunbird	<i>Cinnyris mediocris</i>	Kenya: Fairly common in highlands near Mt Kenya.	Tanzania: Fairly common in Ngorongoro highlands.
445	Beautiful Sunbird	<i>Cinnyris pulchellus</i>	Kenya: A few Amboseli NP.	
446	Marico Sunbird	<i>Cinnyris mariquensis</i>	Kenya: 1 Nairobi NP.	Tanzania: Several at Taranagire NP and Serengeti NP.
447	Black-bellied Sunbird	<i>Cinnyris nectarinioides</i>	Kenya: A few seen well at Buffalo Springs.	
	OLD WORLD SPARROWS - Passeridae			
448	House Sparrow - I	<i>Passer domesticus</i>	Kenya: Common around towns and villages.	Tanzania: Common around towns and villages.
449	Kenya Sparrow	<i>Passer rufocinctus</i>	Kenya: A few in Nairobi NP, Mt Kenya area and Amboseli NP.	Tanzania: Fairly common in Ngorongoro crater and a few on the NW slope of the Ngorongoro highlands.
450	Northern Grey-headed Sparrow	<i>Passer griseus</i>		Tanzania: A few in Serengeti NP.
451	Parrot-billed Sparrow	<i>Passer gongonensis</i>	Kenya: Common in Shaba NR and Buffalo Springs.	
452	Swahili Sparrow	<i>Passer suahelicus</i>		Tanzania: Fairly common in Taranagire NP.
453	Chestnut Sparrow	<i>Passer eminibey</i>	Kenya: A few in Buffalo Springs and Amboseli NP.	Tanzania: A few in Taranagire NP and Serengeti NP.
454	Yellow-spotted Bush Sparrow	<i>Gymnoris pyrgita</i>	Kenya: A few in Shaba and Buffalo Springs.	
	WEAVERS AND ALLIES - Ploceidae			
455	Red-billed Buffalo Weaver	<i>Bubalornis niger</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
456	White-headed Buffalo Weaver	<i>Dinemellia dinemelli</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
457	White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>	Kenya: Common and widespread.	
458	Donaldson Smith's Sparrow-Weaver	<i>Plocepasser donaldsoni</i>	Kenya: Common at Shaba NR and Buffalo Springs.	
459	Rufous-tailed Weaver	<i>Histurgops ruficauda</i>		Tanzania: Common and widespread.
460	Grey-capped Social Weaver	<i>Pseudonigrita arnaudi</i>	Kenya: About 50 seen on the road to Namanga.	Tanzania: A few seen near Namanga.
461	Black-capped Social Weaver	<i>Pseudonigrita cabanisi</i>	Kenya: Common at Shaba NR and Buffalo Springs.	
462	Speckle-fronted Weaver	<i>Sporopipes frontalis</i>		Tanzania: A few daily at Taranagire NP and Serengeti NP.
463	Baglafaecht Weaver	<i>Ploceus baglafaecht</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
464	Spectacled Weaver	<i>Ploceus ocularis</i>	Kenya: A few near Thika and at Castle Forest Lodge.	Tanzania: 1 in Ngorongoro highlands.
465	Black-necked Weaver	<i>Ploceus nigricollis</i>	Kenya: 2 at Buffalo Springs.	Tanzania: 4 at Taranagire NP.
466	Eastern Golden Weaver	<i>Ploceus subaureus</i>	Kenya: 30 at Blue Post Hotel, Thika.	
467	Holub's Golden Weaver	<i>Ploceus xanthops</i>	Kenya: 3 near Thika, 3 at Amboseli NP.	Tanzania: 1 Serengeti NP.

468	Golden Palm Weaver	<i>Ploceus bojeri</i>	Kenya: 2 at Buffalo Springs.	
469	Taveta Weaver	<i>Ploceus castaneiceps</i>	Kenya: 3 at Amboseli NP.	Tanzania: 2 in Taranagire NP and 10 at Ngare Sero Lodge.
470	Lesser Masked Weaver	<i>Ploceus intermedius</i>	Kenya: Fairly common at Shaba, Buffalo Springs and 2 at Amboseli NP.	Tanzania: Fairly common in Serengeti NP.
471	Vitelline Masked Weaver	<i>Ploceus vitellinus</i>	Kenya: 2 Nairobi NP, 5 near Thika.	Tanzania: 2 near Arusha.
472	Speke's Weaver	<i>Ploceus spekei</i>	Kenya: A few in the highlands.	
473	Village Weaver	<i>Ploceus cucullatus</i>	Kenya: A couple of large colonies near Thika and in highlands.	
474	Chestnut Weaver	<i>Ploceus rubiginosus</i>	Kenya: Several groups at scattered localities.	
475	Brown-capped Weaver	<i>Ploceus insignis</i>	Kenya: 3 at Castle Forest Lodge.	
476	Red-headed Weaver	<i>Anaplectes rubriceps</i>	Kenya: Fairly common and widespread.	Tanzania: A few at scattered localities.
477	Red-billed Quelea	<i>Quelea quelea</i>	Kenya: Common in savannah habitats.	Tanzania: Fairly common at Taranagire NP.
478	Yellow-crowned Bishop	<i>Euplectes afer</i>	Kenya: 20 at Mwea Rice Fields.	
479	Yellow Bishop	<i>Euplectes capensis</i>		Tanzania: Several at Oldupai gorge and Serengeti NP.
480	Fan-tailed Widowbird	<i>Euplectes axillaris</i>		Tanzania: 30 in Ngorongoro crater.
481	White-winged Widowbird	<i>Euplectes albonotatus</i>	Kenya: a few near Thika and Mwea rice fields.	Tanzania: 2 Ngare Sero Lodge.
482	Red-collared Widowbird	<i>Euplectes ardens</i>	Kenya: 1 near Thika and a few in highlands.	
483	Long-tailed Widowbird	<i>Euplectes progne</i>	Kenya: 15 in Kinangop grasslands.	
	WAXBILLS AND ALLIES - Estrildidae			
484	Grey-headed Silverbill	<i>Spermestes griseicapilla</i>	Kenya: 6 Shaba NR.	
485	Bronze Mannikin	<i>Lonchura cucullata</i>	Kenya: Several in hotel gardens in Nairobi, 1 en route to Lake Nakuru.	
486	Red-backed Mannikin	<i>Lonchura nigriceps</i>	Kenya: Common at Castle Forest Lodge.	Tanzania: 4 in the Ngorongoro highlands.
487	African Silverbill	<i>Euodice cantans</i>	Kenya: Fairly common at Shaba NR and Buffalo Springs.	
488	Yellow-bellied Waxbill	<i>Coccyzygia quartinia</i>	Kenya: About 10 seen at Castle Forest Lodge.	
489	Abyssinian Crimsonwing	<i>Cryptospiza salvadorii</i>	Kenya: A pair seen at Castle Forest Lodge.	Tanzania: A pair seen at Arusha NP.
490	Grey-headed Nigrita	<i>Nigrita canicapillus</i>	Kenya: 4 seen at Castle Forest Lodge.	
491	Black-cheeked Waxbill	<i>Brunhilda chamosyna</i>	Kenya: 3 at Buffalo Springs.	
492	Black-faced Waxbill	<i>Brunhilda erythronotos</i>		Tanzania: 3 at Oldupai gorge and 2 at Serengeti NP.
493	Kandt's Waxbill	<i>Estrilda kandti</i>	Kenya: About 10 seen daily at Castle Forest Lodge.	
494	Common Waxbill	<i>Estrilda astrild</i>	Kenya: Fairly common, seen at several localities.	Tanzania: About 50 in Ngorongoro crater.
495	Crimson-rumped Waxbill	<i>Estrilda rhodopyga</i>	Kenya: 2 on the access road to Amboseli NP.	Tanzania: 1 at Taranagire NP.
496	Cut-throat Finch	<i>Amadina fasciata</i>	Kenya: About 30 at Shaba NR and Buffalo Springs.	
497	Purple Grenadier	<i>Uraeginthus ianthinogaster</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
498	Red-cheeked Cordon-bleu	<i>Uraeginthus bengalus</i>	Kenya: Fairly common and widespread.	Tanzania: Fairly common and widespread.
499	Blue-capped Cordon-bleu	<i>Uraeginthus cyanocephalus</i>		Tanzania: Fairly common and widespread.
500	Green-winged Pytilia	<i>Pytilia melba</i>		Tanzania: 3 Taranagire NP, 1 Serengeti NP.

501	Red-throated Twinspot	<i>Hypargos niveoguttatus</i>		Tanzania: Steve and Rob both saw a pair at Ngare Sero Lodge at the end of the tour. Called Peter's Twinspot by eBird.
502	Red-billed Firefinch	<i>Lagonosticta senegala</i>	Kenya: Fairly common and widespread.	Tanzania: 1 Taranagire NP.
503	African Firefinch	<i>Lagonosticta rubricata</i>	Kenya: 2 near Thika.	
504	Jameson's Firefinch	<i>Lagonosticta rhodopareia</i>	Kenya: 1 Amboseli NP (not seen by Rob).	Tanzania: 3 Taranagire NP.
INDIGOBIRDS - Viduidae				
505	Village Indigobird	<i>Vidua chalybeata</i>	Kenya: About 20 en route to Mt Kenya and 2 near Namanga.	
506	Pin-tailed Whydah	<i>Vidua macroura</i>	Kenya: A few seen at several sites.	
507	Long-tailed Paradise Whydah	<i>Vidua paradisaea</i>		Tanzania: One in Ngorongoro Crater.
WAGTAILS AND PIPITS - Motacillidae				
508	Western Yellow Wagtail	<i>Motacilla flava</i>	Kenya: A few at Isiolo, en route to Nakuru, and at Amboseli NP.	Tanzania: About 200 in Ngorongoro crater.
509	Grey Wagtail	<i>Motacilla cinerea</i>	Kenya: A few at Castle Forest Lodge and a single at Shaba NR.	
510	Mountain Wagtail	<i>Motacilla clara</i>	Kenya: Several at Castle Forest Lodge.	Tanzania: Three seen at Ngare Sero Lodge.
511	African Pied Wagtail	<i>Motacilla aguimp</i>	Kenya: Common.	Tanzania: Common.
512	Golden Pipit	<i>Tmetothylacus tenellus</i>	Kenya: Great views of a male and females at Buffalo Springs NR.	
513	Sharpe's Longclaw - E - EN	<i>Macronyx sharpei</i>	Kenya: 3 seen well at a site near Nairobi.	
514	Yellow-throated Longclaw	<i>Macronyx croceus</i>	Kenya: 2 Nairobi NP, 1 Amboseli NP.	Tanzania: 1 Serengeti NP.
515	Pangani Longclaw	<i>Macronyx aurantiigula</i>	Kenya: 1 Nairobi NP (Pretour extension).	
516	Rosy-throated Longclaw	<i>Macronyx ameliae</i>		Tanzania: 2 Ngorongoro crater.
517	African Pipit	<i>Anthus cinnamomeus</i>	Kenya: 2 Castle Forest Lodge, common Amboseli NP.	Tanzania: Fairly common Ngorongoro crater and Serengeti NP.
518	Long-billed Pipit	<i>Anthus similis</i>	Kenya: 2 Mt Kenya area, 4 Kinangop Plateau.	Tanzania: Several near Oldupai gorge.
519	Plain-backed Pipit	<i>Anthus leucophrys</i>	Kenya: 10 Buffalo Springs.	Tanzania: 1 Ngorongoro Crater.
520	Tree Pipit	<i>Anthus trivialis</i>	Kenya: Several Mt Kenya area.	Tanzania: 2 Ngorongoro highlands.
521	Bushveld Pipit	<i>Anthus caffer</i>		Tanzania: A single seen well at Taranagire NP.
FINCHES, EUPHONIAS - Fringillidae				
522	Oriole Finch	<i>Linurgus olivaceus</i>	Kenya: 3 seen at Castle Forest Lodge.	Tanzania: Post-tour extension: an adult seen feeding a juvenile.
523	African Citril	<i>Crithagra citrinelloides</i>	Kenya: 10 near Thika.	
524	Southern Citril	<i>Crithagra hyposticta</i>		Tanzania: 2 Taranagire NP, 20+ in Ngorongoro highlands. Post-tour extension: 5 in Arusha NP.
525	Reichenow's Seedeater	<i>Crithagra reichenowi</i>	Kenya: Fairly common at several sites.	
526	White-bellied Canary	<i>Crithagra dorsostriata</i>	Kenya: 5 at Buffalo Springs and 2 at Amboseli NP.	Tanzania: Seen at Oldupai gorge and in Serengeti NP.
527	Northern Grosbeak-Canary	<i>Crithagra donaldsoni</i>	Kenya: 4 in an area of marsh near Thika.	
528	Southern Grosbeak-Canary	<i>Crithagra buehneri</i>		Tanzania: A single in the Ngorongoro highlands.

529	Brimstone Canary	<i>Crithagra sulphurata</i>	Kenya: A few seen near Thick and en route to Nakuru.	
530	Thick-billed Seedeater	<i>Crithagra burtoni</i>	Kenya: A few seen around Mt. Kenya.	Tanzania: One the extension in Arusha NP.
531	Streaky Seedeater	<i>Crithagra striolata</i>	Kenya: Several seen around Mt. Kenya.	Tanzania: A few in the Ngorongoro highlands.
	BUNTINGS, SPARROWS AND ALLIES - Emberizidae			
532	Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>	Kenya: Pre-tour extension: 1 in Nairobi NP. 2 at Buffalo Springs NR.	Tanzania: 1 in Serengeti NP.
533	Golden-breasted Bunting	<i>Emberiza flaviventris</i>		Tanzania: One seen well in Serengeti NP.
	Mammals			
	ELEPHANTS - Elephantidae			
1	African Elephant	<i>Loxodonta africana</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
	HYLAXES - Procaviidae			
2	Southern Tree Hyrax	<i>Dendrohyrax arboreus</i>	Kenya: Heard at Castle Forest Lodge.	
3	Yellow-spotted Hyrax	<i>Heterohyrax brucei</i>		Tanzania: A few in Taranagire NP and Serengeti NP.
4	Rock Hyrax	<i>Procavia capensis</i>		Tanzania: Several in Taranagire NP.
	GALAGOS - Galagidae			
5	Northern Lesser Galago	<i>Galago senegalensis</i>		Tanzania: several seen in Serengeti NP.
6	Thick-tailed Greater Galago	<i>Otolemur crassicaudatus</i>	Kenya: 1 seen at Amboseli NP.	
	OLD WORLD MONKEYS - Cercopithecidae			
7	Blue Monkey	<i>Cercopithecus mitis</i>		
-	[Zanzibar Syke's Monkey]	<i>Cercopithecus mitis albogularis</i>		Tanzania: about 10 at Ngare Sero Lodge and Arusha NP.
-	[Kolb's White-collared Monkey] - E	<i>Cercopithecus mitis kolbi</i>	Kenya: 8 at Castle Forest Lodge.	
8	Vervet	<i>Chlorocebus pygerythrus</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
9	Mantled Guereza	<i>Colobus guereza</i>	Kenya: 8+ seen and others heard at Castle Forest Lodge.	
10	Mount Kilimanjairo Guereza	<i>Colobus caudatus</i>	Tanzania: Several seen at Ngare Sero and Arusha NP. Validity of species seemingly unsupported by genetic evidence.	
11	Olive Baboon	<i>Papio anubis</i>	Kenya: Common in Shaba and Buffalo Springs.	
12	Yellow Baboon	<i>Papio cynocephalus</i>	Kenya: Common in Amboseli NP.	Tanzania: Common in most sites. An albino individual seen in Arusha NP.
	RABBITS, HARES - Leporidae			
13	Cape Hare	<i>Lepus capensis</i>	Kenya: Two singles seen on drives.	
	OLD WORLD PORCUPINES - Hystricidae			
14	Crested Porcupine	<i>Hystrix cristata</i>		
	TRUE MICE AND RATS, GERBILS, SPINY MICE, CRESTED RAT - Muridae			
15	African Grass Rat	<i>Arvicanthis niloticus</i>		Tanzania: Fairly common in Serengeti NP.
16	Acacia Rat	<i>Thallomys paedulus</i>		Tanzania: 4 seen in Serengeti NP.
	SQUIRRELS - Sciuridae			

17	Unstriped Ground Squirrel	<i>Xerus rutilus</i>	Kenya: Fairly common in Shaba and Buffalo Springs.	
	CATS - Felidae			
18	Cheetah	<i>Acinonyx jubatus</i>	Kenya: 2 watched for over an hour in Buffalo Springs.	Tanzania: 2 watched at a Thompson's Gazelle kill and another two watched stalking gazelles.
19	Serval	<i>Leptailurus serval</i>		Tanzania: 1 watched hunting rodents in long grass.
20	Lion	<i>Panthera leo leo</i>	Kenya: 2 in Nairobi NP were asleep.	Tanzania: Two mating pairs around camp in Taranagire NP. 15, including a pride at a kill, in Ngorongoro crater. Up to 10 daily in Serengeti including a lioness with 3 cubs on two occasions.
	MONGOOSES - Herpestidae			
21	Marsh Mongoose	<i>Atilax paludinosus</i>		Tanzania: 2 at Ngare Sero Lodge.
22	Ethiopian Dwarf Mongoose	<i>Helogale hirtula</i>	Kenya: A few seen in Shaba and Buffalo Springs. Also called Somali Dwarf Mongoose.	
23	Common Dwarf Mongoose	<i>Helogale parvula</i>		Tanzania: Fairly common in Taranagire NP and Serengeti NP.
24	Egyptian Mongoose	<i>Herpestes ichneumon</i>		
25	Slender Mongoose	<i>Herpestes sanguineus</i>		Tanzania: All 3 colour morphs were seen in Taranagire NP and Serengeti NP.
26	White-tailed Mongoose	<i>Ichneumia albicauda</i>	Kenya: 2 seen in Amboseli NP.	
27	Banded Mongoose	<i>Mungos mungo</i>		Tanzania: Common in Taranagire NP, and Serengeti NP.
	HYENAS, AARDWOLF - Hyaenidae			
28	Spotted Hyaena	<i>Crocuta crocuta</i>	Kenya: Fairly common in Amboseli NP.	Tanzania: A few in Taranagire NP. Common in Serengeti NP, including group surrounding a dying hippo.
29	Striped Hyaena	<i>Hyaena hyaena</i>		Tanzania: one dead on the road south of Namanga.
	WOLVES, COYOTE, FOXES, JACKALS - Canidae			
30	African Golden Wolf	<i>Canis lupaster</i>		Tanzania: About 10 in Ngorongoro crater and 4 in Serengeti NP.
31	Black-backed Jackal	<i>Canis mesomelas</i>	Kenya: A few in Nairobi NP, Shaba NR, Buffalo Springs and Amboseli NP.	Tanzania: A few in Taranagire NP and about 10 in Ngorongoro crater.
32	Honey Badger	<i>Mellivora capensis</i>		Tanzania: One seen well but relatively briefly in Ngorongoro crater, as it trotted across a burnt area and disappeared into a burrow.
	ZEBRAS, HORSE, ASSES - Equidae			
33	Grevy's Zebra	<i>Equus grevyi</i>	Kenya: Common at Shaba NR and Buffalo Springs.	
34	Plains Zebra	<i>Equus quagga</i>	Kenya: Common in all savannah sites, less common in Shaba and Buffalo Springs.	Tanzania: Common at all sites.
	RHINCEROSSES - Rhinocerotidae			
35	White Rhinoceros - I	<i>Ceratotherium simum simum</i>	Kenya: 5 seen well in Nairobi NP.	

36	Black Rhinoceros	<i>Diceros bicornis</i>		Tanzania: 1 scoped in Ngorongoro crater.
	PIGS - Suidae			
37	Desert Warthog	<i>Phacochoerus aethiopicus</i>	Kenya: Fairly common in Shaba NR and Buffalo Springs.	
38	Common Warthog	<i>Phacochoerus africanus</i>	Kenya: 10 in Nairobi NP. Fairly common in Amboseli NP.	Tanzania: Common in all sites.
	HIPPOPOTAMUSES - Hippopotamidae			
39	Hippopotamus	<i>Hippopotamus amphibius</i>	Kenya: 25 in Nairobi NP. Up to 50 daily in Amboseli NP.	Tanzania: Fairly common in Taranagire NP and Serengeti NP.
	CATTLE, ANTELOPES, SHEEP, GOATS - Bovidae			
40	Impala	<i>Aepyceros melampus melampus</i>	Kenya: Common in all but montane forest.	Tanzania: Common at all sites.
41	Coke's Hartebeest	<i>Alcelaphus buselaphus cokii</i>	Kenya: 100 in Nairobi NP.	Tanzania: about 40+ seen in Serengeti NP.
42	Blue Duiker	<i>Philantomba monticola</i>		Tanzania: Several seen in Arusha NP.
43	Common Duiker	<i>Sylvicapra grimmia</i>	Kenya: 1 glimpsed at Castle Forest Lodge.	
44	Blue/Common Wildebeest	<i>Connochaetes taurinus</i>	Kenya: A few in Nairobi NP. Common at Amboseli NP.	Tanzania: Common at all sites.
45	Topi/Tsessebe	<i>Damaliscus lunatus</i>		Tanzania: Up to 50 daily in Serengeti NP.
46	Thomson's Gazelle	<i>Eudorcas thomsonii</i>	Kenya: About 100 in Nairobi NP and common at Amboseli NP.	Tanzania: Common in Ngorongoro and Serengeti NP.
47	Waterbuck	<i>Kobus ellipsiprymnus</i>	Kenya: Fairly common at Shaba NR, Buffalo Springs, Lake Nakuru NP and Amboseli NP.	Tanzania: Up to 20 daily at Taranagire NP.
48	Defassa Waterbuck	<i>Kobus defassa</i>	Kenya: 20 at Lake Nakuru NP.	Tanzania: About 10 in Ngorongoro crater and 3 in Serengeti NP.
49	Gerenuk	<i>Litocranius walleri</i>	Kenya: Up to 30 daily at Shaba NR and Buffalo Springs.	
50	Guenther's Dik-dik	<i>Madoqua guentheri</i>	Kenya: Fairly common in Shaba and Buffalo Springs.	
51	Kirk's Dik-dik	<i>Madoqua kirkii</i>	Kenya: Fairly common at Lake Nakuru and Amboseli NP.	Tanzania: Fairly common in Taranagire NP and Serengeti NP.
52	Grant's Gazelle	<i>Nanger granti</i>	Kenya: Common and widespread.	Tanzania: Common and widespread.
53	Beisa Oryx	<i>Oryx beisa</i>	Kenya: Fairly common at Shaba NR and Buffalo Springs.	
54	Bohor Reedbuck	<i>Redunca redunca</i>	Kenya: About 30 at Amboseli NP.	Tanzania: A few daily in Taranagire NP and Serengeti NP.
55	African Buffalo	<i>Syncerus caffer caffer</i>	Kenya: About 30 in Nairobi NP. Common at Lake Nakuru NP and Amboseli NP.	Tanzania: Common in Taranagire NP, Ngorongoro and Serengeti NP.
56	Greater Kudu	<i>Tragelaphus strepsiceros</i>	Kenya: 10 in Shaba NR.	
57	Common Eland	<i>Tragelaphus oryx</i>	Kenya: 30 in Nairobi NP. 4 in Amboseli NP.	Tanzania: About 15 in Ngorongoro crater.
	GIRAFFE, OKAPI - Giraffidae			
58	Northern Giraffe	<i>Giraffa camelopardalis</i>	Kenya: The reticulate subspecies [Reticulated Giraffe], up to 30 seen daily in Shaba NR and Buffalo Springs.	
59	Maasai Giraffe	<i>Giraffa tippelskirchi</i>	Kenya: 17 seen in Nairobi NP and a few daily in Amboseli NP.	Tanzania: Fairly common in Taranagire NP and Serengeti NP.

	OTHER NOTABLE WILDLIFE RECORDED			
	Nile Crocodile			
	Common Agama			
	House Gecko			
	African Striped Skink			
	Nile Monitor			
	Bush Monitor			
	Green Mamba			
	Leopard Tortoise			
	Jackson's Chameleon			

Rockjumper Birding Ltd

Suite 1D, 5 Clarens Fields
 Unicity Office Park
 Black River Road, Bambous
 Mauritius

Tel: (USA & Canada) toll-free: 1-888-990-5552

Email: info@rockjumperbirding.com

Alternative email: rockjumperbirding@yahoo.com

Website: www.rockjumperbirding.com