



ROCKJUMPER

Worldwide Birding Adventures

Ghana Comprehensive Rockfowl & Upper Guinea specials I 2022

23rd March to 07th April 2022 (16 days)

Trip Report



White-necked Rockfowl by Greg de Klerk

Trip report compiled by Tour Leader: Greg de Klerk

Tour Summary

Considered one of the best birding destinations in West Africa, Ghana with its diverse array of habitats did not disappoint! Beginning in the bustling capital of Accra, we explored the superb Upper Guinea forests including Kakum National Park with its famed canopy walkway, before making our way up north to the impressive woodland savanna of Mole National Park and the arid savanna around Bolgatanga. The Ghanaians were incredibly hospitable and friendly while the birding provided an array of highlights including the mythical White-necked Rockfowl and monotypic Egyptian Plover.

Top bird list (as chosen by participants):

1. White-necked Rockfowl
2. Abyssinian Roller
3. Black Bee-eater
4. Rufous-sided Broadbill
5. African Emerald Cuckoo

Tour in Detail

Our tour began in the incredibly humid capital, Accra. With the entire tour group having arrived earlier in the week and enjoyed a city tour the day before, we decided to begin our expedition in West Africa with some introductory birding at the fantastic Shai Hills Resources Reserve, a savanna grassland reserve mixed with dry forest covering granitic hillsides. We enjoyed some incredible sightings of Swallow-tailed Bee-eater, Vieillot's Barbet, Senegal Parrot, Flappet Lark, and as night crept in, we managed to find no less than eight Long-tailed Nightjars before returning to our hotel and the cool comfort of an airconditioned room and cold beverages.




Mangrove Sunbird

The following morning, we returned to Shai Hills to target a few range-restricted specials which would prove difficult later in the tour and were rewarded with views of Long-crested Eagle, African Barred Owlet, Double-toothed, and Bearded Barbet, Brown Babbler, and our primary target of this reserve, the White-crowned Cliff Chat while also enjoying a variety of mammals including Kob and Tantalus Monkey. We departed Shai Hills a short while later and made our way to the Lake Volta region in Ho. Despite the heat of the afternoon, we were able to locate some incredible species. Red-tailed Leaflove and Mangrove Sunbird provided excellent views while Pied-winged Swallow was seen fleetingly. After a long day in the field, we returned to our hotel in preparation for the incredible experiences ahead.

We left Accra early the next morning along the road to the Cape Coast region, stopping at the Winneba Lagoon where we enjoyed views of West African Crested Tern, Western Reef Heron, and Western Yellow Wagtail before an eye-opening experience at the Cape Coast Castle which was central to the slave trade that plagued west Africa. A short while later we arrived at our guesthouse near Kakum National Park.

The Kakum Forest Reserve and surrounding areas, Abrafo, Gyaware, and Twifo Praso, played host to our next birding adventures. Forest birding is challenging, involving many hours of walking, listening, and often dipping on birds that disappear into the deep tangles. Yet despite the challenges, we managed to see a host of incredible species while exploring both the undergrowth and the canopy, along the incredible canopy walkway, such as Black Bee-eater, Sabine's Puffback, Blue Cuckooshrike, Forest Penduline Tit, Golden Greenbul, Spotted Greenbul, Sabine's Spinetail, Guinea Turaco, Blue Malkoha, White-spotted Flufftail, Congo Serpent Eagle, Yellow-casqued Hornbill, Bristle-nosed Barbet, Rufous-sided Broadbill, Melancholy Woodpecker, Black-winged Oriole, Black-throated Coucal, Red-headed, Red-vented and Crested Malimbe, Cassin's Honeybird, Willcocks's and Thick-billed Honeyguides and a peculiar Northern White-faced Owl! While the birding was spectacular, we also managed a few good mammalian highlights, a confiding Pel's Flying Squirrel, Gambian Sun Squirrel and Red-legged Sun Squirrel providing the entertainment for us.



Black Bee-eater

The highlight of the trip for all of us followed, with a visit to Bonkro and the Rockfowl colony of Nyamebe Forest, via the Pra River, where we located White-bibbed Swallow and Rock Pratincole. We arrived at Bonkro just after lunch and made our hike into the forest. We reached a huge boulder deep within the forest, having enjoyed views of Yellow-billed Turaco en route, and sat patiently, fighting ants, numb backsides, and cramping muscles. Eventually, our patience was rewarded with the most amazing sighting of the most bizarre bird, the White-necked Rockfowl otherwise known as Picathartes! These bizarre birds investigated their roosting site, paying specific attention to our presence, before thrusting their bizarrely proportioned bodies around in large leaps, stopping only to provide the most amazing photographic opportunities! With the light fading, we hiked back down to our overnight accommodations to enjoy a celebratory drink and a good night's rest.

A three-night stay in the woodland savannas of Mole National Park followed! The savanna provided a welcome



Rufous-sided Broadbill

contrast to the dense forests we had just left and provided many new birds and mammals. Birding highlights included Blue-bellied Roller, White-throated Francolin, Double-spurred Spurfowl, Four-banded Sandgrouse, Forbes's Plover, Senegal Batis, Yellow-crowned Gonolek, Yellow-bellied Hyliota, Rufous-rumped Lark, Oriole Warbler, White-crowned Robin-Chat, White-fronted Black Chat, Lavender Waxbill, Stone Partridge, Abyssinian Ground Hornbill, Greyish Eagle-Owl, African Hobby, Plain and, a spectacular but distant male Standard-winged Nightjar while we were fortunate to get numerous


sightings of Green Monkey, Kob, Waterbuck, Common Warthog, Bushbuck, and Northern Lesser Galago!

Our travels then took us to the arid northeast of the country to the Bolgatanga region via the ancient Larabanga Mosque, where we were able to enjoy views of Red-chested Swallow. We began the exploration of this region with a visit to Tongo Hills where we found Rock-loving Cisticola and Fox Kestrel before arriving at our hotel in Bolgatanga. The following morning, we visited the White Volta River which gave us remarkable sightings of the monotypic Egyptian Plover! We were also fortunate to find Great Spotted Cuckoo, Black-headed Lapwing, Abyssinian Roller, Northern Carmine Bee-eater and West African Swallow. A visit to Tono Dam treated us to incredible views of Bruce's Green Pigeon, Red-necked Falcon, Black-rumped Waxbill, African Silverbill, Northern Carmine Bee-eater, Abyssinian Roller and African Green Bee-eater!



Egyptian Plover

We left the arid north, collecting Beaudouin's Snake Eagle en route, making our way to our last birding destinations, Bobiri Butterfly Sanctuary and Atewa. The Bobiri Butterfly Sanctuary provided us with the opportunity to enjoy the tiny African Piculet, Blue-breasted Kingfisher, a flyover of six Grey Parrot, West African Wattle-eye, Little Bee-eater, and White-crested Hornbill before we arrived in Atewa. Atewa Forest was accessed by a long hike, through a section of subsistence farmland, up to the plateau where we certainly were rewarded for our efforts with many great sightings such as African Emerald Cuckoo, African Cuckoo-Hawk, Red-rumped Tinkerbird, Finsch's Rufous Thrush, Western Bluebill, White-breasted and Chestnut-breasted Nigrita's, Chocolate-backed Kingfisher, Blue-moustached Bee-eater, Fire-bellied Woodpecker, Western Oriole, Shining Drongo, Dusky Crested Flycatcher, Icterine Greenbul, Black-capped Apalis, Puvell's Illadopsis, Little Green Woodpecker, Red-tailed Greenbul, Fraser's Forest Flycatcher, Violet-backed Hyliota and Chestnut-capped Flycatcher.



African Emerald Cuckoo

Having experienced an amazing adventure across Ghana we finally returned to Kotoka International Airport where our West African expedition concluded with incredible memories of an amazing region and its spectacular birding.

RBL - Ghana - Comprehensive: Rockfowl & Upper Guinea specials (Small Group) 23 March - 07 April 2022

Annotated List of species recorded

Note: Number in brackets () indicate number of days on the tour the species was recorded.

List powered through the report generator of our partner iGoTerra.

Birds (358 in total: 342 seen, 16 heard)

Nomenclature and taxonomy follows Gill, F, D Donsker, and P Rasmussen (Eds). 2022. IOC World Bird List (v 12.1). Doi 10.14344/IOC.ML.12.1.

Status codes: E = Endemic, NE = Near-endemic, I = Introduced

IUCN codes: CR = Critically endangered, EN = Endangered, VU = Vulnerable, EW = Extinct in the Wild, NT = Near Threatened, DD = Data Deficient

Ghana

Ducks, Geese, Swans Anatidae

White-faced Whistling Duck (LC) *Dendrocygna viduata*
(5) Up to 30 Mole NP 30-1.4, 50 Mole NP to Bolgatanga 2.4 and 100 Tono Dam 3.4.

Guineafowl Numididae

Helmeted Guineafowl (LC) *Numida meleagris*
(9) 8 Shai Hills 23.3, 20 Shai Hills 24.3, 2 Kakum NP and surrounds 27.3, 8 Kumasi to Mole NP 30.3, up to 20 Mole NP 31-2.4, 20 White Volta 3.4 and 12 Mole NP to Bolgatanga 4.4.

New World Quail Odontophoridae

Stone Partridge (LC) *Ptilopachus petrosus*
(1) 1 Mole NP 1.4.

Pheasants & Allies Phasianidae

White-throated Francolin *Campocolinus albogularis*
(1) 1 ♂ Mole NP 31.3.
Double-spurred Spurfowl (LC) *Pternistis bicalcaratus*
(3) 10 Shai Hills 23.3, 6 Mole NP 31.3 and 8 Mole NP 1.4.

Nightjars Caprimulgidae

Brown Nightjar (LC) *Veles binotatus*
(1) 1 heard Abrafo forest 28.3.
Plain Nightjar (LC) *Caprimulgus inornatus*
(1) 1 Mole NP 31.3.
Long-tailed Nightjar (LC) *Caprimulgus climacurus*
(2) 8 Shai Hills 23.3 and 1 Mole NP 1.4.

Standard-winged Nightjar (LC)*Caprimulgus longipennis*

(1) 1 ♂ Mole NP 1.4.

Swifts Apodidae**Mottled Spinetail (LC)***Telacanthura ussheri*

(3) 3 Rainforest Lodge 26.3, 2 Rainforest Lodge 27.3 and 4 Abrafo farmbush 28.3.

Sabine's Spinetail (LC)*Rhaphidura sabini*

(1) 1 Abrafo farmbush 28.3.

African Palm Swift (LC)*Cypsiurus parvus*

(10) 4 Kakum NP and surrounds 26.3, 6 Rainforest Lodge 27.3, up to 15 Mole NP 31-2.4, 10 White Volta 3.4, 10 Kumasi to Mole NP 4.4 and up to 12 Atewa farm bush 5-7.4.

Common Swift (LC)*Apus apus*

(3) 50 Mole NP 1.4, 5 Mole NP 2.4 and 8 Atewa Forest 6.4.

Little Swift (LC)*Apus affinis*

(15) 30 Shai Hills 23.3, 15 Akosombo Continental Hotel, Atimpoku 24.3, 50 Accra to Kakum 25.3, 20 Kakum NP and surrounds 26.3, 8 Kakum NP and surrounds 27.3, 25 Rainforest Lodge 28.3, 25 Kumasi to Mole NP 30.3, up to 35 Mole NP 31-2.4, 8 Bolgatanga 3.4, 40 Mole NP to Bolgatanga 4.4, 15 Royal Basin Resort 5.4, 16 Atewa Forest 6.4 and 6 Atewa farm bush 7.4.

White-rumped Swift (LC)*Apus caffer*

(1) 4 Larabanga 2.4.

Turacos Musophagidae**Western Plantain-eater (LC)***Crinifer piscator*

(9) 4 Shai Hills 23.3, 5 Accra to Kakum 25.3, 6 Mole NP 31.3, 6 Mole NP 1.4, 10 Mole NP to Bolgatanga 2.4, 4 Tono Dam 3.4, 6 Mole NP to Bolgatanga 4.4, 2 Kumasi 5.4 and 2 Atewa farm bush 7.4.

Violet Turaco*Tauraco violaceus*

(6) 3 Shai Hills 23.3, 5 Shai Hills 24.3, 4 Mole NP 31.3, 2 Mole NP 1.4, 1 en route 3.4 and 1 Bolgatanga 4.4.

Yellow-billed Turaco (LC)*Tauraco macrorhynchus*

(2) 1 heard Abrafo forest 27.3 and 1 ♂ Bonkro 29.3.

Guinea Turaco (LC)*Tauraco persa*

(3) 2 heard Kakum NP and surrounds 26.3, 1 Abrafo forest 27.3 and 1 heard Abrafo farmbush 28.3.

Cuckoos Cuculidae**Black-throated Coucal (LC)***Centropus leucogaster*

(2) 1 Kakum NP and surrounds 29.3 and 1 Bobiri Butterfly Sanctuary 5.4.

Senegal Coucal (LC)*Centropus senegalensis*

(12) 1 Shai Hills 24.3, 1 Winneba Lagoon 25.3, 1 Antwikwaa 27.3, +1 heard Abrafo farmbush 28.3, 2 Kakum NP and surrounds 29.3, 1 Mole NP 31.3, 1 Mole NP 1.4, 1 Mole NP to Bolgatanga 2.4, 1 Tono Dam 3.4, 1 Mole NP to Bolgatanga 4.4, 1 Atewa farm bush 5.4 and 2 Atewa farm bush 6.4.

Blue-headed Coucal (LC)*Centropus monachus*

(3) 1 Antwikwaa 27.3, 1 Atewa farm bush 5.4 and 1 Atewa farm bush 6.4.

Blue Malkoha (LC)*Ceuthmochares aereus*

(3) 1 Kakum NP--Canopy Walkway 26.3, 1 Abrafo forest 27.3 and 1 Atewa farm bush 7.4.

Great Spotted Cuckoo (LC)*Clamator glandarius*

(1) 1 White Volta 3.4.

Levaillant's Cuckoo (LC)	<i>Clamator levaillantii</i>
(3) 1 Abrafo farmbush 25.3, 1 Atewa farm bush 5.4 and 1 Atewa farm bush 7.4.	
Thick-billed Cuckoo (LC)	<i>Pachycoccyx audeberti</i>
(1) 1 heard Mole NP 31.3.	
Diederik Cuckoo (LC)	<i>Chrysococcyx caprius</i>
(2) 1 Antwikwaa 27.3 and 1 Abrafo farmbush 28.3.	
Klaas's Cuckoo (LC)	<i>Chrysococcyx klaas</i>
(4) 1 Abrafo farmbush 25.3, 1 Abrafo forest 27.3, 1 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.	
African Emerald Cuckoo (LC)	<i>Chrysococcyx cupreus</i>
(3) 1 heard Antwikwaa 27.3, 1 heard Atewa farm bush 5.4 and 1 ♂ Atewa Forest 6.4.	
African Cuckoo (LC)	<i>Cuculus gularis</i>
(1) 1 Mole NP 1.4.	

Sandgrouse Pteroclididae

Four-banded Sandgrouse (LC)	<i>Pterocles quadricinctus</i>
(1) 1 Mole NP 31.3.	

Pigeons, Doves Columbidae

Rock Dove (LC)	<i>Columba livia</i>
(15) 8 Accra 23.3, 20 Accra 24.3, 60 Accra to Kakum 25.3, up to 15 Kakum NP and surrounds 26-28.3, 50 Kumasi 29.3, 50 Kumasi to Mole NP 30.3, 8 Mole NP 1.4, 100 Mole NP to Bolgatanga 2.4, 20 Bolgatanga 3.4, 12 Kumasi 4.4, 25 Kumasi 5.4, 6 Atewa 6.4 and 10 Atewa to Accra 7.4.	
Speckled Pigeon (LC)	<i>Columba guinea</i>
(4) 10 Mole NP to Bolgatanga 2.4, 9 Bolgatanga 3.4, 6 Bolgatanga 4.4 and 8 Kumasi 5.4.	
Mourning Collared Dove (LC)	<i>Streptopelia decipiens</i>
(1) 2 White Volta 3.4.	
Red-eyed Dove (LC)	<i>Streptopelia semitorquata</i>
(8) 2 Shai Hills 24.3, 1 Kakum NP and surrounds 26.3, 2 Kakum NP and surrounds 29.3, 3 Bonkro 30.3, 3 Mole NP 31.3, 1 White Volta 3.4, 6 Bobiri Butterfly Sanctuary 5.4 and 8 Atewa Forest 6.4.	
Vinaceous Dove (LC)	<i>Streptopelia vinacea</i>
(5) 2 Shai Hills 23.3, 12 Mole NP 31.3, 10 Mole NP 1.4, 6 Mole NP to Bolgatanga 2.4 and 5 White Volta 3.4.	
Laughing Dove (LC)	<i>Spilopelia senegalensis</i>
(15) 6 Shai Hills 23.3, 7 Shai Hills 24.3, 16 Accra to Kakum 25.3, up to 8 Kakum NP and surrounds 26-28.3, 8 Kumasi 29.3, 20 Kumasi to Mole NP 30.3, 6 Mole NP 31.3, 6 Mole NP 1.4, 6 Mole NP to Bolgatanga 2.4, 8 Tono Dam 3.4, 10 Mole NP to Bolgatanga 4.4, 8 Atewa farm bush 5.4 and 10 Atewa to Accra 7.4.	
Black-billed Wood Dove (LC)	<i>Turtur abyssinicus</i>
(3) 2 Mole NP 31.3, 2 Mole NP to Bolgatanga 2.4 and 2 Tono Dam 3.4.	
Blue-spotted Wood Dove (LC)	<i>Turtur afer</i>
(1) 1 Abrafo farmbush 28.3.	
Tambourine Dove (LC)	<i>Turtur tympanistria</i>
(4) 2 Kakum NP and surrounds 29.3, 2 Atewa farm bush 5.4, 1 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.	
Namaqua Dove (LC)	<i>Oena capensis</i>
(2) 1 Mole NP 2.4 and 1 White Volta 3.4.	
Bruce's Green Pigeon (LC)	<i>Treron waalia</i>

(2) 12 Mole NP 2.4 and 50 Tono Dam 3.4.

African Green Pigeon (LC)

Treron calvus

(7) 5 Abrafo farmbush 25.3, 8 Kakum NP--Canopy Walkway 26.3, 4 Abrafo forest 27.3, 4 Kakum NP and surrounds 29.3, 4 Mole NP 2.4, 6 Atewa farm bush 5.4 and 1 Atewa farm bush 7.4.

Flufftails Sarothruridae

White-spotted Flufftail (LC)

Sarothrura pulchra

(1) 1 ♂ Antwikwaa 27.3.

Rails, Crakes & Coots Rallidae

Black Crake (LC)

Zapornia flavirostra

(1) 2 Mole NP 31.3.

Stone-curlews, Thick-knees Burhinidae

Senegal Thick-knee (LC)

Burhinus senegalensis

(4) 1 Erata Hotel, Accra 24.3 and up to 8 Mole NP 31-2.4.

Spotted Thick-knee (LC)

Burhinus capensis

(1) 1 White Volta 3.4.

Stilts, Avocets Recurvirostridae

Black-winged Stilt (LC)

Himantopus himantopus

(1) 4 Winneba Lagoon 25.3.

Plovers Charadriidae

Spur-winged Lapwing (LC)

Vanellus spinosus

(3) 6 Winneba Lagoon 25.3, 20 Mole NP to Bolgatanga 2.4 and 20 White Volta 3.4.

Black-headed Lapwing (LC)

Vanellus tectus

(1) 10 White Volta 3.4.

African Wattled Lapwing (LC)

Vanellus senegallus

(4) 2 Mole NP 31.3, 4 Mole NP 1.4, 30 Mole NP to Bolgatanga 2.4 and 40 White Volta 3.4.

Grey Plover (LC)

Pluvialis squatarola

(1) 3 Winneba Lagoon 25.3.

Common Ringed Plover (LC)

Charadrius hiaticula

(1) 10 Winneba Lagoon 25.3.

Forbes's Plover (LC)

Charadrius forbesi

(2) 1 Mole NP 31.3 and 2 Mole NP 1.4.

Egyptian Plover Pluvianidae

Egyptian Plover (LC)

Pluvianus aegyptius

(1) 6 White Volta 3.4.

Painted-snipes Rostratulidae

Greater Painted-snipe (LC)

Rostratula benghalensis

(1) 1 ♂ Mole NP 2.4.

Jacanas Jacanidae

African Jacana (LC)

Actophilornis africanus

(3) 1 Kakum NP and surrounds 26.3, 2 Mole NP 31.3 and 25 Mole NP to Bolgatanga 2.4.

Sandpipers, Snipes Scolopacidae

- Eurasian Whimbrel (LC)** *Numenius phaeopus*
 (1) 8 Winneba Lagoon 25.3.
Curlew Sandpiper (NT) *Calidris ferruginea*
 (1) 3 Winneba Lagoon 25.3.
Sanderling (LC) *Calidris alba*
 (1) 25 Winneba Lagoon 25.3.
Common Sandpiper (LC) *Actitis hypoleucos*
 (5) 1 Volta Dam 24.3, 3 Winneba Lagoon 25.3, 1 Pra River 29.3, 1 Mole NP 2.4 and 1 White Volta 3.4.
Common Redshank (LC) *Tringa totanus*
 (1) 2 Winneba Lagoon 25.3.
Wood Sandpiper (LC) *Tringa glareola*
 (1) 1 Winneba Lagoon 25.3.
Common Greenshank (LC) *Tringa nebularia*
 (2) 2 Winneba Lagoon 25.3 and 1 heard Mole NP 31.3.

Coursers, Pratincoles Glareolidae

- Rock Pratincole (LC)** *Glareola nuchalis*
 (1) 2 Pra River 29.3.

Gulls, Terns, Skimmers Laridae

- West African Crested Tern** *Thalasseus albididorsalis*
 (1) 4 Winneba Lagoon 25.3.
Sandwich Tern (LC) *Thalasseus sandvicensis*
 (1) 1 Winneba Lagoon 25.3.
Common Tern (LC) *Sterna hirundo*
 (1) 20 Winneba Lagoon 25.3.

Storks Ciconiidae

- Woolly-necked Stork (VU)** *Ciconia episcopus*
 (2) 1 Mole NP 1.4 and 2 Mole NP 2.4.
White Stork (LC) *Ciconia ciconia*
 (1) 1 Kumasi to Mole NP 30.3.

Cormorants, Shags Phalacrocoracidae

- Reed Cormorant (LC)** *Microcarbo africanus*
 (5) 1 Volta Dam 24.3, 1 Cape Coast 25.3, 2 Mole NP to Bolgatanga 2.4, 50 Tono Dam 3.4 and 1 Atewa farm bush 7.4.

Ibises, Spoonbills Threskiornithidae

- Hadada Ibis (LC)** *Bostrychia hagedash*
 (3) Up to 6 Mole NP 31-2.4.

Hérons, Bitterns Ardeidae

- Black-crowned Night Heron (LC)** *Nycticorax nycticorax*

- (1) 3 Mole NP 31.3.
Striated Heron (LC) *Butorides striata*
- (1) 1 Volta Dam 24.3.
Squacco Heron (LC) *Ardeola ralloides*
- (2) 3 Mole NP 31.3 and 1 Mole NP to Bolgatanga 2.4.
Western Cattle Egret (LC) *Bubulcus ibis*
- (15) 10 Shai Hills 23.3, 5 Shai Hills 24.3, 25 Accra to Kakum 25.3, 12 Kakum NP and surrounds 26.3, 10 Rainforest Lodge 27.3, 5 Kakum NP and surrounds 28.3, 20 Kumasi to Mole NP 30.3, 16 Mole NP 31.3, 10 Mole NP 1.4, 60 Mole NP to Bolgatanga 2.4, 30 Bolgatanga 3.4, 35 Kumasi to Mole NP 4.4, 15 Kumasi 5.4, 8 Atewa farm bush 6.4 and 5 Atewa farm bush 7.4.
Grey Heron (LC) *Ardea cinerea*
- (2) 2 Mole NP 31.3 and 1 Tono Dam 3.4.
Black-headed Heron (LC) *Ardea melanocephala*
- (2) 2 Mole NP to Bolgatanga 2.4 and 1 Tono Dam 3.4.
Great Egret (LC) *Ardea alba*
- (7) 1 Shai Hills 23.3, 3 Winneba Lagoon 25.3, 1 Pra River 29.3, 1 Kumasi to Mole NP 30.3, 1 Mole NP to Bolgatanga 2.4, 2 White Volta 3.4 and 2 Mole NP to Bolgatanga 4.4.
Little Egret (LC) *Egretta garzetta*
- (1) 2 Winneba Lagoon 25.3.
Western Reef Heron (LC) *Egretta gularis*
- (1) 5 Winneba Lagoon 25.3.

Hamerkop Scopidae

- Hamerkop (LC)** *Scopus umbretta*
 (7) Up to 4 Mole NP 30-2.4, 4 Kumasi to Mole NP 4.4, 5 Royal Basin Resort 5.4 and 2 Atewa farm bush 6.4.

Kites, Hawks, Eagles Accipitridae

- Black-winged Kite (LC)** *Elanus caeruleus*
 (6) 1 Accra 23.3, 1 Accra 24.3, 1 en route 29.3, 1 Mole NP to Bolgatanga 2.4, 1 Bolgatanga 3.4 and 1 Mole NP to Bolgatanga 4.4.
- African Harrier-Hawk (LC)** *Polyboroides typus*
 (6) 1 Abrafo farmbush 25.3, 1 Kakum NP--Canopy Walkway 26.3, 1 Abrafo farmbush 28.3, 1 Mole NP 31.3, 1 Atewa farm bush 5.4 and 1 Atewa Forest 6.4.
- Palm-nut Vulture (LC)** *Gypohierax angolensis*
 (1) 1 Kakum NP--Canopy Walkway 26.3.
- European Honey Buzzard (LC)** *Pernis apivorus*
 (1) 1 Abrafo farmbush 28.3.
- African Cuckoo-Hawk (LC)** *Aviceda cuculoides*
 (3) 1 ♂ Antwikwaa 27.3, 1 Atewa farm bush 5.4 and 1 Atewa farm bush 7.4.
- Hooded Vulture (CR)** *Necrosyrtes monachus*
 (6) 2 en route 29.3, 1 Kumasi 30.3, 1 Mole NP 31.3, 15 Mole NP 1.4, 6 White Volta 3.4 and 3 Mole NP to Bolgatanga 4.4.
- White-backed Vulture (CR)** *Gyps africanus*
 (2) 4 Mole NP 31.3 and 1 Mole NP 1.4.
- Beudouin's Snake Eagle (VU)** *Circaetus beudouini*
 (1) 1 Mole NP to Bolgatanga 4.4.

Brown Snake Eagle (LC) (1) 1 Mole NP 1.4.	<i>Circaetus cinereus</i>
Congo Serpent Eagle (1) 1 Antwikwaa 27.3.	<i>Circaetus spectabilis</i>
Bateleur (NT) (4) 1 Shai Hills 24.3, 1 Kumasi to Mole NP 30.3, 3 Mole NP 31.3 and 3 Mole NP 1.4.	<i>Terathopius ecaudatus</i>
Long-crested Eagle (LC) (1) 1 Shai Hills 24.3.	<i>Lophaetus occipitalis</i>
Lizard Buzzard (LC) (3) 1 Shai Hills 24.3, 1 Mole NP 31.3 and 2 Mole NP 1.4.	<i>Kaupifalco monogrammicus</i>
Dark Chanting Goshawk (LC) (2) 2 Mole NP to Bolgatanga 2.4 and 1 Mole NP to Bolgatanga 4.4.	<i>Melierax metabates</i>
Long-tailed Hawk (LC) (1) 1 heard Atewa farm bush 5.4.	<i>Urotriorchis macrourus</i>
Shikra (LC) (3) 1 Shai Hills 23.3, 1 Winneba - Kakum road 25.3 and 1 Mole NP 2.4.	<i>Accipiter badius</i>
Red-thighed Sparrowhawk (LC) (1) 1 Kakum NP--Canopy Walkway 26.3.	<i>Accipiter erythropus</i>
Western Marsh Harrier (LC) (1) 1 Mole NP to Bolgatanga 2.4.	<i>Circus aeruginosus</i>
Yellow-billed Kite (LC) (16) 10 Shai Hills 23.3, 20 En Route - Accra to Shai Hills 24.3, 12 Accra to Kakum 25.3, up to 6 Kakum NP and surrounds 26-28.3, 12 en route 29.3, 10 Kumasi to Mole NP 30.3, 8 Mole NP 31.3, 5 Mole NP 1.4, 20 Mole NP to Bolgatanga 2.4, 8 Bolgatanga 3.4, 12 Kumasi to Mole NP 4.4, 4 Kumasi 5.4, 5 Atewa 6.4 and 12 Atewa to Accra 7.4.	<i>Milvus aegyptius</i>
African Fish Eagle (LC) (2) 1 subadult Mole NP 1.4 and 1 subadult Mole NP 2.4.	<i>Haliaeetus vocifer</i>
Grasshopper Buzzard (LC) (3) 3 Mole NP 1.4, 3 Mole NP 2.4 and 1 Mole NP to Bolgatanga 4.4.	<i>Butastur rufipennis</i>
Red-necked Buzzard (LC) (8) 1 Shai Hills 23.3, 1 Kakum NP and surrounds 26.3, 2 Antwikwaa 27.3, 1 ♂ Kakum NP and surrounds 28.3, 1 Kumasi to Mole NP 30.3, 1 Mole NP 1.4, 1 Mole NP 2.4 and 1 Atewa to Accra 7.4.	<i>Buteo auguralis</i>

Owls Strigidae

Pearl-spotted Owlet (LC) (2) 1 heard Mole NP 31.3 and 1 Mole NP 1.4.	<i>Glaucidium perlatum</i>
African Barred Owlet (LC) (1) 1 Shai Hills 24.3.	<i>Glaucidium capense</i>
Northern White-faced Owl (LC) (1) 1 Abrafo farmbush 27.3.	<i>Ptilopsis leucotis</i>
Greyish Eagle-Owl (LC) (1) 3 Mole NP 1.4.	<i>Bubo cinerascens</i>

Trogons Trogonidae

Narina Trogon (LC) (1) 1 heard Bobiri Butterfly Sanctuary 5.4.	<i>Apaloderma narina</i>
--	--------------------------

Wood Hoopoes *Phoeniculidae*

- Forest Wood Hoopoe** *Phoeniculus castaneiceps*
 (1) 1 heard Atewa Forest 6.4.
- Green Wood Hoopoe (LC)** *Phoeniculus purpureus*
 (2) 4 Mole NP 31.3 and 3 White Volta 3.4.
- Black Scimitarbill (LC)** *Rhinopomastus aterrimus*
 (1) 1 Mole NP 1.4.

Ground Hornbills *Bucorvidae*

- Abyssinian Ground Hornbill (VU)** *Bucorvus abyssinicus*
 (1) 1 ♂ Mole NP 1.4.

Hornbills *Bucerotidae*

- Northern Red-billed Hornbill (LC)** *Tockus erythrorhynchus*
 (3) 3 Mole NP 1.4, 5 White Volta 3.4 and 3 Mole NP to Bolgatanga 4.4.
- African Pied Hornbill (LC)** *Lophoceros fasciatus*
 (9) 2 Volta River Crossing 24.3, 8 Accra to Kakum 25.3, 6 Kakum NP--Canopy Walkway 26.3, 12 Antwikwaa 27.3, 9 Kakum NP and surrounds 28.3, 5 Bonkro 29.3, 6 Bobiri Butterfly Sanctuary 5.4, 5 Atewa Forest 6.4 and 3 Atewa farm bush 7.4.
- African Grey Hornbill (LC)** *Lophoceros nasutus*
 (6) 6 Shai Hills 23.3, 8 Shai Hills 24.3, 4 Mole NP 1.4, 3 Mole NP 2.4, 4 White Volta 3.4 and 2 Mole NP to Bolgatanga 4.4.
- Piping Hornbill (LC)** *Bycanistes fistulator*
 (1) 1 Volta River Crossing 24.3.
- Brown-cheeked Hornbill (VU)** *Bycanistes cylindricus*
 (2) 2 Kakum NP--Canopy Walkway 26.3 and 6 Abrafo farm bush 28.3.
- Black-casqued Hornbill (LC)** *Ceratogymna atrata*
 (1) 1 Kakum NP--Canopy Walkway 26.3.
- Yellow-casqued Hornbill (VU)** *Ceratogymna elata*
 (1) 1 Antwikwaa 27.3.
- White-crested Hornbill (LC)** *Horizocerus albocristatus*
 (3) 1 Abrafo forest 25.3, 1 Bonkro 29.3 and 1 Bobiri Butterfly Sanctuary 5.4.

Rollers *Coraciidae*

- Purple Roller (LC)** *Coracias naevius*
 (6) 1 Shai Hills 23.3, 2 Shai Hills 24.3, 1 ♂ Mole NP 31.3, 3 Mole NP to Bolgatanga 2.4, 2 White Volta 3.4 and 2 Mole NP to Bolgatanga 4.4.
- Abyssinian Roller (LC)** *Coracias abyssinicus*
 (5) 1 Mole NP 31.3, 1 ♂ Mole NP 1.4, 4 Mole NP to Bolgatanga 2.4, 6 White Volta 3.4 and 1 Mole NP to Bolgatanga 4.4.
- Blue-bellied Roller (LC)** *Coracias cyanogaster*
 (2) 1 Kumasi to Mole NP 30.3 and 1 Mole NP 1.4.
- Blue-throated Roller (LC)** *Eurystomus gularis*
 (2) 1 Abrafo forest 25.3 and 2 Kakum NP--Canopy Walkway 26.3.
- Broad-billed Roller (LC)** *Eurystomus glaucurus*
 (9) 1 Shai Hills 24.3, 4 Winneba - Kakum road 25.3, up to 2 Rainforest Lodge 26-28.3, 4 Kumasi to Mole NP 30.3 and up to 3 Mole NP 31-2.4.

Kingfishers *Alcedinidae***Chocolate-backed Kingfisher (LC)***Halcyon badia*

(1) 1 Atewa Forest 6.4.

Grey-headed Kingfisher (LC)*Halcyon leucocephala*

(5) Up to 5 Mole NP 31-2.4, 2 Tono Dam 3.4 and 1 Bolgatanga 4.4.

Striped Kingfisher (LC)*Halcyon chelicuti*

(1) 1 Mole NP 31.3.

Blue-breasted Kingfisher (LC)*Halcyon malimbica*

(1) 1 Bobiri Butterfly Sanctuary 5.4.

Woodland Kingfisher (LC)*Halcyon senegalensis*

(8) 1 Shai Hills 24.3, 4 Antwikwaa 27.3, 2 Abrafo farmbush 28.3, 8 en route 29.3, 8 Kumasi to Mole NP 30.3, 2 Mole NP 31.3, 1 Atewa farm bush 5.4 and 1 Atewa farm bush 7.4.

African Pygmy Kingfisher (LC)*Ispidina picta*

(8) 1 Shai Hills 23.3, 3 Abrafo farmbush 25.3, 3 Abrafo farmbush 27.3, 5 Abrafo farmbush 28.3, 2 Kakum NP and surrounds 29.3, 1 Mole NP 31.3, 2 Mole NP 1.4 and 1 Atewa farm bush 7.4.

Malachite Kingfisher (LC)*Corythornis cristatus*

(3) Up to 1 Mole NP 31-2.4.

Giant Kingfisher (LC)*Megaceryle maxima*

(1) 1 heard Mole NP 31.3.

Pied Kingfisher (LC)*Ceryle rudis*

(3) 4 Winneba Lagoon 25.3, 2 Kumasi to Mole NP 30.3 and 2 White Volta 3.4.

Bee-eaters *Meropidae***Blue-moustached Bee-eater (NT)***Merops mentalis*

(1) 3 Atewa Forest 6.4.

Black Bee-eater (LC)*Merops gularis*

(7) 3 Kakum NP--Canopy Walkway 26.3, 4 Antwikwaa 27.3, 4 Abrafo farmbush 28.3, 2 Kakum NP and surrounds 29.3, 2 Atewa farm bush 5.4, 3 Atewa Forest 6.4 and 2 Atewa farm bush 7.4.

Swallow-tailed Bee-eater (LC)*Merops hirundineus*

(3) 2 Shai Hills 23.3, 6 Shai Hills 24.3 and 4 Mole NP 1.4.

Little Bee-eater (LC)*Merops pusillus*

(1) 1 ♂ Kumasi 5.4.

Red-throated Bee-eater (LC)*Merops bulocki*

(4) Up to 35 Mole NP 30-2.4.

White-throated Bee-eater (LC)*Merops albicollis*

(10) 10 Shai Hills 23.3, 10 Shai Hills 24.3, 6 Abrafo farmbush 25.3, 10 Kakum NP and surrounds 26.3, 8 Antwikwaa 27.3, 30 Abrafo farmbush 28.3, 5 Kakum NP and surrounds 29.3, 8 Atewa farm bush 5.4, 16 Atewa Forest 6.4 and 12 Atewa farm bush 7.4.

African Green Bee-eater (LC)*Merops viridissimus*

(1) 5 Tono Dam 3.4.

Rosy Bee-eater (LC)*Merops malimbicus*

(2) 4 Abrafo farmbush 27.3 and 4 Abrafo farmbush 28.3.

Northern Carmine Bee-eater (LC)*Merops nubicus*

(2) 1 Mole NP 2.4 and 25 White Volta 3.4.

African Barbets *Lybiidae*

Bristle-nosed Barbet (LC) (2) 4 Antwikwaa 27.3 and 3 Atewa Forest 6.4.	<i>Gymnobucco peli</i>
Naked-faced Barbet (LC) (3) 8 Kakum NP--Canopy Walkway 26.3, 8 Antwikwaa 27.3 and 2 Atewa Forest 6.4.	<i>Gymnobucco calvus</i>
Speckled Tinkerbird (LC) (1) 4 Kakum NP--Canopy Walkway 26.3.	<i>Pogoniulus scolopaceus</i>
Red-rumped Tinkerbird (LC) (3) 1 Atewa farm bush 5.4, 1 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.	<i>Pogoniulus atroflavus</i>
Yellow-throated Tinkerbird (LC) (1) 2 Abrafo farmbush 28.3.	<i>Pogoniulus subsulphureus</i>
Yellow-rumped Tinkerbird (LC) (2) 1 Kakum NP and surrounds 29.3 and 1 Atewa farm bush 7.4.	<i>Pogoniulus bilineatus</i>
Yellow-fronted Tinkerbird (LC) (3) 1 heard Shai Hills 23.3, 1 Shai Hills 24.3 and 1 Tono Dam 3.4.	<i>Pogoniulus chrysoconus</i>
Hairy-breasted Barbet (LC) (3) 1 Kakum NP--Canopy Walkway 26.3, 1 heard Abrafo forest 27.3 and 1 Abrafo farmbush 28.3.	<i>Tricholaema hirsuta</i>
Viellot's Barbet (LC) (5) 2 Shai Hills 23.3, 1 Abrafo farmbush 25.3, 1 Abrafo farmbush 27.3, 1 ♂ Atewa farm bush 5.4 and 1 ♂ Atewa farm bush 7.4.	<i>Lybius vieilloti</i>
Double-toothed Barbet (1) 2 Shai Hills 24.3.	<i>Lybius bidentatus</i>
Bearded Barbet (4) 3 Shai Hills 24.3, 1 ♂ Mole NP 31.3, 1 Tongo Hills 2.4 and 2 White Volta 3.4.	<i>Lybius dubius</i>

Honeyguides *Indicatoridae*

Cassin's Honeybird (LC) (1) 1 Abrafo farmbush 27.3.	<i>Prodotiscus insignis</i>
Willcocks's Honeyguide (LC) (1) 1 Abrafo farmbush 28.3.	<i>Indicator willcocksii</i>
Thick-billed Honeyguide (1) 1 Kakum NP and surrounds 29.3.	<i>Indicator conirostris</i>

Woodpeckers *Picidae*

African Piculet (1) 1 Bobiri Butterfly Sanctuary 5.4.	<i>Sasia africana</i>
Buff-spotted Woodpecker (1) 1 Abrafo farmbush 28.3.	<i>Pardipicus nivosus</i>
Fine-spotted Woodpecker (LC) (1) 1 heard Mole NP 1.4.	<i>Campethera punctuligera</i>
Little Green Woodpecker (LC) (1) 1 ♂ Atewa farm bush 7.4.	<i>Campethera maculosa</i>
Fire-bellied Woodpecker (2) 1 Kakum NP 26.3 and 1 Atewa Forest 6.4.	<i>Chloropicus pyrrhogaster</i>
Melancholy Woodpecker (LC) (1) 1 Abrafo farmbush 28.3.	<i>Dendropicus lugubris</i>
African Grey Woodpecker (LC) (1) 1 ♂ Mole NP 31.3.	<i>Dendropicus goertae</i>

Caracaras, Falcons *Falconidae*

- Common Kestrel (LC)** *Falco tinnunculus*
(5) 1 Shai Hills 23.3, 2 Kumasi to Mole NP 30.3, 1 Mole NP 31.3, 1 Atewa Forest 6.4 and 1 Atewa to Accra 7.4.
- Fox Kestrel (LC)** *Falco alopex*
(1) 3 Tongo Hills 2.4.
- Grey Kestrel (LC)** *Falco ardosiaceus*
(8) 1 Shai Hills 24.3, 2 Kakum NP and surrounds 28.3, 1 Kakum NP and surrounds 29.3, 1 Kumasi to Mole NP 30.3, 1 Mole NP 1.4, 1 White Volta 3.4, 1 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.
- Red-necked Falcon (NT)** *Falco chicquera*
(1) 2 Tono Dam 3.4.
- African Hobby (LC)** *Falco cuvierii*
(1) 1 Mole NP 1.4.
- Lanner Falcon (LC)** *Falco biarmicus*
(1) 1 Abrafo farmbush 28.3.

African & New World Parrots *Psittacidae*

- Grey Parrot (EN)** *Psittacus erithacus*
(1) 6 Bobiri Butterfly Sanctuary 5.4.
- Red-fronted Parrot (LC)** *Poicephalus gulielmi*
(1) 1 heard Bonkro 29.3.
- Senegal Parrot (LC)** *Poicephalus senegalus*
(5) 3 Shai Hills 23.3, 4 Shai Hills 24.3 and up to 6 Mole NP 31-2.4.

Old World Parrots *Psittaculidae*

- Rose-ringed Parakeet (LC)** *Psittacula krameri*
(2) 4 Mole NP 31.3 and 16 White Volta 3.4.

African & Green Broadbills *Calyptomenidae*

- Rufous-sided Broadbill (LC)** *Smithornis rufolateralis*
(1) 1 Abrafo forest 27.3.

Wattle-eyes, Batises *Platysteiridae*

- Senegal Batis (LC)** *Batis senegalensis*
(1) 1 Mole NP 31.3.
- West African Wattle-eye** *Platysteira hormophora*
(4) 1 heard Abrafo farmbush 28.3, 2 Bobiri Butterfly Sanctuary 5.4, 1 ♂ Atewa Forest 6.4 and 2 Atewa farm bush 7.4.
- Brown-throated Wattle-eye (LC)** *Platysteira cyanea*
(2) 1 ♂ Shai Hills 24.3 and 1 ♂ Mole NP 31.3.

Bushshrikes *Malaconotidae*

- Orange-breasted Bushshrike (LC)** *Chlorophoneus sulfureopectus*
(1) 1 heard Mole NP 31.3.
- Marsh Tchagra (LC)** *Bocagia minuta*
(1) 2 Abrafo farmbush 25.3.

- Brown-crowned Tchagra (LC)** *Tchagra australis*
(3) 1 Shai Hills 24.3, 1 heard Atewa farm bush 5.4 and 2 Atewa farm bush 7.4.
- Black-crowned Tchagra (LC)** *Tchagra senegalus*
(2) 4 Mole NP 1.4 and 1 Mole NP 2.4.
- Sabine's Puffback (LC)** *Dryoscopus sabini*
(3) 1 Kakum NP--Canopy Walkway 26.3, 1 Atewa Forest 6.4 and 1 ♂ Atewa farm bush 7.4.
- Northern Puffback (LC)** *Dryoscopus gambensis*
(4) Up to 6 Mole NP 31-2.4 and 1 Atewa farm bush 7.4.
- Yellow-crowned Gonolek (LC)** *Laniarius barbarus*
(2) 6 ♂ Mole NP 31.3 and 1 ♂ Mole NP 2.4.

Vangas & Allies Vangidae

- White-crested Helmetshrike (LC)** *Prionops plumatus*
(2) 3 Shai Hills 23.3 and 15 Mole NP 1.4.
- Black-and-white Shrike-flycatcher (LC)** *Bias musicus*
(2) 1 ♂ Kakum NP and surrounds 29.3 and 1 ♂ Atewa farm bush 7.4.

Cuckooshrikes Campephagidae

- Red-shouldered Cuckooshrike (LC)** *Campephaga phoenicea*
(2) 1 ♂ Mole NP 31.3 and 1 ♂ Mole NP 2.4.
- Purple-throated Cuckooshrike (LC)** *Campephaga quiscalina*
(2) 3 Antwikwaa 27.3 and 1 Atewa farm bush 7.4.
- Blue Cuckooshrike (LC)** *Cyanograucalus azureus*
(2) 1 Kakum NP--Canopy Walkway 26.3 and 1 Bonkro 29.3.

Shrikes Laniidae

- Yellow-billed Shrike (LC)** *Corvinella corvina*
(6) 1 Volta River Crossing 24.3, 6 Mole NP 1.4, 10 Mole NP to Bolgatanga 2.4, 2 Tono Dam 3.4, 4 Mole NP to Bolgatanga 4.4 and 1 Royal Basin Resort 5.4.
- Northern Fiscal** *Lanius humeralis*
(11) 2 Shai Hills 23.3, 3 Abrafo farmbush 25.3, 1 Kakum NP and surrounds 26.3, 4 Abrafo farmbush 27.3, 2 Abrafo farmbush 28.3, 3 Kakum NP and surrounds 29.3, 6 Kumasi to Mole NP 30.3, 2 Mole NP 2.4, 2 Atewa farm bush 5.4, 2 Atewa Forest 6.4 and 2 Atewa farm bush 7.4.

Figbirds, Orioles, Turnagra Oriolidae

- Western Oriole (LC)** *Oriolus brachyrhynchus*
(1) 1 ♂ Atewa Forest 6.4.
- Black-winged Oriole (LC)** *Oriolus nigripennis*
(2) 1 Kakum NP--Canopy Walkway 26.3 and 2 Bobiri Butterfly Sanctuary 5.4.
- African Golden Oriole (LC)** *Oriolus auratus*
(1) 3 Mole NP 1.4.

Drongos Dicruridae

- Fanti Drongo** *Dicrurus aatactus*
(6) 2 Kakum NP 26.3, 2 Antwikwaa 27.3, 3 Abrafo farmbush 28.3, 2 Kakum NP and surrounds 29.3, 4 Bobiri Butterfly Sanctuary 5.4 and 3 Atewa Forest 6.4.
- Glossy-backed Drongo** *Dicrurus divaricatus*

(6) 2 Shai Hills 23.3, 3 Shai Hills 24.3, 6 Mole NP 1.4, 2 Mole NP 2.4, 4 White Volta 3.4 and 3 Mole NP to Bolgatanga 4.4.

Shining Drongo (LC)*Dicrurus atripennis*

(1) 1 Atewa Forest 6.4.

Monarchs Monarchidae**Red-bellied Paradise Flycatcher (LC)***Terpsiphone rufiventer*

(6) 1 Abrafo forest 27.3, 4 Abrafo farmbush 28.3, 3 Kakum NP and surrounds 29.3, 1 Bobiri Butterfly Sanctuary 5.4, 2 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.

African Paradise Flycatcher (LC)*Terpsiphone viridis*

(2) 1 ♂ Mole NP 31.3 and 1 ♂ Mole NP 1.4.

Crows, Jays Corvidae**Piapiac (LC)***Ptilostomus afer*

(5) 7 Shai Hills 23.3, 6 Winneba - Kakum road 25.3, 9 Kumasi to Mole NP 30.3, 2 Mole NP to Bolgatanga 2.4 and 6 White Volta 3.4.

Pied Crow (LC)*Corvus albus*

(16) 20 En Route - Accra to Shai Hills 23.3, 15 Shai Hills 24.3, 30 Accra to Kakum 25.3, up to 25 Kakum NP and surrounds 26-28.3, 20 en route 29.3, 30 Kumasi to Mole NP 30.3, 10 Mole NP 31.3, 10 Mole NP 1.4, 80 Mole NP to Bolgatanga 2.4, 15 Bolgatanga 3.4, 25 Mole NP to Bolgatanga 4.4, 16 Royal Basin Resort 5.4, 4 Atewa Forest 6.4 and 20 Atewa to Accra 7.4.

Rockfowl Picathartidae**White-necked Rockfowl (VU)***Picathartes gymnocephalus*

(1) 4 Bonkro 29.3.

Fairy Flycatchers Stenostiridae**Dusky Crested Flycatcher (LC)***Elminia nigromitrata*

(1) 1 Atewa Forest 6.4.

Tits, Chickadees Paridae**White-shouldered Black Tit (LC)***Melaniparus guineensis*

(1) 2 ♂ Mole NP 31.3.

Penduline Tits Remizidae**Yellow Penduline Tit (LC)***Anthoscopus parvulus*

(1) 1 heard Tono Dam 3.4.

Forest Penduline Tit (LC)*Anthoscopus flavifrons*

(1) 2 Kakum NP--Canopy Walkway 26.3.

Nicators Nicatoridae**Western Nicator (LC)***Nicator chloris*

(3) 1 heard Kakum NP and surrounds 26.3, 1 Kakum NP and surrounds 29.3 and 1 heard Bobiri Butterfly Sanctuary 5.4.

Larks Alaudidae**Rufous-rumped Lark (LC)***Pinarocorys erythropygia*

(1) 1 Mole NP 31.3.

Flappet Lark (LC)

Mirafra rufocinnamomea

(1) 2 Shai Hills 23.3.

Sun Lark (LC)

Galerida modesta

(1) 1 Mole NP 31.3.

Bulbuls Pycnonotidae

Slender-billed Greenbul (LC)

Stelgidillas gracilirostris

(4) 2 Antwikwaa 27.3, 2 Abrafo farmbush 28.3, 2 Kakum NP and surrounds 29.3 and 1 Atewa farm bush 7.4.

Golden Greenbul (LC)

Calyptocichla serinus

(2) 1 Kakum NP--Canopy Walkway 26.3 and 1 Antwikwaa 27.3.

Grey-headed Bristlebill (LC)

Bleda canicapillus

(1) 1 heard Kakum NP 26.3.

Spotted Greenbul (LC)

Ixonotus guttatus

(1) 5 Kakum NP--Canopy Walkway 26.3.

Swamp Palm Bulbul (LC)

Thescelocichla leucopleura

(3) 5 Kakum NP--Canopy Walkway 26.3, 3 Antwikwaa 27.3 and 6 Atewa Forest 6.4.

Simple Greenbul (LC)

Chlorocichla simplex

(1) 1 Abrafo farmbush 28.3.

Honeyguide Greenbul (LC)

Baeopogon indicator

(4) 1 heard Abrafo farmbush 27.3, 1 Abrafo farmbush 28.3, 2 heard Bonkro 29.3 and 2 Atewa Forest 6.4.

Red-tailed Greenbul (LC)

Criniger calurus

(2) 1 heard Kakum NP 26.3 and 1 Atewa farm bush 7.4.

Little Greenbul (LC)

Eurillas virens

(4) 1 Kakum NP and surrounds 26.3, 2 Kakum NP and surrounds 29.3, 1 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.

Little Grey Greenbul (LC)

Eurillas gracilis

(4) 1 Abrafo farmbush 28.3, 1 Kakum NP and surrounds 29.3, 1 Bobiri Butterfly Sanctuary 5.4 and 1 Atewa farm bush 7.4.

Icterine Greenbul (LC)

Phyllastrephus icterinus

(1) 1 Atewa Forest 6.4.

Red-tailed Leaflove

Phyllastrephus scandens

(1) 2 Volta Dam 24.3.

Common Bulbul (LC)

Pycnonotus barbatus

(14) 8 Shai Hills 23.3, 9 Shai Hills 24.3, 8 Winneba Lagoon 25.3, 6 Kakum NP and surrounds 26.3, 7 Abrafo farmbush 27.3, 10 Kakum NP and surrounds 28.3, 6 Kakum NP and surrounds 29.3, 12 Mole NP 31.3, 8 Mole NP 1.4, 15 Mole NP to Bolgatanga 2.4, 6 Tono Dam 3.4, 8 Mole NP to Bolgatanga 4.4, 8 Atewa Forest 6.4 and 8 Atewa farm bush 7.4.

Swallows, Martins Hirundinidae

Square-tailed Saw-wing (LC)

Psalidoprocne nitens

(2) 4 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.

Rock Martin (LC)

Ptyonoprogne fuligula

(2) 2 Shai Hills 23.3 and 1 Shai Hills 24.3.

Pied-winged Swallow (LC)

Hirundo leucosoma

(1) 1 Volta Dam 24.3.

Wire-tailed Swallow (LC) *Hirundo smithii*

(1) 3 ♂ Mole NP 31.3.

White-bibbed Swallow (LC) *Hirundo nigrita*

(1) 2 Pra River 29.3.

Barn Swallow (LC) *Hirundo rustica*

(13) 2 Shai Hills 23.3, 5 Volta Dam 24.3, 2 Cape Coast 25.3, 10 Kakum NP and surrounds 27.3, 6 en route 29.3, 10 Kumasi to Mole NP 30.3, 10 Mole NP 31.3, 5 Mole NP 1.4, 10 Mole NP to Bolgatanga 2.4, 6 Tono Dam 3.4, 8 Mole NP to Bolgatanga 4.4, 14 Atewa farm bush 5.4 and 4 Atewa farm bush 7.4.

Red-chested Swallow (LC) *Hirundo lucida*

(1) 4 Larabanga 2.4.

Ethiopian Swallow (LC) *Hirundo aethiopica*

(5) 4 Volta Dam 24.3, 6 Cape Coast 25.3, 4 Kakum NP and surrounds 27.3, 3 Pra River 29.3 and 4 Kumasi to Mole NP 30.3.

Red-breasted Swallow (LC) *Cecropis semirufa*

(5) 2 Antwikwaa 27.3, 1 ♂ Kakum NP and surrounds 28.3, 2 Kakum NP and surrounds 29.3, 1 ♂ Atewa farm bush 6.4 and 1 ♂ Atewa farm bush 7.4.

Lesser Striped Swallow (LC) *Cecropis abyssinica*

(4) 6 Volta Dam 24.3, 6 Kakum NP and surrounds 27.3, 2 Pra River 29.3 and 2 Kumasi to Mole NP 30.3.

West African Swallow *Cecropis domicella*

(1) 2 White Volta 3.4.

Preuss's Cliff Swallow (LC) *Petrochelidon preussi*

(2) 45 Kakum NP and surrounds 27.3 and 35 en route 29.3.

Crombecs, African Warblers *Macrosphenidae*

Moustached Grass Warbler (LC) *Melocichla mentalis*

(1) 1 Mole NP to Bolgatanga 2.4.

Kemp's Longbill (LC) *Macrosphenus kempii*

(1) 1 heard Atewa Forest 6.4.

Grey Longbill (LC) *Macrosphenus concolor*

(2) 1 Kakum NP 26.3 and 1 Kakum NP and surrounds 29.3.

Green Crombec (LC) *Sylvietta virens*

(3) 1 heard Kakum NP--Canopy Walkway 26.3, 1 Abrafo farmbush 28.3 and 1 Kakum NP and surrounds 29.3.

Lemon-bellied Crombec (LC) *Sylvietta denti*

(1) 1 Atewa Forest 6.4.

Yellow Flycatchers *Erythroceridae*

Chestnut-capped Flycatcher (LC) *Erythrocerus mccallii*

(1) 5 Atewa Forest 6.4.

Hylia *Hylidae*

Green Hylia (LC) *Hylia prasina*

(4) 1 heard Kakum NP--Canopy Walkway 26.3, 1 Antwikwaa 27.3, 1 Bobiri Butterfly Sanctuary 5.4 and 1 Atewa farm bush 7.4.

Tit Hylia (LC)*Pholidornis rushiae*

(4) 2 Abrafo farmbush 25.3, 1 Abrafo farmbush 27.3, 3 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.

Leaf Warblers & Allies Phylloscopidae**Wood Warbler (LC)***Phylloscopus sibilatrix*

(1) 1 Kakum NP 26.3.

Cisticolas & Allies Cisticolidae**Red-faced Cisticola (LC)***Cisticola erythrops*

(1) 2 Atewa farm bush 5.4.

Singing Cisticola (LC)*Cisticola cantans*

(2) 1 heard Mole NP 1.4 and 1 Tono Dam 3.4.

Whistling Cisticola (LC)*Cisticola lateralis*

(3) 2 Abrafo farmbush 25.3, 2 Abrafo farmbush 28.3 and 2 Kakum NP and surrounds 29.3.

Rock-loving Cisticola*Cisticola emini*

(1) 1 Tongo Hills 2.4.

Croaking Cisticola (LC)*Cisticola natalensis*

(1) 5 Shai Hills 24.3.

Short-winged Cisticola (LC)*Cisticola brachypterus*

(2) 1 Shai Hills 23.3 and 3 Shai Hills 24.3.

Rufous Cisticola (LC)*Cisticola rufus*

(1) 3 Mole NP 1.4.

Tawny-flanked Prinia (LC)*Prinia subflava*

(4) 2 Abrafo farmbush 27.3, 1 Mole NP 31.3, 1 Mole NP 1.4 and 2 Tono Dam 3.4.

Red-winged Prinia (LC)*Prinia erythroptera*

(1) 2 Mole NP 1.4.

Yellow-breasted Apalis (LC)*Apalis flavida*

(1) 1 Mole NP 1.4.

Black-capped Apalis (LC)*Apalis nigriceps*

(1) 2 Atewa Forest 6.4.

Oriole Warbler (LC)*Hypergerus atriceps*

(1) 1 Mole NP 31.3.

Grey-backed Camaroptera*Camaroptera brevicaudata*

(4) 1 Shai Hills 24.3, 1 Mole NP 31.3, 2 Mole NP 1.4 and 1 Atewa farm bush 7.4.

Yellow-browed Camaroptera (LC)*Camaroptera superciliaris*

(3) 1 heard Kakum NP--Canopy Walkway 26.3, 2 Antwikwaa 27.3 and 1 Atewa farm bush 7.4.

Olive-green Camaroptera (LC)*Camaroptera chloronota*

(1) 1 heard Bobiri Butterfly Sanctuary 5.4.

Senegal Eremomela (LC)*Eremomela pusilla*

(3) Up to 4 Mole NP 31-2.4.

Rufous-crowned Eremomela (LC)*Eremomela badiceps*

(2) 3 Abrafo farmbush 28.3 and 1 Atewa Forest 6.4.

Ground Babblers Pellorneidae**Puvel's Illadopsis (LC)***Illadopsis puveli*

(1) 1 Atewa Forest 6.4.

Laughingthrushes & Allies Leiothrichidae

- Brown Babbler (LC)** *Turdoides plebejus*
(2) 4 Shai Hills 24.3 and 3 Mole NP 31.3.
- Blackcap Babbler (LC)** *Turdoides reinwardtii*
(1) 5 Mole NP 1.4.

Hyliotas Hyliotidae

- Yellow-bellied Hyliota (LC)** *Hyliota flavigaster*
(2) 1 Mole NP 31.3 and 1 Mole NP 1.4.
- Violet-backed Hyliota (LC)** *Hyliota violacea*
(2) 1 Kakum NP--Canopy Walkway 26.3 and 1 Atewa farm bush 7.4.

Treecreepers Certhiidae

- African Spotted Creeper (LC)** *Salpornis salvadori*
(1) 1 Mole NP 1.4.

Starlings, Rhabdornis Sturnidae

- Copper-tailed Starling (NT)** *Hypopsar cupreocauda*
(1) 2 Atewa Forest 6.4.
- Greater Blue-eared Starling (LC)** *Lamprotornis chalybaeus*
(1) 6 Tono Dam 3.4.
- Lesser Blue-eared Starling (LC)** *Lamprotornis chloropterus*
(3) 1 Mole NP 31.3, 5 Mole NP 1.4 and 4 Tono Dam 3.4.
- Splendid Starling (LC)** *Lamprotornis splendidus*
(1) 4 Atewa farm bush 7.4.
- Purple Starling (LC)** *Lamprotornis purpureus*
(1) 2 Accra 25.3.
- Long-tailed Glossy Starling (LC)** *Lamprotornis caudatus*
(4) 10 Mole NP 31.3, 3 Mole NP 1.4, 5 Tono Dam 3.4 and 4 Mole NP to Bolgatanga 4.4.
- Chestnut-bellied Starling (LC)** *Lamprotornis pulcher*
(1) 3 White Volta 3.4.
- Violet-backed Starling (LC)** *Cinnyricinclus leucogaster*
(2) 1 ♂ Mole NP 31.3 and 8 Mole NP 1.4.

Oxpeckers Buphagidae

- Yellow-billed Oxpecker (LC)** *Buphagus africanus*
(1) 2 White Volta 3.4.

Thrushes Turdidae

- Finsch's Rufous Thrush (LC)** *Stizorhina finschi*
(2) 1 heard Bobiri Butterfly Sanctuary 5.4 and 1 Atewa Forest 6.4.
- African Thrush (LC)** *Turdus pelios*
(3) 2 Shai Hills 23.3, 2 Shai Hills 24.3 and 1 Atewa farm bush 7.4.

Chats, Old World Flycatchers Muscicapidae

- White-tailed Alethe (LC)** *Alethe diademata*
(1) 1 heard Atewa farm bush 7.4.

Fraser's Forest Flycatcher (LC) (1) 2 Atewa farm bush 7.4.	<i>Fraseria ocreata</i>
Grey-throated Tit-Flycatcher (1) 1 Atewa Forest 6.4.	<i>Myioparus griseigularis</i>
Grey Tit-Flycatcher (1) 1 Abrafo farmbush 28.3.	<i>Myioparus plumbeus</i>
Northern Black Flycatcher (LC) (4) 1 Shai Hills 24.3 and up to 6 Mole NP 31-2.4.	<i>Melaenornis edolioides</i>
Pale Flycatcher (2) 1 Kakum NP and surrounds 29.3 and 2 Mole NP 1.4.	<i>Melaenornis pallidus</i>
Spotted Flycatcher (LC) (2) 1 Shai Hills 23.3 and 2 Shai Hills 24.3.	<i>Muscicapa striata</i>
Dusky-blue Flycatcher (3) 1 Antwikwaa 27.3, 1 Abrafo farmbush 28.3 and 1 Kakum NP and surrounds 29.3.	<i>Muscicapa comitata</i>
Tessmann's Flycatcher (1) 1 heard Bobiri Butterfly Sanctuary 5.4.	<i>Muscicapa tessmanni</i>
Ussher's Flycatcher (3) 2 Abrafo forest 25.3, 2 Kakum NP--Canopy Walkway 26.3 and 2 Atewa Forest 6.4.	<i>Muscicapa ussheri</i>
Blue-shouldered Robin-Chat (LC) (1) 1 heard Kakum NP and surrounds 29.3.	<i>Cossypha cyanocampter</i>
White-crowned Robin-Chat (LC) (2) 2 Mole NP 31.3 and 1 Mole NP 1.4.	<i>Cossypha albicapillus</i>
European Pied Flycatcher (LC) (3) 1 Shai Hills 23.3, 2 Mole NP 31.3 and 2 Mole NP 1.4.	<i>Ficedula hypoleuca</i>
Whinchat (LC) (2) 1 Shai Hills 23.3 and 1 Mole NP 1.4.	<i>Saxicola rubetra</i>
White-crowned Cliff Chat (2) 1 Shai Hills 24.3 and 1 Tongo Hills 2.4.	<i>Thamnolaea coronata</i>
White-fronted Black Chat (LC) (1) 1 Mole NP 31.3.	<i>Oenanthe albifrons</i>
Familiar Chat (LC) (1) 1 Mole NP 2.4.	<i>Oenanthe familiaris</i>
<u>Sunbirds Nectariniidae</u>	
Fraser's Sunbird (LC) (2) 2 Abrafo forest 27.3 and 1 ♂ Atewa Forest 6.4.	<i>Deleornis fraseri</i>
Mangrove Sunbird (LC) (1) 4 Akosombo Continental Hotel, Atimpoku 24.3.	<i>Anthreptes gabonicus</i>
Collared Sunbird (LC) (6) 2 Kakum NP--Canopy Walkway 26.3, 4 Abrafo farmbush 27.3, 4 Abrafo farmbush 28.3, 1 Kakum NP and surrounds 29.3, 6 Bobiri Butterfly Sanctuary 5.4 and 5 Atewa Forest 6.4.	<i>Hedydipna collaris</i>
Pygmy Sunbird (LC) (2) 4 Mole NP 31.3 and 1 ♂ Mole NP 1.4.	<i>Hedydipna platura</i>
Green-headed Sunbird (LC) (3) 1 ♂ Abrafo farmbush 28.3, 3 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.	<i>Cyanomitra verticalis</i>
Blue-throated Brown Sunbird (LC) (1) 1 ♂ Abrafo farmbush 28.3.	<i>Cyanomitra cyanoaema</i>

- Olive Sunbird (LC)** *Cyanomitra olivacea*
(4) 1 Kakum NP--Canopy Walkway 26.3, 1 Abrafo farmbush 28.3, 1 Bobiri Butterfly Sanctuary 5.4 and 1 Atewa Forest 6.4.
- Buff-throated Sunbird (LC)** *Chalcomitra adelberti*
(2) 1 Kakum NP--Canopy Walkway 26.3 and 1 ♂ Atewa Forest 6.4.
- Scarlet-chested Sunbird (LC)** *Chalcomitra senegalensis*
(3) 1 ♂ Mole NP 1.4, 1 ♂ White Volta 3.4 and 1 Bolgatanga 4.4.
- Olive-bellied Sunbird (LC)** *Cinnyris chloropygius*
(3) 1 Kakum NP and surrounds 26.3, 2 Antwikwaa 27.3 and 1 Atewa farm bush 7.4.
- Beautiful Sunbird (LC)** *Cinnyris pulchellus*
(3) Up to 6 Mole NP 31-2.4.
- Splendid Sunbird (LC)** *Cinnyris coccinigastrus*
(3) 1 ♀ Akosombo Continental Hotel, Atimpoku 24.3, 2 Winneba Lagoon 25.3 and 1 ♂ Mole NP 1.4.
- Johanna's Sunbird (LC)** *Cinnyris johannae*
(3) 1 ♂ Kakum NP--Canopy Walkway 26.3, 1 Bobiri Butterfly Sanctuary 5.4 and 1 ♀ Atewa Forest 6.4.
- Superb Sunbird (LC)** *Cinnyris superbus*
(1) 1 ♂ Abrafo farmbush 28.3.
- Copper Sunbird (LC)** *Cinnyris cupreus*
(3) 2 Mole NP 31.3, 3 Mole NP 1.4 and 1 Atewa farm bush 7.4.

Old World Sparrows, Snowfinches *Passeridae*

- Sahel Bush Sparrow (LC)** *Gymnoris dentata*
(4) Up to 30 Mole NP 31-2.4 and 5 White Volta 3.4.
- Northern Grey-headed Sparrow (LC)** *Passer griseus*
(12) Up to 2 Rainforest Lodge 26-28.3, 2 en route 29.3, 6 Kumasi to Mole NP 30.3, 6 Mole NP 31.3, 10 Mole NP 1.4, 30 Mole NP to Bolgatanga 2.4, 3 Tono Dam 3.4, 6 Kumasi 4.4, 1 Kumasi 5.4 and 1 Atewa farm bush 7.4.
- House Sparrow (LC)** *Passer domesticus*
(1) 1 ♂ Kumasi 4.4.

Weavers, Widowbirds *Ploceidae*

- White-billed Buffalo Weaver (LC)** *Bubalornis albirostris*
(1) 10 White Volta 3.4.
- Chestnut-crowned Sparrow-Weaver (LC)** *Plocepasser superciliosus*
(3) Up to 3 Mole NP 31-2.4.
- Thick-billed Weaver (LC)** *Amblyospiza albifrons*
(1) 1 Atewa Forest 6.4.
- Little Weaver (LC)** *Ploceus luteolus*
(1) 1 ♂ Mole NP 31.3.
- Black-necked Weaver (LC)** *Ploceus nigricollis*
(3) 3 Shai Hills 24.3, 3 Abrafo farmbush 28.3 and 2 Atewa farm bush 7.4.
- Village Weaver (LC)** *Ploceus cucullatus*
(7) 5 Kakum NP and surrounds 26.3, 10 Kakum NP and surrounds 27.3, 30 en route 29.3, 30 Kumasi to Mole NP 30.3, 20 Mole NP to Bolgatanga 4.4, 8 Atewa farm bush 5.4 and 3 Atewa farm bush 7.4.
- Vieillot's Black Weaver (LC)** *Ploceus nigerrimus*
(6) 5 Abrafo farmbush 25.3, up to 20 Kakum NP and surrounds 26-29.3 and 6 Atewa Forest 6.4.

Black-headed Weaver (LC)	<i>Ploceus melanocephalus</i>
(2) 6 Mole NP to Bolgatanga 2.4 and 4 Atewa farm bush 7.4.	
Yellow-mantled Weaver (LC)	<i>Ploceus tricolor</i>
(2) 4 Antwikwaa 27.3 and 3 Bobiri Butterfly Sanctuary 5.4.	
Maxwell's Black Weaver (LC)	<i>Ploceus albinucha</i>
(1) 4 Kakum NP--Canopy Walkway 26.3.	
Red-vented Malimbe (LC)	<i>Malimbus scutatus</i>
(2) 2 Abrafo farmbush 28.3 and 2 Atewa farm bush 7.4.	
Red-headed Malimbe (LC)	<i>Malimbus rubricollis</i>
(7) 2 Abrafo farmbush 25.3, 3 Kakum NP--Canopy Walkway 26.3, 3 Abrafo farmbush 27.3, 3 Abrafo farmbush 28.3, 5 Bobiri Butterfly Sanctuary 5.4, 4 Atewa Forest 6.4 and 4 Atewa farm bush 7.4.	
Crested Malimbe (LC)	<i>Malimbus malimbicus</i>
(2) 2 Kakum NP and surrounds 29.3 and 1 ♂ Atewa Forest 6.4.	
Red-headed Weaver (LC)	<i>Anaplectes rubriceps</i>
(2) 1 ♂ Mole NP 31.3 and 1 ♂ Mole NP 2.4.	
Red-headed Quelea (LC)	<i>Quelea erythrops</i>
(1) 2 Antwikwaa 27.3.	
Red-billed Quelea (LC)	<i>Quelea quelea</i>
(2) 30 Mole NP to Bolgatanga 2.4 and 50 Tono Dam 3.4.	
Black-winged Red Bishop (LC)	<i>Euplectes hordeaceus</i>
(2) 1 ♀ Kakum NP and surrounds 26.3 and 1 Antwikwaa 27.3.	
Northern Red Bishop (LC)	<i>Euplectes franciscanus</i>
(2) 1 Mole NP 31.3 and 30 Mole NP 2.4.	

Waxbills, Munias & Allies Estrildidae

Bronze Mannikin (LC)	<i>Spermestes cucullata</i>
(10) 4 Akosombo Continental Hotel, Atimpoku 24.3, 6 Abrafo farmbush 25.3, 8 Kakum NP and surrounds 26.3, 6 Kakum NP and surrounds 27.3, 15 Abrafo farmbush 28.3, 12 Mole NP 30.3, 30 Mole NP 31.3, 15 Tono Dam 3.4, 6 Atewa farm bush 5.4 and 3 Atewa farm bush 7.4.	
Black-and-white Mannikin (LC)	<i>Spermestes bicolor</i>
(8) 5 Abrafo farmbush 25.3, 8 Antwikwaa 27.3, 8 Abrafo farmbush 28.3, 4 Kakum NP and surrounds 29.3, 12 Mole NP 2.4, 6 Atewa farm bush 5.4, 4 Atewa Forest 6.4 and 4 Atewa farm bush 7.4.	
African Silverbill (LC)	<i>Euodice cantans</i>
(2) 20 Mole NP 2.4 and 20 Tono Dam 3.4.	
White-breasted Nigrita (LC)	<i>Nigrita fusconotus</i>
(4) 1 ♂ Antwikwaa 27.3, 1 Atewa farm bush 5.4, 2 Atewa Forest 6.4 and 1 Atewa farm bush 7.4.	
Chestnut-breasted Nigrita (LC)	<i>Nigrita bicolor</i>
(3) 1 ♂ Atewa farm bush 5.4, 1 Atewa Forest 6.4 and 1 ♂ Atewa farm bush 7.4.	
Grey-headed Nigrita (LC)	<i>Nigrita canicapillus</i>
(3) 1 Abrafo farmbush 25.3, 2 Antwikwaa 27.3 and 2 Atewa Forest 6.4.	
Lavender Waxbill	<i>Glaucostrelda caerulea</i>
(1) 4 Mole NP 31.3.	
Orange-cheeked Waxbill (LC)	<i>Estrilda melpoda</i>
(4) 2 Antwikwaa 27.3, 4 Abrafo farmbush 28.3, 6 Mole NP 31.3 and 2 Mole NP 2.4.	
Black-rumped Waxbill (LC)	<i>Estrilda troglodytes</i>
(2) 14 Mole NP 2.4 and 8 Tono Dam 3.4.	
Quailfinch (LC)	<i>Ortygospiza atricollis</i>

(2) 6 Mole NP to Bolgatanga 2.4 and 4 Tono Dam 3.4.

Red-cheeked Cordon-bleu (LC) *Uraeginthus bengalus*

(4) Up to 50 Mole NP 31-2.4 and 4 Tono Dam 3.4.

Western Bluebill (LC) *Spermophaga haematina*

(1) 1 Atewa farm bush 5.4.

Red-winged Pytilia (LC) *Pytilia phoenicoptera*

(1) 1 ♂ Mole NP 31.3.

Red-billed Firefinch (LC) *Lagonosticta senegala*

(2) 40 Mole NP 31.3 and 20 Mole NP 1.4.

African Firefinch (LC) *Lagonosticta rubricata*

(1) 1 ♂ Atewa farm bush 7.4.

Bar-breasted Firefinch (LC) *Lagonosticta rufopicta*

(2) 1 ♂ Abrafo farmbush 25.3 and 8 Abrafo farmbush 28.3.

Black-faced Firefinch (LC) *Lagonosticta larvata*

(1) 6 Mole NP 2.4.

Indigobirds, Whydahs Viduidae

Pin-tailed Whydah (LC) *Vidua macroura*

(5) 1 ♂ Abrafo farmbush 28.3, up to 12 Mole NP 31-2.4 and 1 ♂ Atewa farm bush 7.4.

Wagtails, Pipits Motacillidae

Western Yellow Wagtail (LC) *Motacilla flava*

(1) 2 Winneba Lagoon 25.3.

African Pied Wagtail (LC) *Motacilla aguimp*

(7) Up to 2 Rainforest Lodge 26-29.3, 6 Kumasi to Mole NP 4.4, 2 Atewa farm bush 5.4 and 1 Atewa to Accra 7.4.

Yellow-throated Longclaw (LC) *Macronyx croceus*

(1) 5 Shai Hills 24.3.

Plain-backed Pipit (LC) *Anthus leucophrys*

(1) 2 Shai Hills 23.3.

Finches, Euphonias Fringillidae

Yellow-fronted Canary (LC) *Crithagra mozambica*

(2) 2 Mole NP 31.3 and 8 Mole NP 1.4.

Buntings Emberizidae

Gosling's Bunting (LC) *Emberiza goslingi*

(1) 2 Tongo Hills 2.4.

Brown-rumped Bunting (LC) *Emberiza affinis*

(1) 5 Mole NP 1.4.

Mammals (19 in total: 17 seen, 2 heard)

Status codes: **E** = Endemic, **NE** = Near-endemic, **I** = Introduced

IUCN codes: **CR** = Critically endangered, **EN** = Endangered, **VU** = Vulnerable, **EW** = Extinct in the Wild, **NT** = Near Threatened, **DD** = Data Deficient

Ghana

Hyraxes Procaviidae

Western Tree Hyrax (LC)
(1) 1 heard Kakum NP 28.3.

Dendrohyrax dorsalis

Elephants Elephantidae

African Elephant (VU)
(3) Up to 3 Mole NP 31-2.4.

Loxodonta africana

Pigs Suidae

Common Warthog (LC)
(3) Up to 7 Mole NP 31-2.4.

Phacochoerus africanus

Cattle, Antelopes, Sheep, Goats Bovidae

Waterbuck (LC)
(1) 3 Mole NP 2.4.

Kobus ellipsiprymnus

Kob (LC)
(5) 12 Shai Hills 23.3, 4 Shai Hills 24.3 and up to 30 Mole NP 31-2.4.

Kobus kob

Bushbuck (LC)
(1) 3 Mole NP 31.3.

Tragelaphus scriptus

False Vampire Bats Megadermatidae

Yellow-winged Bat (LC)
(1) 2 Mole NP 1.4.

Lavia frons

Old World Fruit Bats Pteropodidae

African Straw-coloured Fruit-bat (NT)
(2) 15 Atewa 5.4 and 100 Atewa 6.4.

Eidolon helvum

Galagos Galagidae

Northern Lesser Galago (LC)
(1) 1 Mole NP 31.3.

Galago senegalensis

Old World Monkeys Cercopithecidae

Mona Monkey (LC)
(1) 1 heard Atewa Forest 6.4.

Cercopithecus mona

Green Monkey (LC)
(3) Up to 6 Mole NP 31-2.4.

Chlorocebus sabaeus

Tantalus Monkey (LC) *Chlorocebus tantalus*
 (2) 6 Shai Hills 23.3 and 8 Shai Hills 24.3.

Olive Baboon (LC) *Papio anubis*
 (5) 3 Shai Hills 23.3, 40 Shai Hills 24.3 and up to 25 Mole NP 31-2.4.

Rabbits, Hares *Leporidae*

African Savanna Hare (LC) *Lepus victoriae*
 (1) 1 Mole NP 1.4.

Squirrels *Sciuridae*

Kintampo Rope Squirrel (DD) *Funisciurus substriatus*
 (2) 1 Mole NP 31.3 and 1 Mole NP 1.4.

Gambian Sun Squirrel (LC) *Heliosciurus gambianus*
 (2) 1 Kakum NP 26.3 and 1 Atewa farm bush 7.4.

Red-legged Sun Squirrel (LC) *Heliosciurus rufobrachium*
 (1) 2 Kakum NP--Canopy Walkway 26.3.

Striped Ground Squirrel (LC) *Xerus erythropus*
 (2) 3 Mole NP 1.4 and 1 Tongo Hills 2.4.

Scaly-tailed Squirrels *Anomaluridae*

Pel's Flying Squirrel (DD) *Anomalurus pelii*
 (1) 1 Kakum NP 28.3.

Reptiles (6 in total: 6 seen)

Status codes: E = Endemic, NE = Near-endemic, I = Introduced

IUCN codes: CR = Critically endangered, EN = Endangered, VU = Vulnerable, EW = Extinct in the Wild, NT = Near Threatened, DD = Data Deficient

Ghana

Agamas Agamidae

West African Rainbow Lizard (LC)

Agama africana

(16) 2 Shai Hills 23.3, 4 Shai Hills 24.3, 1 Rainforest Lodge 25.3, 3 Kakum NP and surrounds 26.3, 2 Kakum NP 27.3, 2 Rainforest Lodge 28.3, 1 Bonkro 29.3, up to 4 Mole NP 30-1.4, 2 Tongo Hills 2.4, 3 White Volta 3.4, 2 Mole NP to Bolgatanga 4.4, 1 Bobiri Butterfly Sanctuary 5.4, 2 Atewa farm bush 6.4 and 3 Atewa farm bush 7.4.

Colubrid Snakes Colubridae

Collared Marsh Snake (LC)

Natriciteres fuliginoides

(1) 1 Bobiri Butterfly Sanctuary 5.4.

Geckos Gekkonidae

House Gecko (LC)

Hemidactylus mabouia

(1) 1 Mole NP 31.3.

Monitor Lizards Varanidae

Savannah Monitor (LC)

Varanus exanthematicus

(1) 1 Shai Hills 24.3.

Nile Monitor (LC)

Varanus niloticus

(1) 3 White Volta 3.4.

Vipers Viperidae

Spotted Night Adder (LC)

Causus maculatus

(1) 1 Atewa Forest 6.4.

Rockjumper Birding Ltd

The Hive, Lot 23
Centre Commercial du Barachois
La Place Cap, Tamarin
Mauritius

Tel: (USA & Canada) toll-free: 1-888-990-5552
Email: info@rockjumperbirding.com
Alternative email: rockjumperbirding@yahoo.com
Website: www.rockjumperbirding.com

