



ROCKJUMPER

Worldwide Birding Adventures

Kenya & Tanzania

Birds & Big Game IV

4th to 21st May 2018 (18 days)

Trip Report



Serengeti Migration by Markus Lilje

Trip report compiled by Tour Leader: André Bernon

Tour Summary

Our tour started off in the capital city of Kenya, Nairobi. We visited iconic destinations such as Mount Kenya, Shaba and Buffalo Springs Game Reserves, Lake Nakuru and Amboseli with Mount Kilimanjaro as a backdrop! Our adventure then took us into the wilderness of Tanzania. Tarangire National Park, with its beautiful scenery and hundreds of African Elephants between the myriad of Baobab Trees; Ngorongoro Crater, with one of the highest densities of predators in the world; and lastly the Serengeti, where we witnessed the great migration – hundreds of thousands of wildebeest and zebra marching over the open plains. We managed to find the iconic “Big 5” on our Safari and even witnessed a Cheetah kill on our last day in the Serengeti! The birding did not take a back seat at all, and we had superb sightings and tallied a total of 477 species on our Safari!



Narina Trogon by Adam Riley

waterhole which had floodlights on at night. This gave us the opportunity to encounter some tough to find mammals, such as Giant Hog, White-tailed Mongoose and even a Leopard for some. A highlight was watching African Buffalo every day, as well as a herd of African Elephants quenching their thirst one early evening. Birding here was superb, and a guided walk into the forest saw us finding many specials like Black-throated, Chestnut-throated and Grey Apalises, Kikuyu White-eye, the superb Narina Trogon, Olive-breasted and Placid Greenbuls, Crowned Hornbill, the outrageous African Emerald Cuckoo and Silvery-cheeked Hornbill. Hartlaub’s Turaco was a special here, and we found many birds affording us great looks.

From here we ventured down the escarpment to the drier regions of the north. Shaba and Buffalo Springs Game Reserves with Samburu Game Reserve on their borders was our playground for the next three days. We had the opportunity to

We met at our conveniently situated hotel for our first night before departing the next morning, making our way north to Mount Kenya. We had some great birding on route, visiting a small wetland where we raked up some good birds, such as Holub’s Golden, Eastern Golden and Thick-billed Weavers, Black Crake, Red-billed Firefinch, Spotted Mourning Thrush, White-browed Robin-Chat and Lesser Swamp Warbler. Our journey north saw us buying some fresh mangos before we arrived at Mount Kenya. *The second highest summit in Africa created a beautiful backdrop for our escapades.* Our lodge was set on the edge of a



Vulturine Guineafowl by Rainer Summers

connect with many species more adapted to the drier environs, such as the outrageous Vulturine Guinea-fowl, Somali Bee-eater, Lichtenstein's Sandgrouse, Somali Courser, Red-winged, Pink-breasted and Foxy Larks, Golden-breasted, Magpie and Fischer's Starlings, Mouse-colored Penduline Tit, Golden Palm Weaver, Fan-tailed Raven, Northern Puffback, Pygmy Batis, Three-streaked Tchagra, Rufous Chatterer, Green-capped and Yellow-vented Eremomelas, Northern Crombec, the beautiful



Reticulated Giraffe by Rainer Summers

rare Striped Hyaena! The scenery here was fantastic, with many new bird species too. Notable mentions must go to a *gabonensis* sub-species of Black Cuckoo, Greater Blue-eared Starling, Great White Pelican, African Spoonbill, Broad-billed Roller, Mosque Swallow, African Thrush in the lodge gardens and also Hildebrandt's Francolin.

We left Lake Nakuru and made our way south. En route we made a stop to find a localised bird, Sharpe's Longclaw, which we found very quickly. We ventured back through Nairobi and onwards to Amboseli Game Reserve on the border of Tanzania. Mount Kilimanjaro was extremely cooperative, as the cloud cover gave way multiple times to enable us views of its summit. *This created a fantastic backdrop indeed.* Upon entering the reserve, we managed to find a roosting Spotted Eagle-Owl, which was a good start. Other fantastic species were the rare Fire-fronted Bishop, as well as the outrageous Golden Pipit. Our safaris here showed us fantastic sightings of Hippopotami out of the water, African Elephants, as well as a rare Side-striped Jackal! The amount of water from some heavy rains had blocked off many roads, but this had a huge perk in terms of waterbirds! We found many Long-toed and Spurwing Lapwings, Chestnut-banded, Common Ringed and Kittlitz's Plovers, Greater and Lesser Flamingos, Collared Pratincole, Saddle-billed and Yellow-billed Storks, Yellow-throated Sandgrouse and even Dwarf Bittern!



Leopard by Markus Lilje

Rosy-patched Bushshrike, Tsavo, Black-bellied and Hunters Sunbirds, as well as a surprise Friedmann's Lark – *which is extremely sought-after*. Mammals were also a feature here, and we raked up species such as the odd Gerenuk, Reticulated Giraffe, Grevy's Zebra, Desert Warthog and Beisa Oryx!

Lake Nakuru was our next stop for one night, and we had extreme luck after some rain. We managed to find a beautiful Leopardess in a tree very close to us, as well as the extremely

Our time in Kenya had unfortunately already come to an end as we made our way across the Namanga border post. We made our way to the spectacular Tarangire National Park and managed to find an extremely sought-after bird en route, Scaly Chatterer! Upon arriving in Tarangire, we found our first specials, Yellow-collared Lovebird and Ashy Starling! This reserve has got some of the best scenery in Africa, with its myriad of Baobabs, and a good elephant population to boot. Our lodge provided us with some great sightings of Kirk's Dik-dik, Yellow-spotted Hyrax and some stunning Common Agamas. Doing our safaris around the park saw us finding Von Der Decken's and Northern Red-billed Hornbills, Southern Ground Hornbill, Rufous-tailed Weaver, Grey Kestrel, Blue-cheeked Bee-eater, Pygmy Falcon, Bronze-winged Courser, Slate-colored Boubou, Banded Parisoma, Northern Pied Babbler, Pearl-spotted Owlet, Beautiful Sunbird, Martial Eagle, Freckled Nightjar, White-headed Barbet, African Scops Owl and both Red-and-yellow and D'Arnaud's Barbets.



Greater Flamingos and sunset by Andre Bernon

We then left the Great Rift Valley and made our way up to the world-famous Ngorongoro Crater. We spent a lot of time exploring the rim of the crater with many new forest species. Highlights included Grey Cuckooshrike, Schalow's Turaco, Mountain Buzzard, Crowned Eagle, Brown-headed Apalis, Mountain Greenbul, Montane White-eye, White-tailed Blue Flycatcher, Green-backed Honeybird, Yellow-bellied Waxbill, Golden-winged, Malachite, Tacazze and Bronze Sunbirds, Brown Parisoma, Grey-capped Warbler, Singing and Hunter's Cisticolas, White-eyed Slaty Flycatcher and Thick-billed Seedeater. Our full day down in the crater was superb. We had many sightings of Lion, Black Rhinoceros, African Buffalo, African Elephant, Common Wildebeest, Plains Zebra, Common Eland,



Red-and-yellow Barbet by Adam Riley

Spotted Hyaena and both Thompson's and Grant's Gazelles. A memorable sighting down here was many Jackson's Widowbirds displaying! Hopping up and down showing off their tail plumes was truly special to watch. We also encountered Greater Honeyguide, Rosy-throated Longclaw and Black-bellied Bustard. The view overlooking the crater from our lodge was insanely beautiful, especially around sunset.

We then skirted the rim of the crater and made our way down towards the Serengeti – meaning open plains in Swahili. Our first stop was a local Masai

Village within the Ngorongoro Conservation Area. These people live in harmony with nature and are allowed to occupy this protected area because of this – also because it is their custom to not eat any

wildlife but rather their own livestock. We had a great time watching their welcoming ceremony which consisted of a dance. Their way of life was also interesting to see. We then visited Oldupai Gorge, a special site for Archaeology, especially because of the discovery of some early hominids here. The Serengeti was superb to say the least. Besides the fantastic birding, we witnessed the Great Migration! Hundreds of thousands of wildebeest and zebra dotted the horizon, and a little further on we witnessed a large herd of wildebeest moving. Thousands of individuals walked in single file and spanned the horizon from left to right. *It was truly spectacular to witness.*

We spent two full days in the Serengeti and even made our way to the western corridor to look for some specials. Here, we managed to find Brown-throated Wattle-eye, Eastern Plantain-eater, Black-headed Gonolek and a surprise Western Banded Snake Eagle! Some memorable mammal sightings included many Leopards, Lions, Golden and Black-backed Jackals, African Elephants, African Buffalo, Topi and Hartebeest. Other fine bird species included the rare Grey-crested Helmetshrike, Long-tailed, Croaking, Winding, Rattling, Desert, Pectoral-patch and Zitting Cisticolas, Red-fronted Barbet, White-bellied Canary, Purple Grenadier, Ruppell's, White-backed, White-headed, Hooded and Lappet-faced Vultures, Red-throated Tit, Dark Chanting, Eastern Chanting and Gabar Goshawks, Abyssinian Scimitarbill and many “buffalo-wings”, more commonly known as White-headed and Red-billed Buffalo Weavers.



Grey-crested Helmetshrike by Cuan Rush



Cheetah by David Hoddinott

this was a great way to end our safari. We had some lengthy walks in the forest and managed to rake-up many new birds. These included Stripe-faced, Grey-olive and Little Greenbuls, Retz's

The time had come to leave the Serengeti, and upon our departure we witnessed a Cheetah making a kill! It was so surreal we could not believe our eyes, let alone snap any photographs! The chase seemed like play until the male Cheetah got closer to a herd of Common Wildebeest. Its slow run turned into true speed – *fantastic to watch!* It then tackled a young wildebeest and pinned it down. The adrenaline pumped through our veins, and we were just watching the spectacle! This was a fantastic way to end our time in this true wilderness!

We stayed on the edge of Mount Meru for our last night. Situated in the forest,

Helmetshrike, Green Malkoha, Red-throated Twinspot, Brown-hooded Kingfisher, Scarce Swift, Grey Tit-Flycatcher and Yellow-fronted Canary. We had a great lunch before departing and making our way back home after a very memorable safari to Africa!

Annotated List of species recorded

Note: Number in brackets () indicate number of days on the tour the species was recorded.
List powered through the report generator of our partner iGoTerra.

Visited locations

Mount Kenya NP, Nairobi--City, Tana River, Shaba NR, Buffalo Springs NR, Samburu NR, Archer's Post, Lake Nakuru NP, Namanga - Amboseli NP, Kenya, Amboseli NP, Tanzania, Tarangire NP, Ngorongoro CA, Serengeti NP, Arusha NP--Ngare Sero Mountain Lodge.

Birds (473 in total: 468 seen, 5 heard)

Nomenclature and taxonomy follows Gill, F and D Donsker (Eds). 2017. IOC World Bird List (v 7.3).

Status codes: **E** = Endemic, **NE** = Near-endemic, **I** = Introduced

IUCN codes: **CR** = Critically endangered, **EN** = Endangered, **VU** = Vulnerable, **EW** = Extinct in the Wild, **NT** = Near Threatened, **DD** = Data Deficient

Ostrich *Struthionidae*

Common Ostrich

Struthio camelus

(9) Observed Kenya 11-13.5 and observed Tanzania 13-19.5.

Somali Ostrich (VU)

Struthio molybdophanes

(4) Shaba NR 7.5, Shaba NR 8.5 and observed Buffalo Springs NR 8-10.5.

Ducks, Geese, and Waterfowl *Anatidae*

White-faced Whistling Duck

Dendrocygna viduata

(3) Amboseli NP 11.5, Amboseli NP 12.5 and Tarangire NP 15.5.

Fulvous Whistling Duck

Dendrocygna bicolor

(3) Amboseli NP 12.5, Amboseli NP 13.5 and Tarangire NP 14.5.

Spur-winged Goose

Plectropterus gambensis gambensis

(2) Tarangire NP 14.5 and Ngorongoro CA 16.5.

Knob-billed Duck

Sarkidiornis melanotos

(1) Amboseli NP 12.5.

Egyptian Goose

Alopochen aegyptiaca

(14) Observed Kenya 5-8.5, Kenya 11.5, Kenya 12.5, Tanzania 13.5, Tarangire NP 14.5, Tanzania 15.5, Tanzania 16.5 and observed Tanzania 18-21.5.

Hottentot Teal

Spatula hottentota

(2) Amboseli NP 12.5 and Ngorongoro CA 16.5.

Yellow-billed Duck

Anas undulata

(1) Lake Nakuru NP 10.5.

Cape Teal

Anas capensis

(3) Amboseli NP 12.5, Ngorongoro CA 16.5 and Serengeti NP 19.5.

Red-billed Teal

Anas erythrorhyncha

(3) Amboseli NP 11.5, Amboseli NP 12.5 and Ngorongoro CA 16.5.

Southern Pochard

Netta erythrophthalma brunnea

(1) Amboseli NP 11.5.

Guineafowl *Numididae*

Helmeted Guineafowl *Numida meleagris*

(13) Observed Kenya 8-13.5 and observed Tanzania 13-20.5.

Vulturine Guineafowl *Acryllium vulturinum*

(2) Samburu NR 9.5 and Buffalo Springs NR 10.5.

Pheasants, Grouse, and Allies *Phasianidae*

Coqui Francolin *Peliperdix coqui*

(4) Tarangire NP 14.5 and observed Serengeti NP 18-20.5.

Shelley's Francolin *Scleroptila shelleyi*

(2) Tarangire NP 14.5 and 1 heard Serengeti NP 18.5.

Crested Francolin *Dendroperdix sephaena*

(4) Samburu NR 9.5 and observed Tarangire NP 13-15.5.

Scaly Francolin *Pternistis squamatus*

(3) Observed Mount Kenya NP 5-7.5.

Hildebrandt's Francolin *Pternistis hildebrandti*

(5) Lake Nakuru NP 10.5, Tarangire NP 14.5, Ngorongoro CA 16.5, Ngorongoro CA 17.5 and Serengeti NP 18.5.

Yellow-necked Spurrow *Pternistis leucoscepus*

(8) Observed Kenya 7-11.5 and observed Tanzania 13-15.5.

Grey-breasted Spurrow *Pternistis rufopictus*

(3) Observed Serengeti NP 18-20.5.

An endemic to Serengeti.

Red-necked Spurrow *Pternistis afer*

(3) Observed Tanzania 13-15.5.

The chicken with the red face!

Harlequin Quail *Coturnix delegorguei delegorguei*

(1) Amboseli NP 11.5.

Extremely lucky to find a male bird calling from the top of a termite mound.

Grebes *Podicipedidae*

Little Grebe *Tachybaptus ruficollis capensis*

(2) Lake Nakuru NP 10.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Flamingos *Phoenicopteridae*

Greater Flamingo *Phoenicopterus roseus*

(7) Observed Amboseli NP 11-13.5, Ngorongoro CA 16.5, Ngorongoro CA 17.5, Serengeti NP 19.5 and Serengeti NP 20.5.

Lesser Flamingo (NT) *Phoeniconaias minor*

(3) Amboseli NP 12.5, Ngorongoro CA 16.5 and Serengeti NP 19.5.

Storks *Ciconiidae*

Yellow-billed Stork *Mycteria ibis*

(6) Lake Nakuru NP 10.5, Amboseli NP 11.5, Amboseli NP 12.5, Tarangire NP 15.5, Ngorongoro CA 16.5 and Serengeti NP 19.5.

African Openbill *Anastomus lamelligerus lamelligerus*

(1) Tarangire NP 14.5.

We witnessed a massive flock in full migration, rising on thermals.

Saddle-billed Stork *Ephippiorhynchus senegalensis*

(2) Amboseli NP 12.5 and Ngorongoro CA 16.5.

Marabou Stork *Leptoptilos crumenifer*

(4) Nairobi--City 5.5, Amboseli NP 13.5, Ngorongoro CA 17.5 and Serengeti NP 20.5.

Ibises and Spoonbills *Threskiornithidae*

African Sacred Ibis *Threskiornis aethiopicus*

(6) Shaba NR 7.5, Lake Nakuru NP 10.5, Amboseli NP 11.5, Amboseli NP 12.5, Ngorongoro CA 16.5 and Serengeti NP 20.5.

Hadada Ibis *Bostrychia hagedash*

(10) Kenya 5.5, Kenya 7.5, Kenya 8.5, observed Kenya 10-13.5, Tanzania 15.5, Tanzania 20.5 and 1 heard Tanzania 21.5.

Glossy Ibis *Plegadis falcinellus*

(3) Amboseli NP 12.5, Amboseli NP 13.5 and Ngorongoro CA 16.5.

African Spoonbill *Platalea alba*

(2) Ngorongoro CA 10.5 and Ngorongoro CA 16.5.

Hérons, Egrets, and Bitterns *Ardeidae*

Dwarf Bittern *Ixobrychus sturmii*

(1) Amboseli NP 12.5.

We had a fly-by of two birds!

Black-crowned Night Heron *Nycticorax nycticorax nycticorax*

(2) Lake Nakuru NP 10.5 and Ngorongoro CA 16.5.

Striated Heron *Butorides striata atricapilla*

(2) Buffalo Springs NR 9.5 and Serengeti NP 18.5.

Squacco Heron *Ardeola ralloides*

(1) Amboseli NP 12.5.

Malagasy Pond Heron (EN) *Ardeola idae*

(1) Amboseli NP 12.5.

Western Cattle Egret *Bubulcus ibis*

(6) Kenya 7.5, Kenya 8.5, Kenya 10.5, Kenya 11.5, Kenya 13.5 and Tanzania 16.5.

Grey Heron *Ardea cinerea cinerea*

(9) Observed Kenya 8-10.5, Kenya 12.5, Kenya 13.5, observed Tanzania 15-17.5 and Tanzania 19.5.

Black-headed Heron *Ardea melanocephala*

(7) Kenya 5.5, observed Kenya 10-13.5, Tanzania 18.5 and Tanzania 19.5.

Goliath Heron *Ardea goliath*

(1) Amboseli NP 12.5.

Great Egret *Ardea alba melanorhynchos*

(4) Lake Nakuru NP 10.5, Amboseli NP 11.5, Amboseli NP 12.5 and Ngorongoro CA 16.5.

Intermediate Egret *Ardea intermedia brachyrhyncha*

(1) Ngorongoro CA 16.5.

Little Egret *Egretta garzetta garzetta*

(4) Lake Nakuru NP 10.5, Amboseli NP 12.5, Amboseli NP 13.5 and Ngorongoro CA 16.5.

Hamerkop *Scopidae*

Hamerkop *Scopus umbretta umbretta*

(11) Kenya 5.5, Kenya 7.5, Kenya 8.5, Kenya 10.5, Kenya 11.5, Tanzania 14.5 and observed Tanzania 16-20.5.

Pelicans *Pelecanidae*

Great White Pelican

Pelecanus onocrotalus

(6) Lake Nakuru NP 10.5, Amboseli NP 12.5, Tarangire NP 14.5, Ngorongoro CA 15.5, Ngorongoro CA 16.5 and Serengeti NP 19.5.

Cormorants and Shags *Phalacrocoracidae*

Reed Cormorant

Microcarbo africanus africanus

(2) Lake Nakuru NP 10.5 and Tarangire NP 14.5.

White-breasted Cormorant

Phalacrocorax lucidus

(1) Lake Nakuru NP 10.5.

Anhingas *Anhingidae*

African Darter

Anhinga rufa rufa

(1) Lake Nakuru NP 10.5.

Secretary-bird *Sagittariidae*

Secretarybird (VU)

Sagittarius serpentarius

(3) Buffalo Springs NR 8.5, Buffalo Springs NR 9.5 and Serengeti NP 17.5.

Hawks, Eagles, and Kites *Accipitridae*

Black-winged Kite

Elanus caeruleus caeruleus

(3) Mount Kenya NP 7.5, Lake Nakuru NP 10.5 and Ngorongoro CA 16.5.

African Harrier-Hawk

Polyboroides typus typus

(4) Shaba NR 8.5, Amboseli NP 11.5, Tarangire NP 13.5 and Serengeti NP 18.5.

Palm-nut Vulture

Gypohierax angolensis

(1) Arusha NP--Ngare Sero Mountain Lodge 20.5.

We had a single bird near Arusha

Hooded Vulture (EN)

Necrosyrtes monachus

(3) Shaba NR 8.5, Serengeti NP 17.5 and Serengeti NP 18.5.

White-backed Vulture (NT)

Gyps africanus

(10) Buffalo Springs NR 8.5, Kenya 12.5, Kenya 13.5, observed Tanzania 13-16.5 and observed Serengeti NP 17-20.5.

Rüppell's Vulture (EN)

Gyps rueppelli rueppelli

(6) Buffalo Springs NR 8.5, Tarangire NP 13.5, Ngorongoro CA 15.5, Serengeti NP 17.5, Serengeti NP 18.5 and Serengeti NP 20.5.

White-headed Vulture (VU)

Trigonoceps occipitalis

(1) Serengeti NP 18.5.

Lappet-faced Vulture (VU)

Torgos tracheliotos tracheliotos

(5) Tarangire NP 13.5, Tarangire NP 14.5 and observed Serengeti NP 18-20.5.

Black-chested Snake Eagle

Circaetus pectoralis

(3) Amboseli NP 11.5, Serengeti NP 17.5 and Serengeti NP 20.5.

Brown Snake Eagle

Circaetus cinereus

(3) Tarangire NP 15.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Western Banded Snake Eagle

Circaetus cinerascens

(1) Serengeti NP 19.5.

A surprise find on the Grumeti River.

Bateleur (NT)*Terathopius ecaudatus*

(10) Observed Buffalo Springs NR 8-10.5, Tarangire NP 14.5, Tarangire NP 15.5, Ngorongoro CA 16.5, Ngorongoro CA 17.5 and observed Serengeti NP 18-20.5.

Crowned Eagle (NT)*Stephanoaetus coronatus*

(1) Ngorongoro CA 15.5.

We had a great sighting of a bird perched.

Martial Eagle (NT)*Polemaetus bellicosus*

(3) Tarangire NP 14.5, Tarangire NP 15.5 and Serengeti NP 19.5.

Long-crested Eagle*Lophaetus occipitalis*

(1) Kenya 10.5.

Lesser Spotted Eagle*Clanga pomarina*

(2) Shaba NR 7.5 and Buffalo Springs NR 9.5.

Wahlberg's Eagle*Hieraaetus wahlbergi*

(2) Buffalo Springs NR 8.5 and Buffalo Springs NR 9.5.

Tawny Eagle*Aquila rapax*

(9) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 8.5, Buffalo Springs NR 9.5, Tarangire NP 13.5, Tarangire NP 14.5 and observed Serengeti NP 17-20.5.

Verreaux's Eagle*Aquila verreauxii*

(1) Shaba NR 8.5.

We hit gold when we found a pair perched on a cliff-face.

African Hawk-Eagle*Aquila spilogaster*

(1) Shaba NR 8.5.

Gabar Goshawk*Micronisus gabar aequatorius*

(2) Lake Nakuru NP 10.5 and Tarangire NP 14.5.

Dark Chanting Goshawk*Melierax metabates*

(1) Serengeti NP 19.5.

Eastern Chanting Goshawk*Melierax poliopterus*

(7) Buffalo Springs NR 8.5, Buffalo Springs NR 9.5, Amboseli NP 11.5, Amboseli NP 13.5, Tarangire NP 14.5, Ngorongoro CA 17.5 and Serengeti NP 20.5.

Black Sparrowhawk*Accipiter melanoleucus melanoleucus*

(1) Mount Kenya NP 5.5.

Black Kite*Milvus migrans*

(2) Nairobi--City 5.5 and Kenya 7.5.

Yellow-billed Kite*Milvus aegyptius*

(2) Kenya 7.5 and Ngorongoro CA 16.5.

African Fish Eagle*Haliaeetus vocifer*

(3) Lake Nakuru NP 10.5, Amboseli NP 12.5 and Tarangire NP 14.5.

Mountain Buzzard (NT)*Buteo oreophilus*

(2) Lake Nakuru NP 10.5 and Ngorongoro CA 15.5.

Augur Buzzard*Buteo augur*

(5) Lake Nakuru NP 10.5, Tarangire NP 13.5 and observed Ngorongoro CA 15-17.5.

Bustards Otididae**Kori Bustard (NT)***Ardeotis kori struthiunculus*

(3) Ngorongoro CA 16.5, Serengeti NP 17.5 and Serengeti NP 20.5.

White-bellied Bustard*Eupodotis senegalensis*

(2) Amboseli NP 11.5 and Serengeti NP 18.5.

Buff-crested Bustard*Lophotis gindiana*

(4) 1 heard Buffalo Springs NR 8.5, 1 heard Buffalo Springs NR 9.5, Amboseli NP 11.5 and Amboseli NP 13.5.

Black-bellied Bustard*Lissotis melanogaster melanogaster*

(4) Ngorongoro CA 16.5, Serengeti NP 17.5, Serengeti NP 18.5 and Serengeti NP 20.5.

Rails, Gallinules, and Coots *Rallidae***African Rail***Rallus caerulescens*

(1) 1 heard Tarangire NP 14.5.

African Crake*Crex egregia*

(1) Amboseli NP 13.5.

We flushed a single bird next to the side of the road.

Black Crake*Amaurornis flavirostra*

(4) Nairobi--City 5.5, Amboseli NP 12.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Common Moorhen*Gallinula chloropus meridionalis*

(3) Nairobi--City 5.5, Lake Nakuru NP 10.5 and Ngorongoro CA 16.5.

Lesser Moorhen*Paragallinula angulata*

(1) Buffalo Springs NR 9.5.

Red-knobbed Coot*Fulica cristata*

(2) Lake Nakuru NP 10.5 and Ngorongoro CA 16.5.

Cranes *Gruidae***Grey Crowned Crane (VU)***Balearica regulorum gibbericeps*

(8) Shaba NR 7.5, Buffalo Springs NR 8.5, Lake Nakuru NP 10.5, observed Amboseli NP 11-13.5, Ngorongoro CA 16.5 and Serengeti NP 17.5.

Thick-knees *Burhinidae***Water Thick-knee***Burhinus vermiculatus vermiculatus*

(2) Amboseli NP 12.5 and Tarangire NP 14.5.

Spotted Thick-knee*Burhinus capensis*

(2) Amboseli NP 11.5 and Serengeti NP 17.5.

Stilts and Avocets *Recurvirostridae***Black-winged Stilt***Himantopus himantopus*

(4) Amboseli NP 11.5, Amboseli NP 12.5, Ngorongoro CA 16.5 and Serengeti NP 19.5.

Pied Avocet*Recurvirostra avoetta*

(3) Amboseli NP 11.5, Amboseli NP 12.5 and Serengeti NP 19.5.

Plovers and Lapwings *Charadriidae***Long-toed Lapwing***Vanellus crassirostris*

(3) Amboseli NP 12.5, Amboseli NP 13.5 and Ngorongoro CA 16.5.

Blacksmith Lapwing*Vanellus armatus*

(10) Lake Nakuru NP 10.5, observed Amboseli NP 11-13.5, Tarangire NP 14.5, Ngorongoro CA 16.5 and observed Serengeti NP 17-20.5.

Spur-winged Lapwing*Vanellus spinosus*

(3) Shaba NR 7.5, Shaba NR 8.5 and Amboseli NP 12.5.

Black-winged Lapwing*Vanellus melanopterus minor*

(1) Serengeti NP 17.5.

Crowned Lapwing*Vanellus coronatus coronatus*

(9) Shaba NR 8.5, Buffalo Springs NR 9.5, Lake Nakuru NP 10.5, observed Amboseli NP 11-13.5, Ngorongoro CA 16.5, Serengeti NP 17.5 and Serengeti NP 20.5.

Common Ringed Plover*Charadrius hiaticula tundrae*

(1) Amboseli NP 12.5.

Kittlitz's Plover*Charadrius pecuarius*

(3) Amboseli NP 12.5, Amboseli NP 13.5 and Ngorongoro CA 16.5.

Three-banded Plover*Charadrius tricollaris tricollaris*

(4) Amboseli NP 12.5, Amboseli NP 13.5, Ngorongoro CA 16.5 and Serengeti NP 19.5.

Chestnut-banded Plover (NT)*Charadrius pallidus venustus*

(1) Amboseli NP 12.5.

Painted-Snipes Rostratulidae**Greater Painted-snipe***Rostratula benghalensis*

(1) Amboseli NP 12.5.

Jacanas Jacanidae**African Jacana***Actophilornis africanus*

(1) Amboseli NP 12.5.

Sandpipers and Allies Scolopacidae**Ruff***Calidris pugnax*

(1) Amboseli NP 12.5.

Little Stint*Calidris minuta*

(1) Amboseli NP 12.5.

Marsh Sandpiper*Tringa stagnatilis*

(1) Serengeti NP 19.5.

Wood Sandpiper*Tringa glareola*

(2) Shaba NR 8.5 and Amboseli NP 12.5.

Common Greenshank*Tringa nebularia*

(1) Amboseli NP 12.5.

Pratincoles and Coursers Glareolidae**Somali Courser***Cursorius somalensis littoralis*

(1) Buffalo Springs NR 8.5 and Shaba NR 8.5.

Temminck's Courser*Cursorius temminckii*

(1) Ngorongoro CA 16.5.

Double-banded Courser*Rhinoptilus africanus gracilis*

(8) Amboseli NP 12.5, Amboseli NP 13.5, Tarangire NP 14.5, Tarangire NP 15.5 and observed Serengeti NP 17-20.5.

Three-banded Courser*Rhinoptilus cinctus*

(2) Serengeti NP 17.5 and Serengeti NP 18.5.

Bronze-winged Courser*Rhinoptilus chalcopterus*

(2) Tarangire NP 13.5 and Tarangire NP 15.5.

We found the same birds twice!

Collared Pratincole*Glareola pratincola*

(1) Amboseli NP 12.5.

Gulls, Terns, and Skimmers *Laridae*

- Grey-headed Gull** *Chroicocephalus cirrocephalus poiocephalus*
(2) Lake Nakuru NP 10.5 and Ngorongoro CA 16.5.
- Gull-billed Tern** *Gelochelidon nilotica nilotica*
(2) Lake Nakuru NP 10.5 and Ngorongoro CA 16.5.
- Whiskered Tern** *Chlidonias hybrida*
(2) Tarangire NP 14.5 and Ngorongoro CA 16.5.
- White-winged Tern** *Chlidonias leucopterus*
(2) Lake Nakuru NP 10.5 and Amboseli NP 12.5.

Sandgrouse *Pteroclididae*

- Chestnut-bellied Sandgrouse** *Pterocles exustus olivascens*
(6) Buffalo Springs NR 8.5, Buffalo Springs NR 9.5, Shaba NR 8.5, Shaba NR 9.5, observed Amboseli NP 11-13.5 and Serengeti NP 17.5.
- Yellow-throated Sandgrouse** *Pterocles gutturalis saturatior*
(3) Amboseli NP 11.5, Serengeti NP 17.5 and Serengeti NP 20.5.
- Black-faced Sandgrouse** *Pterocles decoratus*
(9) Observed Shaba NR 7-9.5, observed Buffalo Springs NR 8-10.5, Amboseli NP 13.5, Tarangire NP 14.5, Tarangire NP 15.5, Serengeti NP 18.5 and Serengeti NP 19.5.
- Lichtenstein's Sandgrouse** *Pterocles lichtensteinii sukensis*
(1) Shaba NR 8.5.

Pigeons and Doves *Columbidae*

- Speckled Pigeon** *Columba guinea guinea*
(6) Buffalo Springs NR 9.5, Amboseli NP 12.5, Amboseli NP 13.5, Tarangire NP 14.5, Ngorongoro CA 17.5 and Ngorongoro CA 20.5.
- African Olive Pigeon** *Columba arquatrix*
(3) Mount Kenya NP 5.5, Ngorongoro CA 15.5 and Ngorongoro CA 16.5.
- Eastern Bronze-naped Pigeon** *Columba delegorguei sharpei*
(1) Mount Kenya NP 6.5.
We had a quick fly-by by a male.
- Dusky Turtle Dove** *Streptopelia lugens*
(1) Serengeti NP 17.5.
- Mourning Collared Dove** *Streptopelia decipiens*
(2) Samburu NR 9.5 and Tarangire NP 15.5.
- Red-eyed Dove** *Streptopelia semitorquata*
(3) Mount Kenya NP 5.5, Mount Kenya NP 7.5 and Ngorongoro CA 16.5.
- Ring-necked Dove** *Streptopelia capicola*
(14) Observed Kenya 7-12.5 and observed Tanzania 13-20.5.
- Laughing Dove** *Spilopelia senegalensis senegalensis*
(4) Buffalo Springs NR 8.5, Samburu NR 9.5, Amboseli NP 11.5 and Amboseli NP 13.5.
- Emerald-spotted Wood Dove** *Turtur chalcospilos*
(5) Mount Kenya NP 5.5, Buffalo Springs NR 8.5, Buffalo Springs NR 9.5, Lake Nakuru NP 10.5 and Serengeti NP 18.5.
- Blue-spotted Wood Dove** *Turtur afer*
(1) Lake Nakuru NP 11.5.
- Tambourine Dove** *Turtur tympanistria*
(1) Arusha NP--Ngare Sero Mountain Lodge 21.5.

Namaqua Dove*Oena capensis capensis*

(6) Buffalo Springs NR 8.5, Buffalo Springs NR 9.5, observed Amboseli NP 11-13.5 and Serengeti NP 17.5.

Turacos Musophagidae**Schalow's Turaco***Tauraco schalowi*

(1) Ngorongoro CA 16.5.

Hartlaub's Turaco*Tauraco hartlaubi*

(2) Mount Kenya NP 5.5 and Mount Kenya NP 6.5.

Bare-faced Go-away-bird*Corythaixoides personatus leopoldi*

(4) Observed Tarangire NP 13-15.5 and Serengeti NP 19.5.

White-bellied Go-away-bird*Corythaixoides leucogaster*

(8) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 9.5, Buffalo Springs NR 10.5, Namanga - Amboseli NP 11.5 and observed Tarangire NP 13-15.5.

Eastern Plantain-eater*Crinifer zonurus*

(1) Serengeti NP 19.5.

Cuckoos Cuculidae**White-browed Coucal***Centropus superciliosus*

(7) Lake Nakuru NP 10.5, Amboseli NP 12.5, Amboseli NP 13.5, Tarangire NP 14.5, Tarangire NP 15.5, Ngorongoro CA 16.5 and Serengeti NP 19.5.

Black Coucal*Centropus grillii*

(2) 1 heard Tarangire NP 14.5 and Serengeti NP 18.5.

Green Malkoha*Ceuthmochares australis*

(1) Arusha NP--Ngare Sero Mountain Lodge 21.5.

We had a great view of this skulker.

Great Spotted Cuckoo*Clamator glandarius*

(1) Serengeti NP 19.5.

Levaillant's Cuckoo*Clamator levaillantii*

(1) Tarangire NP 13.5.

Diederik Cuckoo*Chrysococcyx caprius*

(2) 1 heard Tana River 5.5 and Amboseli NP 12.5.

Klaas's Cuckoo*Chrysococcyx klaas*

(2) Lake Nakuru NP 10.5 and 1 heard Ngorongoro CA 15.5.

African Emerald Cuckoo*Chrysococcyx cupreus*

(2) Mount Kenya NP 6.5 and 1 heard Arusha NP--Ngare Sero Mountain Lodge 21.5.

We had an extended look at a male bird on our walk.

Black Cuckoo*Cuculus clamosus*

(1) Lake Nakuru NP 10.5.

We had an exceptional sighting of the gabonensis sub-species.

Red-chested Cuckoo*Cuculus solitarius*

(3) Lake Nakuru NP 10.5, 1 heard Tarangire NP 14.5 and Tarangire NP 15.5.

African Cuckoo*Cuculus gularis*

(1) Buffalo Springs NR 8.5.

Owls Strigidae**African Scops Owl***Otus senegalensis*

(1) Tarangire NP 15.5.

We stopped off at Tarangire Game Lodge to find this roosting bird.

Cape Eagle-Owl *Bubo capensis mackinderi*

(1) Kenya 10.5.

We stopped to find these well-known roosting birds!

Spotted Eagle-Owl *Bubo africanus africanus*

(2) Buffalo Springs NR 8.5 and Amboseli NP 11.5.

Verreaux's Eagle-Owl *Bubo lacteus*

(1) Serengeti NP 19.5.

Pearl-spotted Owlet *Glaucidium perlatum licua*

(3) Buffalo Springs NR 8.5, Tarangire NP 14.5 and Serengeti NP 19.5.

Nightjars and Allies *Caprimulgidae*

Freckled Nightjar *Caprimulgus tristigma*

(1) Tarangire NP 14.5.

We found a pair on the roof of our lodge!

Slender-tailed Nightjar *Caprimulgus clarus*

(2) 1 heard Buffalo Springs NR 8.5 and 1 heard Buffalo Springs NR 9.5.

Swifts *Apodidae*

Scarce Swift *Schoutedenapus myoptilus myoptilus*

(1) Arusha NP--Ngare Sero Mountain Lodge 20.5.

Mottled Spinetail *Telacanthura ussheri stictilaema*

(3) Observed Tarangire NP 13-15.5.

African Palm Swift *Cypsiurus parvus*

(8) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 8.5, Buffalo Springs NR 9.5, Amboseli NP 12.5, observed Tarangire NP 13-15.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Mottled Swift *Tachymarptis aequatorialis aequatorialis*

(1) Serengeti NP 17.5.

Little Swift *Apus affinis*

(11) Kenya 5.5, observed Kenya 8-13.5, observed Tanzania 13-15.5, Tanzania 17.5 and Tanzania 20.5.

Horus Swift *Apus horus horus*

(2) Lake Nakuru NP 10.5 and Serengeti NP 20.5.

White-rumped Swift *Apus caffer*

(6) Amboseli NP 11.5, Amboseli NP 12.5, Tarangire NP 14.5, Ngorongoro CA 16.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Mousebirds *Coliidae*

Speckled Mousebird *Colius striatus*

(10) Observed Kenya 5-7.5, Kenya 12.5, Kenya 13.5, observed Tanzania 15-17.5, Tanzania 20.5 and Tanzania 21.5.

White-headed Mousebird *Colius leucocephalus*

(3) Shaba NR 8.5, Samburu NR 9.5 and Amboseli NP 11.5.

Blue-naped Mousebird *Urocolius macrourus*

(5) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 9.5, Tarangire NP 15.5 and Serengeti NP 17.5.

Trogon *Trogonidae*

Narina Trogon *Apaloderma narina*

(1) Mount Kenya NP 6.5.

We had a piar on our guided walk!

Rollers *Coraciidae*

Purple Roller

Coracias naevius naevius

(2) Shaba NR 7.5 and Shaba NR 8.5.

Lilac-breasted Roller

Coracias caudatus

(12) Kenya 7.5, Kenya 8.5, observed Kenya 10-13.5, Tanzania 14.5, Tanzania 15.5 and observed Tanzania 17-20.5.

Broad-billed Roller

Eurystomus glaucurus

(1) Lake Nakuru NP 10.5.

Kingfishers *Alcedinidae*

Grey-headed Kingfisher

Halcyon leucocephala

(7) Kenya 5.5, observed Kenya 8-10.5, Kenya 12.5, Tanzania 14.5 and Tanzania 15.5.

Brown-hooded Kingfisher

Halcyon albiventris

(1) Arusha NP--Ngare Sero Mountain Lodge 21.5.

Striped Kingfisher

Halcyon chelicuti chelicuti

(3) Lake Nakuru NP 10.5, Ngorongoro CA 15.5 and Serengeti NP 18.5.

Woodland Kingfisher

Halcyon senegalensis

(6) Observed Tarangire NP 13-15.5, Ngorongoro CA 16.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Malachite Kingfisher

Corythornis cristatus

(1) Amboseli NP 12.5.

Pied Kingfisher

Ceryle rudis rudis

(2) Lake Nakuru NP 10.5 and Amboseli NP 12.5.

Bee-eaters *Meropidae*

Little Bee-eater

Merops pusillus

(5) Shaba NR 7.5, Namanga - Amboseli NP 11.5, Amboseli NP 12.5, Tarangire NP 15.5 and Serengeti NP 19.5.

Cinnamon-chested Bee-eater

Merops oreobates

(3) Mount Kenya NP 5.5, Mount Kenya NP 6.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

White-fronted Bee-eater

Merops bullockoides

(2) Lake Nakuru NP 10.5 and Tarangire NP 13.5.

Somali Bee-eater

Merops revoilii

(2) Shaba NR 7.5 and Shaba NR 8.5.

White-throated Bee-eater

Merops albicollis

(3) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 9.5 and Samburu NR 9.5.

Blue-cheeked Bee-eater

Merops persicus persicus

(1) Tarangire NP 13.5.

Hoopoes *Upupidae*

Eurasian Hoopoe

Upupa epops

(1) Lake Nakuru NP 10.5.

African Hoopoe

Upupa africana

(8) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 8.5, Buffalo Springs NR 9.5, observed Amboseli NP 11-13.5, Tarangire NP 14.5 and Serengeti NP 19.5.

Woodhoopoes and Scimitar-bills *Phoeniculidae*

White-headed Wood Hoopoe *Phoeniculus bollei jacksoni*

(1) Mount Kenya NP 6.5.

We had great looks at a group on our guided walk.

Green Wood Hoopoe *Phoeniculus purpureus marwitzi*

(3) Lake Nakuru NP 10.5, Tarangire NP 15.5 and Serengeti NP 19.5.

Grant's Wood Hoopoe *Phoeniculus granti*

(1) Shaba NR 8.5.

Abyssinian Scimitarbill *Rhinopomastus minor*

(4) Shaba NR 7.5, Buffalo Springs NR 9.5, Tarangire NP 14.5 and Serengeti NP 19.5.

Ground Hornbills *Bucorvidae*

Southern Ground Hornbill (VU) *Bucorvus leadbeateri*

(2) Tarangire NP 14.5 and Tarangire NP 15.5.

We had great looks in a dead tree, feeding young too.

Hornbills *Bucerotidae*

Tanzanian Red-billed Hornbill *Tockus ruahae*

(3) Observed Serengeti NP 17-19.5.

Northern Red-billed Hornbill *Tockus erythrorhynchus*

(7) Observed Kenya 7-10.5 and observed Tanzania 13-15.5.

Von der Decken's Hornbill *Tockus deckeni*

(9) Kenya 7.5, Kenya 8.5, observed Tanzania 13-15.5 and observed Tanzania 17-20.5.

Eastern Yellow-billed Hornbill *Tockus flavirostris*

(3) Shaba NR 7.5, Shaba NR 8.5 and Samburu NR 9.5.

Crowned Hornbill *Lophoceros alboterminatus*

(2) Mount Kenya NP 6.5 and Arusha NP--Ngare Sero Mountain Lodge 20.5.

African Grey Hornbill *Lophoceros nasutus*

(6) Observed Tanzania 13-15.5 and observed Tanzania 18-20.5.

Silvery-cheeked Hornbill *Bycanistes brevis*

(3) Observed Mount Kenya NP 5-7.5.

African Barbets *Lybiidae*

White-eared Barbet *Stactolaema leucotis*

(3) Mount Kenya NP 6.5, Mount Kenya NP 7.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Yellow-rumped Tinkerbird *Pogoniulus bilineatus*

(1) Mount Kenya NP 6.5.

Red-fronted Tinkerbird *Pogoniulus pusillus affinis*

(3) Namanga - Amboseli NP 13.5, Serengeti NP 17.5 and Serengeti NP 18.5.

Red-fronted Barbet *Tricholaema diademata*

(3) Observed Serengeti NP 17-19.5.

Black-throated Barbet *Tricholaema melanocephala*

(3) Shaba NR 7.5, Samburu NR 9.5 and Namanga - Amboseli NP 13.5.

White-headed Barbet *Lybius leucocephalus*

(1) Tarangire NP 14.5.

Red-and-yellow Barbet *Trachyphonus erythrocephalus*

(3) Namanga - Amboseli NP 11.5, Namanga - Amboseli NP 13.5 and Tarangire NP 15.5.

D'Arnaud's Barbet *Trachyphonus darnaudii*

(3) Samburu NR 9.5, Tarangire NP 14.5 and Serengeti NP 18.5.
On the 18th we saw the usambiro subspecies.

Honeyguides *Indicatoridae*

Green-backed Honeybird *Prodotiscus zambesiae*
(2) Ngorongoro CA 15.5 and Ngorongoro CA 16.5.
Greater Honeyguide *Indicator indicator*
(1) Ngorongoro CA 16.5.

Woodpeckers *Picidae*

Nubian Woodpecker *Campethera nubica*
(5) Archer's Post 9.5, Lake Nakuru NP 10.5, Amboseli NP 12.5, Tarangire NP 14.5 and 1 heard Ngorongoro CA 16.5.
Bearded Woodpecker *Chloropicus namaquus*
(3) Mount Kenya NP 5.5, Mount Kenya NP 6.5 and Tarangire NP 14.5.
Cardinal Woodpecker *Dendropicus fuscescens*
(5) Buffalo Springs NR 9.5, Amboseli NP 12.5, Tarangire NP 13.5, Tarangire NP 14.5 and Ngorongoro CA 16.5.
African Grey Woodpecker *Dendropicus goertae*
(1) Amboseli NP 12.5.

Falcons and Caracaras *Falconidae*

Pygmy Falcon *Polihierax semitorquatus castanonotus*
(5) Shaba NR 8.5, Buffalo Springs NR 9.5, Namanga - Amboseli NP 11.5, Tarangire NP 14.5 and Tarangire NP 15.5.
Greater Kestrel *Falco rupicoloides*
(4) Amboseli NP 11.5, Amboseli NP 13.5, Serengeti NP 17.5 and Serengeti NP 20.5.
Grey Kestrel *Falco ardosiaceus*
(3) Tarangire NP 13.5, Tarangire NP 14.5 and Serengeti NP 19.5.
Amur Falcon *Falco amurensis*
(1) Lake Nakuru NP 10.5.

African & New World Parrots *Psittacidae*

Red-fronted Parrot *Poicephalus gulielmi massaicus*
(4) Observed Mount Kenya NP 5-7.5 and Ngorongoro CA 16.5.
Meyer's Parrot *Poicephalus meyeri*
(3) Tarangire NP 14.5, Serengeti NP 17.5 and Serengeti NP 19.5.
Red-bellied Parrot *Poicephalus rufiventris rufiventris*
(6) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 9.5 and observed Tarangire NP 13-15.5.

Old World Parrots *Psittaculidae*

Fischer's Lovebird (NT) *Agapornis fischeri*
(2) Serengeti NP 18.5 and Serengeti NP 20.5.
Yellow-collared Lovebird *Agapornis personatus*
(3) Observed Tarangire NP 13-15.5.

Wattle-eyes and Batises *Platysteiridae*

Chinspot Batis *Batis molitor*

(6) Mount Kenya NP 5.5, Mount Kenya NP 6.5, observed Serengeti NP 17-19.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Pygmy Batis *Batis perkeo*

(2) Archer's Post 9.5 and Amboseli NP 11.5.

Brown-throated Wattle-eye *Platysteira cyanea nyansae*

(1) Serengeti NP 19.5.

We struck gold when we found a pair on the Grumeti River.

Helmetshrikes and Allies *Prionopidae*

Grey-crested Helmetshrike (NT) *Prionops poliophus*

(1) Serengeti NP 17.5.

One of the hardest residents to find!

Bushshrikes and Allies *Malaconotidae*

Grey-headed Bushshrike *Malaconotus blanchoti*

(1) Namanga - Amboseli NP 11.5.

Rosy-patched Bushshrike *Telophorus cruentus*

(3) Shaba NR 7.5, Buffalo Springs NR 10.5 and Amboseli NP 11.5.

Brown-crowned Tchagra *Tchagra australis*

(4) Tarangire NP 14.5, Tarangire NP 15.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Three-streaked Tchagra *Tchagra jamesi*

(1) Samburu NR 9.5.

Black-crowned Tchagra *Tchagra senegalus*

(2) Tarangire NP 14.5 and Ngorongoro CA 16.5.

Black-backed Puffback *Dryoscopus cubla*

(4) Tarangire NP 14.5, Tarangire NP 15.5, Serengeti NP 18.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Northern Puffback *Dryoscopus gambensis*

(1) Archer's Post 9.5.

Slate-colored Boubou *Laniarius funebris*

(5) 1 heard Namanga - Amboseli NP 11.5, Tarangire NP 13.5, Tarangire NP 14.5, Serengeti NP 17.5 and Serengeti NP 19.5.

Tropical Boubou *Laniarius major*

(5) Mount Kenya NP 6.5, Lake Nakuru NP 10.5, Ngorongoro CA 15.5, Ngorongoro CA 16.5 and 1 heard Arusha NP--Ngare Sero Mountain Lodge 21.5.

Black-headed Gonolek *Laniarius erythrogaster*

(1) Serengeti NP 19.5.

We found a pair on the Grumeti River!

Brubru *Nilaus afer*

(6) Shaba NR 7.5, Buffalo Springs NR 8.5, Namanga - Amboseli NP 11.5, Tarangire NP 14.5, Tarangire NP 15.5 and Serengeti NP 17.5.

Cuckoo-shrikes *Campephagidae*

Grey Cuckooshrike *Coracina caesia pura*

(1) Ngorongoro CA 15.5.

Black Cuckooshrike *Campephaga flava*

(1) Lake Nakuru NP 10.5.

Purple-throated Cuckooshrike *Campephaga quiscalina*

(1) Mount Kenya NP 6.5.

We had extended views of a female bird.

Shrikes *Laniidae*

Magpie Shrike

Urolestes melanoleucus aequatorialis

(5) Buffalo Springs NR 8.5, Tarangire NP 14.5, Tarangire NP 15.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Northern White-crowned Shrike

Eurocephalus ruppelli

(8) Shaba NR 7.5, Buffalo Springs NR 8.5, observed Tarangire NP 13-15.5 and observed Serengeti NP 17-19.5.

Grey-backed Fiscal

Lanius excubitoroides

(4) Buffalo Springs NR 10.5, Amboseli NP 11.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Long-tailed Fiscal

Lanius cabanisi

(5) Amboseli NP 11.5, Amboseli NP 12.5 and observed Tarangire NP 13-15.5.

Taita Fiscal

Lanius dorsalis

(3) Buffalo Springs NR 8.5, Buffalo Springs NR 9.5 and Serengeti NP 20.5.

Northern Fiscal

Lanius humeralis

(4) Nairobi--City 5.5, Lake Nakuru NP 10.5, Lake Nakuru NP 11.5 and Ngorongoro CA 16.5.

Southern Fiscal

Lanius collaris marwitzi

(2) Arusha NP--Ngare Sero Mountain Lodge 10.5 and Arusha NP--Ngare Sero Mountain Lodge 13.5.

Old World Orioles *Oriolidae*

Mountain Oriole

Oriolus percivali

(3) Observed Mount Kenya NP 5-7.5.

Black-headed Oriole

Oriolus larvatus

(2) Lake Nakuru NP 10.5 and Serengeti NP 20.5.

Drongos *Dicruridae*

Fork-tailed Drongo

Dicrurus adsimilis

(10) Kenya 5.5, observed Kenya 7-11.5, observed Tanzania 13-15.5 and Tanzania 19.5.

Monarch Flycatchers *Monarchidae*

African Paradise Flycatcher

Terpsiphone viridis

(5) Namanga - Amboseli NP 11.5, Amboseli NP 12.5, Tarangire NP 13.5, Ngorongoro CA 15.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

We even found a nest at one of our lunch stops!

Crows, Jays, and Magpies *Corvidae*

Cape Crow

Corvus capensis kordofanensis

(3) Kenya 7.5, Kenya 10.5 and Kenya 11.5.

Pied Crow

Corvus albus

(7) Kenya 5.5, Kenya 7.5, observed Kenya 9-11.5, Tanzania 13.5 and Tanzania 15.5.

Fan-tailed Raven

Corvus rhipidurus rhipidurus

(1) Kenya 9.5.

White-necked Raven

Corvus albicollis

(1) Namanga - Amboseli NP 13.5.

Fairy Flycatchers *Stenostiridae***White-tailed Blue Flycatcher***Elminia albicauda*

(1) Ngorongoro CA 15.5.

Chickadees and Tits *Paridae***White-bellied Tit***Melaniparus albiventris*

(3) Mount Kenya NP 5.5, Mount Kenya NP 6.5 and Lake Nakuru NP 10.5.

Red-throated Tit*Melaniparus fringillinus*

(2) Serengeti NP 17.5 and Serengeti NP 19.5.

Penduline-Tits *Remizidae***Mouse-colored Penduline Tit***Anthoscopus musculus*

(1) Archer's Post 9.5.

Grey Penduline Tit*Anthoscopus caroli*

(1) Tarangire NP 14.5.

Larks *Alaudidae***Chestnut-headed Sparrow-Lark***Eremopterix signatus*

(2) Shaba NR 7.5 and Shaba NR 8.5.

Fischer's Sparrow-Lark*Eremopterix leucopareia*

(12) Observed Kenya 7-9.5, observed Kenya 11-13.5 and observed Tanzania 15-20.5.

Pink-breasted Lark*Calendulauda poecilosterna*

(4) Shaba NR 7.5, Buffalo Springs NR 8.5, Buffalo Springs NR 9.5, Archer's Post 9.5, Samburu NR 9.5 and Amboseli NP 11.5.

Foxy Lark*Calendulauda alopex intercedens*

(3) Shaba NR 7.5, Shaba NR 8.5 and Tarangire NP 14.5.

Red-winged Lark*Miraфра hypermetra hypermetra*

(2) Buffalo Springs NR 8.5 and Buffalo Springs NR 9.5.

Rufous-naped Lark*Miraфра africana*

(5) Lake Nakuru NP 10.5, Ngorongoro CA 16.5 and observed Serengeti NP 18-20.5.

Flappet Lark*Miraфра rufocinnamomea*

(2) Shaba NR 8.5 and Serengeti NP 19.5.

Friedmann's Lark (DD)*Miraфра pulpa*

(1) Shaba NR 8.5.

This is an extremely rare and data deficient species that we got lucky with.

White-tailed Lark*Miraфра albicauda*

(2) Amboseli NP 11.5 and Serengeti NP 18.5.

Short-tailed Lark*Spizocorys fremantlii*

(1) Ngorongoro CA 17.5.

Red-capped Lark*Calandrella cinerea*

(4) Amboseli NP 11.5, Amboseli NP 12.5, Ngorongoro CA 16.5 and Ngorongoro CA 17.5.

Bulbuls *Pycnonotidae***Dodson's Bulbul***Pycnonotus dodsoni*

(3) Shaba NR 7.5, Shaba NR 8.5 and Samburu NR 9.5.

Dark-capped Bulbul*Pycnonotus tricolor*

(12) Observed Kenya 5-7.5, observed Kenya 10-12.5, observed Tanzania 13-17.5 and Arusha NP-- Ngare Sero Mountain Lodge 21.5.

Olive-breasted Greenbul (3) Observed Mount Kenya NP 5-7.5.	<i>Arizelocichla kikuyuensis</i>
Mountain Greenbul (2) Ngorongoro CA 15.5 and Ngorongoro CA 16.5.	<i>Arizelocichla nigriceps</i>
Stripe-faced Greenbul (1) Arusha NP--Ngare Sero Mountain Lodge 21.5.	<i>Arizelocichla striifacies</i>
Slender-billed Greenbul (1) Mount Kenya NP 6.5.	<i>Stelgidillas gracilirostris</i>
Little Greenbul (1) Arusha NP--Ngare Sero Mountain Lodge 21.5.	<i>Eurillas virens</i>
Yellow-whiskered Greenbul (2) Mount Kenya NP 5.5 and Mount Kenya NP 6.5.	<i>Eurillas latirostris</i>
Sombre Greenbul (1) Mount Kenya NP 5.5.	<i>Andropadus importunus</i>
Grey-olive Greenbul (1) Arusha NP--Ngare Sero Mountain Lodge 21.5.	<i>Phyllastrephus cerviniventris schoutedeni</i>
Placid Greenbul (1) Mount Kenya NP 6.5.	<i>Phyllastrephus placidus</i>

Swallows *Hirundinidae*

Black Saw-wing (6) Observed Mount Kenya NP 5-7.5, Lake Nakuru NP 10.5, Amboseli NP 12.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.	<i>Psalidoprocne pristoptera</i>
Grey-rumped Swallow (1) Ngorongoro CA 15.5.	<i>Pseudhirundo griseopyga griseopyga</i>
Brown-throated Martin (3) Nairobi--City 5.5, Tarangire NP 14.5 and Ngorongoro CA 16.5.	<i>Riparia paludicola</i>
Banded Martin (1) Ngorongoro CA 16.5.	<i>Riparia cincta suahelica</i>
Wire-tailed Swallow (7) Observed Kenya 8-13.5 and Tanzania 17.5.	<i>Hirundo smithii smithii</i>
Rock Martin (4) Mount Kenya NP 6.5, Ngorongoro CA 16.5, Ngorongoro CA 17.5 and Serengeti NP 18.5.	<i>Ptyonoprogne fuligula rufigula</i>
Lesser Striped Swallow (9) Kenya 5.5, Kenya 9.5, Kenya 11.5, Kenya 12.5, Tanzania 14.5, Tanzania 15.5, Tanzania 18.5, Tanzania 19.5 and Tanzania 21.5.	<i>Cecropis abyssinica unitatis</i>
Mosque Swallow (2) Mount Kenya NP 5.5 and Lake Nakuru NP 10.5.	<i>Cecropis senegalensis</i>
Red-rumped Swallow (9) Mount Kenya NP 6.5, Buffalo Springs NR 8.5, observed Amboseli NP 11-13.5, Tarangire NP 14.5, Ngorongoro CA 16.5, Ngorongoro CA 17.5 and Serengeti NP 18.5.	<i>Cecropis daurica</i>

Crombecs, African warblers *Macrosphenidae*

Northern Crombec (2) Shaba NR 7.5 and Archer's Post 9.5.	<i>Sylvietta brachyura</i>
Red-faced Crombec (2) Amboseli NP 12.5 and Serengeti NP 19.5.	<i>Sylvietta whytii</i>

Reed-Warblers and Allies *Acrocephalidae*

- Lesser Swamp Warbler** *Acrocephalus gracilirostris*
(1) Nairobi--City 5.5.
Mountain Yellow Warbler *Iduna similis*
(1) Mount Kenya NP 6.5.

Grassbirds and Allies *Locustellidae*

- Little Rush Warbler** *Bradypterus baboecala*
(1) Amboseli NP 12.5.
Highland Rush Warbler *Bradypterus centralis*
(1) 1 heard Nairobi--City 5.5.
Cinnamon Bracken Warbler *Bradypterus cinnamomeus*
(1) 1 heard Mount Kenya NP 6.5.

Cisticolas and Allies *Cisticolidae*

- Red-faced Cisticola** *Cisticola erythrops*
(1) Ngorongoro CA 16.5.
Singing Cisticola *Cisticola cantans*
(2) Nairobi--City 5.5 and Ngorongoro CA 16.5.
Trilling Cisticola *Cisticola woosnami*
(1) 1 heard Arusha NP--Ngare Sero Mountain Lodge 21.5.
Hunter's Cisticola *Cisticola hunteri*
(2) Mount Kenya NP 6.5 and Ngorongoro CA 16.5.
Rattling Cisticola *Cisticola chiniana*
(8) Kenya 7.5, Kenya 9.5, Kenya 10.5, Tanzania 14.5, Tanzania 15.5 and observed Tanzania 17-19.5.
Boran Cisticola *Cisticola bodessa bodessa*
(2) 1 heard Kenya 7.5 and Kenya 10.5.
An extremely range-restricted bird!
Ashy Cisticola *Cisticola cinereolus schillingsi*
(2) Samburu NR 9.5 and Amboseli NP 12.5.
Winding Cisticola *Cisticola marginatus*
(6) Amboseli NP 11.5, Amboseli NP 12.5, Tarangire NP 14.5, Ngorongoro CA 16.5, Serengeti NP 18.5 and Serengeti NP 19.5.
Croaking Cisticola *Cisticola natalensis*
(4) Amboseli NP 12.5, Tarangire NP 14.5, Serengeti NP 18.5 and Serengeti NP 19.5.
Tiny Cisticola *Cisticola nana*
(2) Amboseli NP 11.5 and Tarangire NP 14.5.
Long-tailed Cisticola *Cisticola angusticauda*
(1) Serengeti NP 17.5.
Zitting Cisticola *Cisticola juncidis*
(4) Buffalo Springs NR 8.5, Tanzania 15.5, Ngorongoro CA 16.5 and Serengeti NP 18.5.
Desert Cisticola *Cisticola aridulus tanganyika*
(1) Serengeti NP 17.5.
Pectoral-patch Cisticola *Cisticola brunnescens*
(1) Ngorongoro CA 16.5.
Tawny-flanked Prinia *Prinia subflava*
(3) Nairobi--City 5.5, Tarangire NP 14.5 and Tarangire NP 15.5.
Pale Prinia *Prinia somalica erlangeri*

(1) Buffalo Springs NR 8.5.

Buff-bellied Warbler

Phyllolais pulchella

(6) Amboseli NP 12.5, Tarangire NP 14.5, Tarangire NP 15.5 and observed Serengeti NP 17-19.5.

Yellow-breasted Apalis

Apalis flavida

(3) Shaba NR 7.5, Lake Nakuru NP 10.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Black-throated Apalis

Apalis jacksoni jacksoni

(1) Mount Kenya NP 6.5.

Black-headed Apalis

Apalis melanocephala

(1) Arusha NP--Ngare Sero Mountain Lodge 20.5.

Chestnut-throated Apalis

Apalis porphyrolaema

(2) Mount Kenya NP 5.5 and Mount Kenya NP 6.5.

Grey Apalis

Apalis cinerea cinerea

(2) Mount Kenya NP 5.5 and Mount Kenya NP 6.5.

Brown-headed Apalis

Apalis alticola alticola

(1) Ngorongoro CA 15.5.

Red-fronted Warbler

Urorhipis rufifrons

(1) Buffalo Springs NR 9.5.

Grey-capped Warbler

Eminia lepida

(2) Mount Kenya NP 5.5 and Ngorongoro CA 16.5.

Grey-backed Camaroptera

Camaroptera brevicaudata

(10) Kenya 8.5, Kenya 10.5, Kenya 11.5, Kenya 13.5, Tanzania 14.5, Tanzania 15.5, observed Tanzania 17-19.5 and Tanzania 21.5.

Grey Wren-Warbler

Calamonastes simplex

(3) Observed Shaba NR 7-9.5, Archer's Post 9.5 and Samburu NR 9.5.

Yellow-bellied Eremomela

Eremomela icteropygialis

(1) Serengeti NP 18.5.

Yellow-vented Eremomela

Eremomela flavicrissalis

(1) Shaba NR 7.5.

Green-capped Eremomela

Eremomela scotops

(1) Archer's Post 9.5.

Laughingthrushes Leiothrichidae

Scaly Chatterer

Turdoides aylmeri

(1) Tanzania 13.5.

Rufous Chatterer

Turdoides rubiginosa

(1) Samburu NR 9.5.

Black-lored Babbler

Turdoides sharpei

(3) Lake Nakuru NP 10.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Arrow-marked Babbler

Turdoides jardineii

(2) Lake Nakuru NP 10.5 and Tarangire NP 14.5.

Northern Pied Babbler

Turdoides hypoleuca

(3) Observed Tarangire NP 13-15.5.

Old World Warblers Sylviidae

African Hill Babbler

Pseudoalcippe abyssinica

(1) Mount Kenya NP 6.5.

Brown Parisoma

Sylvia lugens

(1) Ngorongoro CA 16.5.

Banded Parisoma*Sylvia boehmi*

(2) Tarangire NP 14.5 and Serengeti NP 18.5.

Yuhinas, White-eyes, and Allies Zosteropidae**Abyssinian White-eye***Zosterops abyssinicus*

(3) Archer's Post 9.5, Namanga - Amboseli NP 13.5 and Ngorongoro CA 17.5.

Montane White-eye*Zosterops poliogastrus*

(1) Ngorongoro CA 16.5.

Kikuyu White-eye*Zosterops kikuyuensis*

(2) Mount Kenya NP 5.5 and Mount Kenya NP 6.5.

Starlings Sturnidae**Wattled Starling***Creatophora cinerea*

(2) Amboseli NP 11.5 and Amboseli NP 13.5.

Greater Blue-eared Starling*Lamprotornis chalybaeus*

(1) Lake Nakuru NP 10.5.

Rüppell's Starling*Lamprotornis purpuroptera purpuroptera*

(6) Kenya 7.5, Lake Nakuru NP 10.5 and observed Serengeti NP 17-20.5.

Golden-breasted Starling*Lamprotornis regius*

(3) Shaba NR 7.5, Shaba NR 8.5 and Samburu NR 9.5.

Superb Starling*Lamprotornis superbus*

(14) Observed Kenya 7-13.5 and observed Tanzania 14-20.5.

The Superstar!

Hildebrandt's Starling*Lamprotornis hildebrandti*

(5) Namanga - Amboseli NP 11.5, Ngorongoro CA 16.5 and observed Serengeti NP 17-19.5.

Ashy Starling*Lamprotornis unicolor*

(3) Observed Tarangire NP 13-15.5.

Fischer's Starling*Lamprotornis fischeri*

(5) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 9.5, Namanga - Amboseli NP 11.5 and Namanga - Amboseli NP 13.5.

Red-winged Starling*Onychognathus morio*

(4) Shaba NR 7.5, Shaba NR 8.5, Tarangire NP 13.5 and Tarangire NP 14.5.

Magpie Starling*Speculipastor bicolor*

(1) Shaba NR 8.5.

Oxpeckers Buphagidae**Yellow-billed Oxpecker***Buphagus africanus africanus*

(4) Shaba NR 7.5, Tarangire NP 14.5, Tarangire NP 15.5 and Ngorongoro CA 16.5.

Red-billed Oxpecker*Buphagus erythrorhynchus*

(9) Mount Kenya NP 5.5, Mount Kenya NP 6.5, Shaba NR 8.5, Buffalo Springs NR 9.5, Buffalo Springs NR 10.5, Amboseli NP 11.5, Ngorongoro CA 16.5, Serengeti NP 17.5 and Serengeti NP 19.5.

Thrushes and Allies Turdidae**African Thrush***Turdus pelios centralis*

(1) Lake Nakuru NP 11.5.

Abyssinian Thrush*Turdus abyssinicus*

(4) Mount Kenya NP 5.5, Mount Kenya NP 6.5, Ngorongoro CA 16.5 and Ngorongoro CA 17.5.

Old World Flycatchers *Muscicapidae*

- White-browed Scrub Robin** *Cercotrichas leucophrys*
 (8) Samburu NR 9.5, Buffalo Springs NR 10.5, Namanga - Amboseli NP 11.5, Amboseli NP 12.5, Tarangire NP 13.5, Tarangire NP 14.5, Serengeti NP 17.5 and Serengeti NP 19.5.
- Grey Tit-Flycatcher** *Myioparus plumbeus*
 (1) Arusha NP--Ngare Sero Mountain Lodge 20.5.
- White-eyed Slaty Flycatcher** *Melaenornis fischeri*
 (6) Observed Mount Kenya NP 5-7.5 and observed Ngorongoro CA 15-17.5.
- African Grey Flycatcher** *Melaenornis microrhynchus*
 (7) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 8.5, Buffalo Springs NR 9.5, Namanga - Amboseli NP 11.5, Tarangire NP 14.5, Serengeti NP 17.5 and Serengeti NP 19.5.
- Silverbird** *Empidonis semipartitus*
 (3) Tarangire NP 15.5, Serengeti NP 18.5 and Serengeti NP 19.5.
- Ashy Flycatcher** *Muscicapa caerulescens*
 (2) Serengeti NP 18.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.
- African Dusky Flycatcher** *Muscicapa adusta*
 (4) Mount Kenya NP 5.5, Amboseli NP 12.5, Ngorongoro CA 15.5 and Ngorongoro CA 16.5.
- Cape Robin-Chat** *Cossypha caffra iolaema*
 (4) Mount Kenya NP 5.5, Mount Kenya NP 6.5, Lake Nakuru NP 10.5 and Ngorongoro CA 16.5.
- Rüppell's Robin-Chat** *Cossypha semirufa*
 (1) Mount Kenya NP 6.5.
- White-browed Robin-Chat** *Cossypha heuglini*
 (3) 1 heard Ngorongoro CA 15.5, Ngorongoro CA 16.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.
- White-starred Robin** *Pogonocichla stellata*
 (2) Mount Kenya NP 5.5 and Mount Kenya NP 6.5.
- Spotted Palm Thrush** *Cichladusa guttata*
 (3) Mount Kenya NP 5.5, Tarangire NP 14.5 and Tarangire NP 15.5.
- Little Rock Thrush** *Monticola rufocinereus rufocinereus*
 (1) Mount Kenya NP 7.5.
- African Stonechat** *Saxicola torquatus*
 (5) Observed Mount Kenya NP 5-7.5, Ngorongoro CA 16.5 and Ngorongoro CA 17.5.
- Anteater Chat** *Myrmecocichla aethiops cryptoleuca*
 (3) Kenya 7.5, Lake Nakuru NP 10.5 and Lake Nakuru NP 11.5.
- Capped Wheatear** *Oenanthe pileata livingstonii*
 (3) Ngorongoro CA 16.5, Serengeti NP 17.5 and Serengeti NP 20.5.
- Brown-tailed Rock Chat** *Oenanthe scotocerca turkana*
 (2) Shaba NR 7.5 and Shaba NR 8.5.
- Abyssinian Wheatear** *Oenanthe lugubris schalowi*
 (1) Tanzania 20.5.
 Seen near Lake Manyara

Sunbirds and Spiderhunters *Nectariniidae*

- Eastern Violet-backed Sunbird** *Anthreptes orientalis*
 (3) Shaba NR 7.5, Buffalo Springs NR 8.5 and Tarangire NP 14.5.
- Collared Sunbird** *Hedydipna collaris*
 (3) Mount Kenya NP 6.5, Ngorongoro CA 15.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.
- Amethyst Sunbird** *Chalcomitra amethystina*

(2) Namanga - Amboseli NP 11.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Scarlet-chested Sunbird *Chalcomitra senegalensis*

(3) Lake Nakuru NP 10.5, Tarangire NP 14.5 and Serengeti NP 18.5.

Hunter's Sunbird *Chalcomitra hunteri*

(2) Shaba NR 7.5 and Buffalo Springs NR 9.5.

Tacazze Sunbird *Nectarinia tacazze jacksoni*

(1) Ngorongoro CA 16.5.

We had a single bird feeding on flowers, seen from our breakfast table.

Bronzy Sunbird *Nectarinia kilimensis*

(4) Mount Kenya NP 5.5, Mount Kenya NP 7.5, Kenya 10.5 and Ngorongoro CA 16.5.

Malachite Sunbird *Nectarinia famosa cupreonitens*

(1) Ngorongoro CA 16.5.

Golden-winged Sunbird *Drepanorhynchus reichenowi*

(2) Mount Kenya NP 5.5 and Ngorongoro CA 16.5.

Northern Double-collared Sunbird *Cinnyris reichenowi reichenowi*

(1) Mount Kenya NP 6.5.

Eastern Double-collared Sunbird *Cinnyris mediocris*

(4) Mount Kenya NP 5.5, Mount Kenya NP 6.5, Ngorongoro CA 15.5 and Ngorongoro CA 16.5.

Beautiful Sunbird *Cinnyris pulchellus*

(5) Amboseli NP 12.5, Amboseli NP 13.5, Tarangire NP 14.5, Serengeti NP 17.5 and Serengeti NP 19.5.

Marico Sunbird *Cinnyris mariquensis*

(3) Tarangire NP 13.5, Tarangire NP 14.5 and Serengeti NP 18.5.

Black-bellied Sunbird *Cinnyris nectarinioides*

(2) Shaba NR 7.5 and Shaba NR 8.5.

Tsavo Sunbird *Cinnyris tsavoensis*

(1) Buffalo Springs NR 9.5.

Variable Sunbird *Cinnyris venustus*

(7) Kenya 5.5, Kenya 6.5, Kenya 8.5, Kenya 11.5, Tanzania 13.5, Tanzania 16.5 and Tanzania 17.5.

Old World Sparrows *Passeridae*

House Sparrow *Passer domesticus*

(4) Nairobi--City 5.5, Buffalo Springs NR 8.5, Buffalo Springs NR 9.5 and Amboseli NP 12.5.

Kenya Sparrow *Passer rufocinctus*

(3) Mount Kenya NP 7.5, Lake Nakuru NP 10.5 and Namanga - Amboseli NP 11.5.

Northern Grey-headed Sparrow *Passer griseus ugandae*

(4) Observed Tarangire NP 13-15.5 and Serengeti NP 18.5.

Parrot-billed Sparrow *Passer gongonensis*

(3) Shaba NR 7.5, Shaba NR 8.5 and Buffalo Springs NR 9.5.

Chestnut Sparrow *Passer eminibey*

(4) Shaba NR 8.5, Buffalo Springs NR 9.5, Amboseli NP 11.5 and Amboseli NP 13.5.

Yellow-spotted Petronia *Gymnoris pyrgita pyrgita*

(4) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 9.5 and Tarangire NP 14.5.

Weavers and Allies *Ploceidae*

Red-billed Buffalo Weaver *Bubalornis niger intermedius*

(6) Namanga - Amboseli NP 11.5, observed Tanzania 13-15.5, Tanzania 17.5 and Tanzania 18.5.

White-headed Buffalo Weaver *Dinemellia dinemelli*

- (12) Observed Kenya 7-11.5, observed Tanzania 13-15.5 and observed Tanzania 17-20.5.
White-browed Sparrow-Weaver *Plocepasser mahali*
- (7) Kenya 5.5, observed Kenya 7-11.5 and Tanzania 13.5.
Donaldson Smith's Sparrow-Weaver *Plocepasser donaldsoni*
- (3) Observed Kenya 8-10.5.
Rufous-tailed Weaver *Histurgops ruficauda*
- (6) Observed Tanzania 14-18.5 and Tanzania 20.5.
Grey-capped Social Weaver *Pseudonigrita arnaudi*
- (3) Amboseli NP 11.5, Serengeti NP 18.5 and Serengeti NP 19.5.
Black-capped Social Weaver *Pseudonigrita cabanisi*
- (2) Shaba NR 8.5 and Buffalo Springs NR 9.5.
Speckle-fronted Weaver *Sporopipes frontalis emini*
- (6) Shaba NR 8.5, Namanga - Amboseli NP 11.5, Tanzania 15.5 and observed Tanzania 17-19.5.
Thick-billed Weaver *Amblyospiza albifrons*
- (1) Nairobi--City 5.5.
Baglafaecht Weaver *Ploceus baglafaecht*
- (6) Observed Kenya 5-7.5, Kenya 10.5, Tanzania 15.5 and Tanzania 20.5.
Spectacled Weaver *Ploceus ocularis*
- (3) Mount Kenya NP 5.5, Mount Kenya NP 6.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.
Eastern Golden Weaver *Ploceus subaureus aureoflavus*
- (1) Nairobi--City 5.5.
Holub's Golden Weaver *Ploceus xanthops*
- (2) Nairobi--City 5.5 and Serengeti NP 17.5.
Golden Palm Weaver *Ploceus bojeri*
- (2) Buffalo Springs NR 9.5 and Buffalo Springs NR 10.5.
Taveta Weaver *Ploceus castaneiceps*
- (1) Amboseli NP 12.5.
Lesser Masked Weaver *Ploceus intermedius*
- (1) Namanga - Amboseli NP 11.5.
Vitelline Masked Weaver *Ploceus vitellinus uluensis*
- (5) Kenya 8.5, Kenya 9.5, Kenya 11.5, Tanzania 15.5 and Tanzania 17.5.
Speke's Weaver *Ploceus spekei*
- (4) Kenya 7.5, Kenya 11.5, Tanzania 16.5 and Tanzania 18.5.
Village Weaver *Ploceus cucullatus*
- (4) Nairobi--City 5.5, Buffalo Springs NR 8.5, Tarangire NP 14.5 and Serengeti NP 19.5.
Golden-backed Weaver *Ploceus jacksoni*
- (1) Tanzania 13.5.
Chestnut Weaver *Ploceus rubiginosus rubiginosus*
- (3) Samburu NR 9.5, Amboseli NP 11.5 and Tarangire NP 14.5.
Brown-capped Weaver *Ploceus insignis*
- (1) Mount Kenya NP 5.5.
Red-headed Weaver *Anaplectes rubriceps*
- (2) Samburu NR 9.5 and Lake Nakuru NP 10.5.
Cardinal Quelea *Quelea cardinalis*
- (3) Observed Amboseli NP 11-13.5.
Red-billed Quelea *Quelea quelea aethiopica*
- (2) Amboseli NP 11.5 and Tarangire NP 14.5.
Yellow-crowned Bishop *Euplectes afer*

- (1) Amboseli NP 12.5.
Fire-fronted Bishop *Euplectes diadematus*
- (1) Amboseli NP 11.5.
Black Bishop *Euplectes gierowii*
- (2) Tarangire NP 15.5 and Ngorongoro CA 17.5.
Southern Red Bishop *Euplectes orix*
- (3) Amboseli NP 13.5, Tarangire NP 15.5 and Ngorongoro CA 16.5.
Yellow Bishop *Euplectes capensis crassirostris*
- (4) Nairobi--City 5.5, Mount Kenya NP 7.5, Ngorongoro CA 16.5 and Ngorongoro CA 17.5.
Fan-tailed Widowbird *Euplectes axillaris*
- (3) Amboseli NP 12.5, Ngorongoro CA 16.5 and Serengeti NP 18.5.
White-winged Widowbird *Euplectes albonotatus*
- (4) Amboseli NP 11.5, Amboseli NP 12.5, Tarangire NP 14.5 and Tarangire NP 15.5.
Red-collared Widowbird *Euplectes ardens*
- (3) Amboseli NP 11.5, Ngorongoro CA 16.5 and Ngorongoro CA 17.5.
Long-tailed Widowbird *Euplectes progne delamerei*
- (1) Kenya 7.5.
Jackson's Widowbird (NT) *Euplectes jacksoni*
- (2) Kenya 10.5 and Ngorongoro CA 16.5.
 We had great sightings of displaying birds!

Waxbills and Allies Estrildidae

- Green-winged Pytilia** *Pytilia melba*
- (2) Lake Nakuru NP 11.5 and Serengeti NP 19.5.
- Cut-throat Finch** *Amadina fasciata alexanderi*
- (3) Buffalo Springs NR 8.5, Samburu NR 9.5 and Namanga - Amboseli NP 11.5.
- Red-throated Twinspot** *Hypargos niveoguttatus macrospilotus*
- (1) Arusha NP--Ngare Sero Mountain Lodge 21.5.
 We found a stunning male feeding in the road.
- Red-billed Firefinch** *Lagonosticta senegala*
- (4) Nairobi--City 5.5, Amboseli NP 12.5, Serengeti NP 17.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.
- Jameson's Firefinch** *Lagonosticta rhodopareia*
- (1) Lake Nakuru NP 10.5.
- Red-cheeked Cordon-bleu** *Uraeginthus bengalus*
- (5) Kenya 5.5, Kenya 7.5, Kenya 10.5, Tarangire NP 14.5 and Tanzania 17.5.
- Blue-capped Cordon-bleu** *Uraeginthus cyanocephalus*
- (3) Namanga - Amboseli NP 11.5, Tarangire NP 14.5 and Serengeti NP 18.5.
- Purple Grenadier** *Uraeginthus ianthinogaster*
- (2) Tarangire NP 14.5 and Ngorongoro CA 16.5.
- Yellow-bellied Waxbill** *Coccygia quartinia*
- (1) Ngorongoro CA 16.5.
- Crimson-rumped Waxbill** *Estrilda rhodopyga centralis*
- (2) Buffalo Springs NR 8.5 and Tarangire NP 14.5.
- Common Waxbill** *Estrilda astrild*
- (3) Observed Mount Kenya NP 5-7.5.
- Black-faced Waxbill** *Estrilda erythronotos delamerei*
- (1) Serengeti NP 18.5.

Quailfinch*Ortygospiza atricollis*

(1) Ngorongoro CA 16.5.

African Silverbill*Euodice cantans orientalis*

(2) Buffalo Springs NR 8.5 and Buffalo Springs NR 9.5.

Grey-headed Silverbill*Odontospiza caniceps*

(2) Tarangire NP 15.5 and Serengeti NP 18.5.

Bronze Mannikin*Lonchura cucullata*

(1) Arusha NP--Ngare Sero Mountain Lodge 20.5.

Red-backed Mannikin*Lonchura nigriceps*

(1) Arusha NP--Ngare Sero Mountain Lodge 20.5.

Indigobirds Viduidae**Village Indigobird***Vidua chalybeata*

(3) Kenya 9.5, Arusha NP--Ngare Sero Mountain Lodge 20.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Pin-tailed Whydah*Vidua macroura*

(3) Namanga - Amboseli NP 11.5, Tarangire NP 14.5 and Ngorongoro CA 16.5.

Straw-tailed Whydah*Vidua fischeri*

(1) Namanga - Amboseli NP 11.5.

Long-tailed Paradise Whydah*Vidua paradisaea*

(1) Mount Kenya NP 6.5.

Wagtails and Pipits Motacillidae**Cape Wagtail***Motacilla capensis wellsi*

(2) Mount Kenya NP 5.5 and Mount Kenya NP 6.5.

African Pied Wagtail*Motacilla aguimp vidua*

(5) Mount Kenya NP 6.5, Mount Kenya NP 7.5, Lake Nakuru NP 11.5, Amboseli NP 13.5 and Ngorongoro CA 16.5.

Golden Pipit*Tmetothylacus tenellus*

(1) Namanga - Amboseli NP 11.5.

We had some stunning males displaying.

Sharpe's Longclaw (EN)*Macronyx sharpei*

(1) Kenya 11.5.

We spent some time searching for this bird near Nairobi.

Yellow-throated Longclaw*Macronyx croceus*

(1) Serengeti NP 19.5.

Pangani Longclaw*Macronyx aurantiigula*

(1) Amboseli NP 12.5.

Rosy-throated Longclaw*Macronyx ameliae*

(1) Ngorongoro CA 16.5.

African Pipit*Anthus cinnamomeus*

(1) Amboseli NP 12.5.

Plain-backed Pipit*Anthus leucophrys*

(4) Mount Kenya NP 7.5, Lake Nakuru NP 10.5, Ngorongoro CA 16.5 and Serengeti NP 18.5.

Finches, Euphonias Fringillidae**Western Citril***Crithagra frontalis*

(3) Observed Mount Kenya NP 5-7.5.

Southern Citril	<i>Crithagra hyposticta</i>
(3) Ngorongoro CA 16.5, Arusha NP--Ngare Sero Mountain Lodge 20.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.	
Reichenow's Seedeater	<i>Crithagra reichenowi</i>
(3) Nairobi--City 5.5, Tarangire NP 14.5 and Serengeti NP 20.5.	
Yellow-fronted Canary	<i>Crithagra mozambica</i>
(1) Arusha NP--Ngare Sero Mountain Lodge 21.5.	
White-bellied Canary	<i>Crithagra dorsostriata</i>
(2) Serengeti NP 17.5 and Serengeti NP 18.5.	
Southern Grosbeak-Canary	<i>Crithagra buchanani</i>
(2) Namanga - Amboseli NP 11.5 and Tanzania 13.5.	
Brimstone Canary	<i>Crithagra sulphurata sharpii</i>
(2) Kenya 7.5 and Kenya 10.5.	
Thick-billed Seedeater	<i>Crithagra burtoni</i>
(3) Mount Kenya NP 5.5, Mount Kenya NP 7.5 and Ngorongoro CA 15.5.	
Streaky Seedeater	<i>Crithagra striolata striolata</i>
(4) Mount Kenya NP 5.5, Mount Kenya NP 6.5, Ngorongoro CA 16.5 and Ngorongoro CA 17.5.	
Yellow-crowned Canary	<i>Serinus flavivertex</i>
(1) Mount Kenya NP 6.5.	

Buntings, Sparrows and Allies *Emberizidae*

Cinnamon-breasted Bunting	<i>Emberiza tahapisi tahapisi</i>
(1) Shaba NR 8.5.	
Somali Bunting	<i>Emberiza poliopleura</i>
(4) Shaba NR 7.5, Shaba NR 8.5, Samburu NR 9.5 and Amboseli NP 11.5.	
Golden-breasted Bunting	<i>Emberiza flaviventris kalaharica</i>
(1) Lake Nakuru NP 10.5.	

Mammals (57 in total: 57 seen)

Status codes: E = Endemic, NE = Near-endemic, I = Introduced

IUCN codes: CR = Critically endangered, EN = Endangered, VU = Vulnerable, EW = Extinct in the Wild, NT = Near Threatened, DD = Data Deficient

Elephants *Elephantidae*

African Elephant	<i>Loxodonta africana</i>
(12) Kenya 6.5, observed Kenya 8-10.5, Kenya 12.5, observed Tanzania 13-16.5 and observed Tanzania 18-20.5.	

Hyraxes *Procaviidae*

Southern Tree Hyrax	<i>Dendrohyrax arboreus</i>
(2) Mount Kenya NP 6.5 and Ngorongoro CA 16.5.	
Yellow-spotted Hyrax	<i>Heterohyrax brucei</i>
(5) Observed Tarangire NP 13-15.5, Serengeti NP 18.5 and Serengeti NP 19.5.	
Rock Hyrax	<i>Procavia capensis</i>
(3) Lake Nakuru NP 10.5, Serengeti NP 18.5 and Serengeti NP 19.5.	

Galagos Galagidae**Northern Lesser Galago***Galago senegalensis braccatus*

(1) Serengeti NP 20.5.

Old World monkeys Cercopithecidae**Blue Monkey***Cercopithecus mitis*

(2) Mount Kenya NP 5.5 and Mount Kenya NP 6.5.

kolbi:

(3) Ngorongoro CA 16.5, Ngorongoro CA 17.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Vervet*Chlorocebus pygerythrus*

(13) Observed Kenya 7-10.5, Kenya 12.5, Kenya 13.5 and observed Tanzania 14-20.5.

Guereza*Colobus guereza*

(3) Mount Kenya NP 5.5, Mount Kenya NP 6.5 and Lake Nakuru NP 10.5.

Olive Baboon*Papio anubis*

(10) Observed Kenya 5-7.5, Kenya 9.5, Kenya 10.5, Tanzania 15.5 and observed Tanzania 17-20.5.

Yellow Baboon*Papio cynocephalus*

(2) Amboseli NP 12.5 and Amboseli NP 13.5.

Rabbits, Hares Leporidae**African Savanna Hare***Lepus microtis*

(3) Mount Kenya NP 5.5, Archer's Post 9.5 and Serengeti NP 17.5.

True Mice and Rats, Gerbils, Spiny Mice, Crested Rat Muridae**African Grass Rat***Arvicanthis niloticus*

(1) Serengeti NP 20.5.

Acacia Rat*Thallomys paedulcus*

(1) Serengeti NP 19.5.

Squirrels Sciuridae**Ochre Bush Squirrel***Paraxerus ochraceus*

(5) Mount Kenya NP 5.5, Mount Kenya NP 6.5, Tarangire NP 14.5, Tarangire NP 15.5 and Arusha NP--Ngare Sero Mountain Lodge 21.5.

Unstriped Ground Squirrel*Xerus rutilus*

(7) Observed Kenya 7-9.5, Kenya 11.5 and observed Tanzania 13-15.5.

Cats Felidae**Cheetah***Acinonyx jubatus fearsoni*

(1) Serengeti NP 20.5.

We had the best sighting anyone could ask for. Witnessing a kill!

Lion*Panthera leo leo*

(3) Ngorongoro CA 16.5, Serengeti NP 17.5 and Serengeti NP 18.5.

Leopard*Panthera pardus pardus*

(4) Mount Kenya NP 6.5, Lake Nakuru NP 10.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Mongoose Herpestidae**Marsh Mongoose***Atilax paludinosus*

(1) Mount Kenya NP 5.5.

Somali Dwarf Mongoose*Helogale hirtula*

(1) Buffalo Springs NR 9.5.

Common Dwarf Mongoose

Helogale parvula

(4) Tarangire NP 13.5, Tarangire NP 14.5, Serengeti NP 17.5 and Serengeti NP 19.5.

Slender Mongoose

Herpestes sanguineus

(4) Mount Kenya NP 6.5, Namanga - Amboseli NP 11.5, Tarangire NP 14.5 and Ngorongoro CA 16.5.

Banded Mongoose

Mungos mungo

(1) Tarangire NP 14.5.

Hyaenas, Aardwolf Hyaenidae

Spotted Hyaena

Crocuta crocuta

(7) Mount Kenya NP 6.5, Lake Nakuru NP 10.5, Ngorongoro CA 16.5 and observed Serengeti NP 17-20.5.

Striped Hyaena

Hyaena hyaena

(1) Lake Nakuru NP 10.5.

An extremely rare mammal, let alone seeing it in the day!

Wolves, Coyote, Foxes, Jackals Canidae

Side-striped Jackal

Canis adustus

(1) Amboseli NP 11.5.

Golden Jackal

Canis aureus

(2) Ngorongoro CA 16.5 and Serengeti NP 17.5.

Black-backed Jackal

Canis mesomelas

(6) Shaba NR 7.5, Amboseli NP 11.5, Amboseli NP 13.5, Ngorongoro CA 16.5, Serengeti NP 19.5 and Serengeti NP 20.5.

Bat-eared Fox

Otocyon megalotis virgatus

(1) Tarangire NP 15.5.

Zebras, Horse, Asses Equidae

Grevy's Zebra

Equus grevyi

(3) Shaba NR 8.5, Shaba NR 9.5, Buffalo Springs NR 9.5 and Buffalo Springs NR 10.5.

Plains Zebra

Equus quagga boehmi

(7) Lake Nakuru NP 10.5, Lake Nakuru NP 11.5, Amboseli NP 13.5, Ngorongoro CA 16.5, Ngorongoro CA 17.5, Serengeti NP 17.5, Serengeti NP 19.5 and Serengeti NP 20.5.

We witnessed one of the world's greatest mammalian spectacles - the great migration!

Rhinoceroses Rhinocerotidae

White Rhinoceros

Ceratotherium simum simum

(1) Lake Nakuru NP 10.5.

Black Rhinoceros

Diceros bicornis minor

(1) Ngorongoro CA 16.5.

Pigs Suidae

Forest Hog

Hylochoerus meinertzhageni

(1) Mount Kenya NP 6.5.

Desert Warthog

Phacochoerus aethiopicus

(2) Buffalo Springs NR 8.5 and Buffalo Springs NR 9.5.

Common Warthog

Phacochoerus africanus massaicus

(11) Observed Kenya 10-13.5 and observed Tanzania 14-20.5.

Hippopotamuses *Hippopotamidae***Hippopotamus***Hippopotamus amphibius*

(3) Amboseli NP 12.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Cattle, Antelopes, Sheep, Goats *Bovidae***Impala***Aepyceros melampus melampus*

(12) Kenya 7.5, observed Kenya 9-13.5, Tanzania 14.5, Tanzania 15.5 and observed Tanzania 17-20.5.

Hartebeest*Alcelaphus buselaphus cokii*

(5) Tarangire NP 14.5 and observed Serengeti NP 17-20.5.

Natal Red Duiker*Cephalophus natalensis*

(1) Mount Kenya NP 5.5.

Common Wildebeest*Connochaetes taurinus*

(7) Observed Amboseli NP 11-13.5, Ngorongoro CA 16.5, Ngorongoro CA 17.5, Serengeti NP 17.5, Serengeti NP 19.5 and Serengeti NP 20.5.

We witnessed one of the world's greatest mammalian spectacles - the great migration!

Topi*Damaliscus lunatus*

(2) Serengeti NP 18.5 and Serengeti NP 19.5.

Thomson's Gazelle*Eudorcas thomsonii*

(8) Shaba NR 8.5, Buffalo Springs NR 10.5, observed Amboseli NP 11-13.5, Ngorongoro CA 16.5, Ngorongoro CA 17.5, Serengeti NP 17.5 and Serengeti NP 20.5.

Waterbuck*Kobus ellipsiprymnus*

(5) Mount Kenya NP 5.5, Mount Kenya NP 6.5, Ngorongoro CA 16.5, Serengeti NP 18.5 and Serengeti NP 19.5.

ellipsiprymnus:

(7) Observed Kenya 7-11.5, Tanzania 13.5 and Tanzania 14.5.

Gerenuk*Litocranius walleri*

(5) Observed Kenya 7-11.5.

Guenther's Dik-dik*Madoqua guentheri*

(4) Observed Kenya 7-10.5.

Kirk's Dik-dik*Madoqua kirkii*

(8) Kenya 11.5, observed Tanzania 13-15.5 and observed Tanzania 17-20.5.

Grant's Gazelle*Nanger granti*

(10) Observed Kenya 8-12.5, Tanzania 13.5, observed Tanzania 15-17.5 and Tanzania 20.5.

Suni*Neotragus moschatus*

(3) Observed Mount Kenya NP 5-7.5.

Beisa Oryx*Oryx beisa beisa*

(4) Shaba NR 7.5, Shaba NR 8.5, Buffalo Springs NR 9.5 and Buffalo Springs NR 10.5.

Steenbok*Raphicerus campestris naumanni*

(1) Tarangire NP 13.5.

African Buffalo*Syncerus caffer caffer*

(12) Observed Mount Kenya NP 5-7.5, observed Kenya 10-12.5 and observed Tanzania 14-19.5.

Common Eland*Tragelaphus oryx*

(1) Ngorongoro CA 16.5.

Bushbuck*Tragelaphus scriptus*

(4) Observed Mount Kenya NP 5-7.5 and Serengeti NP 17.5.

Giraffe, Okapi *Giraffidae***Giraffe***Giraffa camelopardalis*

(2) Shaba NR 8.5 and Buffalo Springs NR 9.5.

rothschildi:

(1) Lake Nakuru NP 10.5.

tippelskirchi:

(8) Amboseli NP 11.5, Amboseli NP 13.5, Tarangire NP 14.5, Tarangire NP 15.5 and observed Serengeti NP 17-20.5.

False Vampire Bats *Megadermatidae*

Yellow-winged Bat

Lavia frons

(1) Serengeti NP 19.5.

Old World Fruit Bats *Pteropodidae*

Wahlberg's Epauletted Fruit Bat

Epomophorus wahlbergi

(1) Serengeti NP 19.5.

Reptiles (12 in total: 12 seen)

Status codes: E = Endemic, NE = Near-endemic, I = Introduced

IUCN codes: CR = Critically endangered, EN = Endangered, VU = Vulnerable, EW = Extinct in the Wild, NT = Near Threatened, DD = Data Deficient

Tortoises *Testudinidae*

Leopard Tortoise

Stigmochelys pardalis babcocki

(3) Samburu NR 9.5, Tarangire NP 14.5 and Tarangire NP 15.5.

Afro-American Sideneck Turtles *Pelomedusidae*

Helmeted Turtle

Pelomedusa subrufa

(1) Shaba NR 8.5.

Agamas *Agamidae*

Common Agama

Agama agama agama

(3) Shaba NR 8.5, Tarangire NP 13.5 and Tarangire NP 14.5.

Tropical Spiny Agama

Agama armata

(1) Ngorongoro CA 17.5.

Mwanza Flat-headed Agama

Agama mwanzae

(3) Observed Serengeti NP 17-19.5.

Chameleons *Chamaeleonidae*

Flap-neck Chameleon

Chamaeleo dilepis

(1) Samburu NR 9.5.

Plated Lizards *Gerrhosauridae*

Rough-scaled Plated Lizard

Gerrhosaurus major

(1) Shaba NR 7.5.

Skinks *Scincidae*

Rainbow Skink

Trachylepis margaritifera

(3) Shaba NR 7.5, Shaba NR 8.5 and Buffalo Springs NR 9.5.

African Striped Skink

Trachylepis striata striata

(1) Shaba NR 7.5.

Monitor Lizards Varanidae

Nile Monitor

Varanus niloticus

(2) Tana River 5.5 and Tarangire NP 14.5.

Elapidae Elapidae

Snouted Cobra

Naja annulifera

(1) Samburu NR 9.5.

Crocodiles and relatives Crocodylidae

Nile Crocodile

Crocodylus niloticus

(3) Shaba NR 9.5, Serengeti NP 18.5 and Serengeti NP 19.5.

Rockjumper Birding Ltd

The Hive, Lot 23

Centre Commercial du Barchois

La Place Cap, Tamarin

Mauritius

Tel: (USA & Canada) toll-free: 1-888-990-5552

Email: info@rockjumperbirding.com

Alternative email: rockjumperbirding@yahoo.com

Website: www.rockjumperbirding.com