



ROCKJUMPER

Worldwide Birding Adventures

South Africa

Eastern III

15th February to 1st March 2019 (15 days)

Western Cape Extension III

1st to 6th March 2019 (5 days)

Trip Report



Knysna Turaco by David Hoddinott

Trip Report compiled by Tour Leader, David Hoddinott

The top 10 species seen during the tour as voted by our guests:

- | | |
|--------------------------|-------------------------------|
| 1. Secretarybird | 2. Drakensberg Rockjumper |
| 3. Gorgeous Bushshrike | 4. Crimson-breasted Shrike |
| 5. Lilac-breasted Roller | 6. Southern Carmine Bee-eater |
| 7. Gurney's Sugarbird | 8. Taita Falcon |
| 9. Orange Ground Thrush | 10. Knysna Turaco |

Tour Summary

This incredible tour started off in Johannesburg, where we all met up at our comfortable guesthouse. Over a delicious dinner, we discussed the plans for the following day. The late summer rainfall in South Africa this year helped us a great deal throughout this tour, as most species were still in breeding mode and thus very vocal, when normally they would already be post-breeding and not very responsive. A number of overcast days, in what are normally very hot areas at this time of year, were an added bonus! We departed early the next morning for a day trip to the fabulous birding area around Zaagkuilsdrift. Arriving after a recent shower of rain, and with overcast conditions keeping it cooler,



Gorgeous Bushshrike by Mel Senac

there was more activity throughout the day, and we enjoyed some tremendous birding. Some of our highlights today included sightings of Black Heron, two African Crakes crossing the road, African Wattled Lapwing, a large flock of Black-winged Pratincole, splendid Great Spotted Cuckoo – an adult and juvenile, superb calling Black Cuckoo, Pearl-spotted Owlet, Blue-cheeked Bee-eater, Southern Red-billed and Southern Yellow-billed Hornbills, spectacular Crimson-breasted Shrike, Lesser Grey Shrike,



Harlequin Quail by David Hoddinott

Black-chested Prinia, Arrow-marked and endemic Southern Pied Babblers, Common Whitethroat, Chestnut-vented Warbler, Kalahari Scrub Robin, Marico Flycatcher, Scaly-feathered Weaver, Great Sparrow, Yellow-crowned Bishop, White-winged Widowbird, beautiful Violet-eared and Black-faced Waxbills, Village Indigobird, Shaft-tailed Whydah and Black-throated Canary. Our day total was a splendid 134 species, what a start!

The following morning, we left early for the long drive to the famous Kruger National Park. En route we stopped off for the rare Taita Falcon. Our timing couldn't

have been more perfect; after arrival at the site, we walked a few hundred metres, put up the scope, and there was this tiny falcon. Other species we picked up on the drive included migrant Abdim's Stork, Rock Kestrel, Bar-throated Apalis and Mountain Wagtail. Having scored the falcon in quick time, it meant we could enjoy some time in Kruger National Park on our first afternoon. It proved out to be a splendid session, and one of the first mammals we encountered in the park was African Wild Dog, a rare and endangered species that most people have never seen. The birding front was no less exciting, and we added the stately Martial Eagle, Southern Ground Hornbill, Southern White-crowned Shrike, Ashy Flycatcher feeding chicks at the park entrance, a pair of Mocking Cliff Chat, Purple Indigobird and Long-tailed Paradise Whydah in full splendour.

Our two full days in Kruger were extremely successful. Some of our star sightings included Knob-billed Duck, lovely African Pygmy Goose, coveys of Natal Spurfowl, a splendid male Harlequin Quail, Black and Saddle-billed Storks, scope views of White-backed Night Heron, a cracking Dwarf Bittern, Goliath Heron, Hooded, White-headed and Lappet-faced Vultures, majestic Bateleur, African Hawk-Eagle, Red-crested Korhaan, superb Lesser Moorhen, Common Buttonquail, White-crowned Lapwing, Mourning Collared Dove, African Green Pigeon, handsome Purple-crested Turaco, a bevy of cuckoos – including Levillant's, African and Common, Western Barn Owl, Purple Roller, Woodland, African Pygmy and Giant Kingfishers, White-fronted and stunning Southern Carmine Bee-eaters, Common Scimitarbill, Trumpeter Hornbill, Black-collared and Crested Barbets, Lesser Honeyguide, Bearded Woodpecker, spectacular Gorgeous Bushshrike, Brubru, White-crested and Retz's Helmetshrikes, a stunning male Eurasian Golden Oriole, Monotonous Lark calling at several sites, Mosque Swallow, elusive Olive-tree Warbler, Stierling's Wren-Warbler, Greater Blue-eared and



Olive-tree Warbler by David Hoddinott

Burchell's Starlings, Yellow-billed Oxpecker, White-throated and White-browed Robin-Chats, Scarlet-chested and Marico Sunbirds, splendid Red-headed Weaver and Cinnamon-breasted Bunting.



African Wild Dog by Mel Senac

The mammals were almost better, and so adding to the Wild Dog from our first afternoon, we notched up a tremendous suite of sought-after mammals. This made even more remarkable considering the amount of rainfall from the preceding weeks, which causes the mammals to disperse. Highlights were good numbers of African Elephant daily, Southern Lesser Galago at a day roost, watching Cheetah make a kill, several sightings of Lion, a

male Leopard scent-marking late one afternoon, Banded Mongoose, numerous Spotted Hyaena, White Rhinoceros, two Black Rhinoceros when we were within spitting distance of exiting the park, Hippopotamus, and a herd of African Buffalo.

From Kruger, we continued south to the Highveld grasslands of Wakkerstroom, an endemic haven. This was another treat for our guests, as we stayed in palatial accommodation and enjoyed delicious meals. The birding remained top-draw, and we notched up White-backed Duck, Southern Pochard, elusive Coqui and Red-winged Francolins, Common Quail, stunning Southern Bald Ibis, several Little Bittern, highly sought-after Secretarybird, Black Sparrowhawk, vagrant Spotted Crake, Denham's Bustard, White-bellied and Blue Korhaans, Grey Crowned and Blue Cranes, Black-winged Lapwing, African Snipe, Red-throated Wryneck, Greater Kestrel, Amur and a Red-footed



Secretarybird by Mel Senac

Falcons – the latter is rare in this area, Bokmakierie, a full complement of larks – including Spike-heeled, Eastern Long-billed, Rudd's, Botha's, Pink-billed and Eastern Clapper, South African Cliff Swallow, Little Rush Warbler, Cloud, Pale-crowned and Wing-snapping Cisticolas, Buff-streaked Chat, Long-tailed Widowbird displaying and African Rock and Yellow-breasted Pipits. The delightful Suricate also put in an appearance!

From the highlands, we dropped back down into the lowlands, to the bushveld-rich Mkuzi area, which supports a staggering diversity of birds for its size, over 430 species. En route we stopped off at Pongola Nature Reserve, which provided us with some nice sightings including a Corncrake, Rufous-winged and Desert Cisticolas and Yellow-throated



Marsh Owl by Mel Senac

Petronia, amongst others. We then continued south and, near Hluhluwe, were delighted to find African Cuckoo-Hawk and a splendid male Lemon-breasted Canary. We then settled in to our accommodation for a two-night stay. The following morning, we enjoyed some splendid birding pre-breakfast around our lodge. Here, we notched up Crested Guineafowl, Red-fronted Tinkerbird, Blue-mantled Crested Flycatcher, Rudd's Apalis, Bearded Scrub Robin, Grey Sunbird, Dark-backed Weaver and a stunning male Pink-throated Twinspot.


Mkuzi was great, as always, but a hot day meant the birds were rather quiet. We still had a number of good sightings, and these included Pink-backed Pelican, Western Osprey, Lizard Buzzard, Little Sparrowhawk, Green Malkoha, Broad-billed Roller, Striped Kingfisher, Acacia Pied Barbet, splendid Neergaard's Sunbird, Green-winged Pytilia and Jameson's Firefinch. An added highlight was watching 5 huge bull African Elephant drinking at Kumasinga hide just metres from us.

Leaving Mkuzi, we travelled to a nearby wetland where we notched up Marsh Owl, Rosy-throated Longclaw, Sand Martin and Western Yellow Wagtail before breakfast. Thereafter, we continued south to St Lucia for a superb two-night stay.

The forest and estuary of St Lucia and open areas at Cape Vidal once again produced the goods. Here, we notched up Black-chested and, after a concerted effort, Southern Banded Snake Eagles, the elusive Buff-spotted Flufftail, Water Thick-knee, vagrant Eurasian Oystercatcher, Lesser Crested Tern, Tambourine Dove, super Livingstone's Turaco, African Wood Owl, stunning male Narina Trogon, Brown-hooded Kingfisher, White-eared Barbet, brief Scaly-throated Honeyguide, Woodward's Batis, Black-throated Wattle-eye, Square-tailed Drongo, Eastern Nicator, African Yellow White-eye, Black-bellied Starling, Brown Scrub Robin, Red-capped Robin-Chat, Purple-banded Sunbird, Eastern Golden and Brown-throated Weavers and lovely Grey Waxbill.



Eurasian and African Black Oystercatchers by Mel Senac



Woodward's Batis by Mel Senac

It was then time to head inland to Hilton, in the KwaZulu-Natal Midlands. En route we stopped off at Eshowe to enjoy the superb canopy walkway. Here, we were treated to a European Honey Buzzard – although more regular in recent times, it's still a national rarity, African Goshawk, superb male Eastern Bronze-naped Pigeon, Cape Batis, Grey Cuckooshrike and the very cryptic Spotted Ground Thrush.

We enjoyed a most memorable stay at our comfortable lodge in Hilton. After breakfast the next morning, we headed over to Marutswa Forest, where we added Red-necked Spurfowl, Long-crested Eagle, Knysna Turaco, a magnificent flock of Cape Parrot, Olive Bushshrike, Yellow-throated Woodland Warbler, Bush Blackcap, skulking Orange Ground Thrush, White-starred Robin and Forest Canary. After a misty afternoon with poor visibility, we were not able to see Blue Swallow, so we decided to move on to Himeville, where we enjoyed a splendid two-night stay.

Excitement mounted the next day for the fabulous day trip up Sani Pass and into Lesotho. Here, we notched up a slew of new species, including many highly sought-after ones. Great birds included coveys of Grey-winged Francolin, huge Bearded Vulture, shy Half-collared Kingfisher, Ground Woodpecker, Lanner Falcon, cracking Drakensberg Rockjumper, Fairy Flycatcher, Grey Tit, Large-billed Lark, Barratt's Warbler seen walking under a hedge, Layard's Warbler, Gurney's Sugarbird, Cape and Sentinel Rock Thrushes, Buff-streaked Chat, Sicklewinged Chat, Mountain Wheatear, Familiar Chat, Malachite and Greater Double-collared Sunbirds, Yellow Bishop, Sweet Waxbill, Mountain Pipit, Drakensberg Siskin, Yellow Canary and Black-headed Canary, which is rarely seen in this area.



Spotted Ground Thrush by Mel Senac

With our tally on 477, we cracked the Eastern South Africa Rockjumper record, and now had a realistic chance of challenging the record of 537 for the combination of the Eastern South Africa and Cape Extension tours. So, we departed early in the morning, said our farewells to Ola in Umhlanga, and then travelled to the airport to catch our flight to Cape Town. On arrival, we made our way to the stunning Kirstenbosch Botanical Gardens for the afternoon. Here, we enjoyed meandering around the fabulous gardens whilst taking photographs and adding some nice endemics, including Cape Spurfowl, Cape Bulbul, Cape Sugarbird – the males sporting their long tails, and stunning Orange-breasted Sunbird. Following this, we checked into our lovely accommodation for a three-night stay.

The next morning, we set out on a Cape Pelagic seabird trip. It was a superb day, and we notched up African Penguin, Wilson's Storm Petrel, Black-browed, Shy, Atlantic Yellow-nosed and Indian Yellow-nosed Albatrosses, European Storm Petrel, Southern Giant Petrel, rare Spectacled Petrel, Cory's, Sooty,



Spectacled Petrel by David Hoddinott

Great and Manx Shearwaters, Cape Gannet, Crowned, Bank and Cape Cormorants, Sabine's Gull, Pomarine, Parasitic and Long-tailed Jaegers, Arctic Tern, Brown Skua and, as we were about to board our boat, two Peregrine Falcons appeared and gave great views. Following this, we made our way to the impressive Strandfontein wetland, where we noted close-up views of Maccoa Duck, a large flock of Great White Pelican, African Marsh Harrier and Spotted Thick-knee.

The following morning, we left early for the trip to Rooiels and Betty's Bay. It was a stunning and calm morning and,

amazingly, we notched up all three of the specials in twenty minutes. Cape Rockjumper, Victorin's Warbler and Cape Siskin, which all showed rather well. We then visited the African Penguin colony at Betty's Bay, which was most impressive and well worth a visit.

Leaving Cape Town the following morning, we made our way to West Coast National Park, where we found dozens of Common Ostrich, Greater Flamingo, splendid Black Harrier, striking Southern Black Korhaan, a host of waders including Chestnut-banded Plover, Bar-tailed Godwit, Ruddy Turnstone and Red Knot, plus Cape Penduline Tit, Karoo Lark and Karoo Scrub Robin. Continuing towards Ceres, we stopped at Velddrift, where we added Black-necked Grebe and Caspian Tern. A little further on, we were delighted to find Grey-backed Sparrow-Lark and, around Ceres, both African Black Duck and Booted Eagle.



Black Harrier by Mel Senac

Being based in Ceres for two nights gave us the opportunity to explore the Karoo. Our day in this unique habitat ensured a bunch of new species for our list, and we found several Pale Chanting Goshawk, Karoo Korhaan, the shy Red-chested Flufftail, Pririt Batis, Namaqua Warbler, Rufous-eared Warbler, rock-hopping Cinnamon-breasted Warbler, Karoo Eremomela, Karoo and Tractrac Chats, Capped Wheatear and Dusky Sunbird. On our final morning, we notched up a splendid Protea Canary – a tricky endemic,



Protea Canary by David Hoddinott

which was a wonderful way to end off this tour. This had been a remarkable tour, where everything just seemed to fall into place, and we ended the trip on a whopping 547 species, a new Rockjumper record for this comprehensive tour suite.

And so ended this fabulous trip. We travelled to Cape Town International Airport to catch our flights home. Thanks must go to wonderful, enthusiastic and fun participants, great site guides, as well as a superb ground operations team. We hope to see you on another fabulous adventure soon!

Annotated List of species recorded

Note: Number in brackets () indicate number of days on the tour the species was recorded.
List powered through the report generator of our partner iGoTerra.

Birds (547 in total: 537 seen, 10 heard)

Nomenclature and taxonomy follows Gill, F and D Donsker (Eds). 2018. IOC World Bird List (v 8.2).

Status codes: E = Endemic, NE = Near-endemic, I = Introduced

IUCN codes: CR = Critically endangered, EN = Endangered, VU = Vulnerable, EW = Extinct in the Wild, NT = Near Threatened, DD = Data Deficient

Ostrich *Struthionidae*

Common Ostrich

Struthio camelus australis

(4) 3 Wakkerstroom area 21.2, 2 Wakkerstroom area 22.2, 30 Rooi-Els 3.3 and 25 West Coast NP 4.3.

Ducks, Geese & Swans *Anatidae*

White-faced Whistling Duck

Dendrocygna viduata

(7) 8 Zaagkuilsdrift Road 16.2, up to 30 Kruger NP - Skukuza 17-19.2, 40 Mkuze GR 23.2, 20 St Lucia 24.2 and 30 Hilton 26.2.

White-backed Duck

Thalassornis leuconotus leuconotus

(4) Up to 8 Wakkerstroom area 20-22.2 and 2 Mkuze GR 23.2.

Spur-winged Goose

Plectropterus gambensis niger

(7) 3 Zaagkuilsdrift Road 16.2, 1 Johannesburg to Kruger NP 17.2, 1 Mkuze GR 23.2, 2 St Lucia 24.2, 6 Hilton 26.2, 6 Sani Pass 28.2 and 30 Strandfontein Sewage Works 2.3.

Knob-billed Duck

Sarkidiornis melanotos

(3) 1 Zaagkuilsdrift Road 16.2, 8 Kruger NP - Skukuza 18.2 and 2 Kruger NP - Skukuza 19.2.

Egyptian Goose

Alopochen aegyptiaca

(15) Up to 15 Kruger NP - Skukuza 17-19.2, up to 50 Wakkerstroom area 20-22.2, 6 Mkuze GR 23.2, 2 St Lucia 24.2, 20 Hilton 26.2, 20 Sani Pass 28.2, 6 Cape Town - Kirstenbosch Botanical Garden 1.3, 10 Strandfontein Sewage Works 2.3, 6 Rooi-Els 3.3, 300 West Coast NP 4.3 and 30 Tanqua Karoo 5.3.

South African Shelduck

Tadorna cana

(8) Up to 4 Wakkerstroom area 20-22.2, 2 Hilton 26.2, 2 Underberg 27.2, 8 Sani Pass 28.2, 6 Strandfontein Sewage Works 2.3 and 20 West Coast NP 4.3.

African Pygmy Goose

Nettapus auritus

(2) 2 Kruger NP - Skukuza 18.2 and 7 Mkuze GR 23.2.

Hottentot Teal

Spatula hottentota

(6) 5 Wakkerstroom area 20.2, 3 Wakkerstroom area 22.2, 3 Mkuze GR 23.2, 3 St Lucia 24.2, 8 Hilton 26.2 and 2 Strandfontein Sewage Works 2.3.

Cape Shoveler

Spatula smithii

(4) 6 Wakkerstroom area 20.2, 2 Wakkerstroom area 21.2, 6 Hilton 26.2 and 10 Strandfontein Sewage Works 2.3.

African Black Duck

Anas sparsa sparsa

(1) 2 Ceres 5.3.

Yellow-billed Duck

Anas undulata undulata

(8) 2 Zaagkuilsdrift Road 16.2, up to 50 Wakkerstroom area 20-22.2, 10 St Lucia 24.2, 3 Hilton 26.2, 3 Sani Pass 28.2 and 5 Strandfontein Sewage Works 2.3.

Cape Teal

Anas capensis

(3) 1 Wakkerstroom area 20.2, 200 Strandfontein Sewage Works 2.3 and 10 West Coast NP 4.3.

Red-billed Teal*Anas erythrorhyncha*

(6) 6 Zaagkuilsdrift Road 16.2, 3 Kruger NP - Skukuza 19.2, 1 Wakkerstroom area 20.2, 1 Wakkerstroom area 21.2, 5 Hilton 26.2 and 5 Strandfontein Sewage Works 2.3.

Southern Pochard*Netta erythrophthalma brunnea*

(3) 1 Zaagkuilsdrift Road 16.2, 12 Wakkerstroom area 20.2 and 20 Wakkerstroom area 21.2.

Maccoa Duck (NT)*Oxyura maccoa*

(2) 9 Wakkerstroom area 21.2 and 2 Strandfontein Sewage Works 2.3.

Guineafowl Numididae**Helmeted Guineafowl***Numida meleagris*

(11) Up to 6 Kruger NP - Skukuza 17-19.2, up to 10 Wakkerstroom area 20-22.2, 15 Hilton 26.2, 1 Underberg 27.2, 2 Cape Town - Kirstenbosch Botanical Garden 1.3, 30 West Coast NP 4.3 and 20 Ceres 5.3.

Crested Guineafowl*Guttera pucherani edouardi*

(2) 25 Mkuze GR 23.2 and 40 St Lucia 25.2.

Pheasants, Grouse, and Allies Phasianidae**Coqui Francolin***Peliperdix coqui coqui*

(1) 1 Wakkerstroom area 21.2.

Grey-winged Francolin*Scleroptila afra*

(2) 14 Sani Pass 28.2 and 3 West Coast NP 4.3.

Red-winged Francolin*Scleroptila levaillantii levaillantii*

(1) 1 Wakkerstroom area 22.2.

Crested Francolin*Dendroperdix sephaena sephaena*

(7) 1 heard Zaagkuilsdrift Road 16.2, up to 2 Kruger NP - Skukuza 17-20.2, 4 Mkuze GR 22.2 and 1 Mkuze GR 23.2.

Cape Spurfwowl*Pternistis capensis*

(4) 6 Cape Town - Kirstenbosch Botanical Garden 1.3, 3 Strandfontein Sewage Works 2.3, 40 West Coast NP 4.3 and 1 heard Tanqua Karoo 5.3.

Natal Spurfwowl*Pternistis natalensis natalensis*

(5) 1 heard Zaagkuilsdrift Road 16.2 and up to 6 Kruger NP - Skukuza 17-20.2.

Red-necked Spurfwowl*Pternistis afer castaneiventris*

(1) 2 Underberg 27.2.

Swainson's Spurfwowl*Pternistis swainsonii swainsonii*

(6) 4 Zaagkuilsdrift Road 16.2, up to 2 Kruger NP - Skukuza 17-20.2 and 2 Wakkerstroom area 21.2.

Common Quail*Coturnix coturnix*

(2) 1 Wakkerstroom area 20.2 and 1 heard Wakkerstroom area 22.2.

Harlequin Quail*Coturnix delegorguei delegorguei*

(4) 1 heard Zaagkuilsdrift Road 16.2 and up to 1 Kruger NP - Skukuza 17-19.2.

Penguins Spheniscidae**African Penguin (EN)***Spheniscus demersus*

(2) 80 Cape Town - Pelagic 2.3 and 250 Rooi-Els 3.3.

Austral Storm Petrels Oceanitidae**Wilson's Storm Petrel***Oceanites oceanicus*

(1) 15 Cape Town - Pelagic 2.3.

Albatrosses Diomedidae

- Black-browed Albatross (NT)** *Thalassarche melanophris*
(1) 25 Cape Town - Pelagic 2.3.
- Shy Albatross (NT)** *Thalassarche cauta*
(1) 6 Cape Town - Pelagic 2.3.
- Atlantic Yellow-nosed Albatross (EN)** *Thalassarche chlororhynchos*
(1) 5 Cape Town - Pelagic 2.3.
- Indian Yellow-nosed Albatross (EN)** *Thalassarche carteri*
(1) 4 Cape Town - Pelagic 2.3.

Northern Storm Petrels Hydrobatidae

- European Storm Petrel** *Hydrobates pelagicus pelagicus*
(1) 2 Cape Town - Pelagic 2.3.

Petrels, Shearwaters & Diving Petrels Procellariidae

- Southern Giant Petrel** *Macronectes giganteus*
(1) 1 Cape Town - Pelagic 2.3.
- White-chinned Petrel (VU)** *Procellaria aequinoctialis*
(1) 100 Cape Town - Pelagic 2.3.
- Spectacled Petrel (VU)** *Procellaria conspicillata*
(1) 2 Cape Town - Pelagic 2.3.
- Cory's Shearwater** *Calonectris borealis*
(1) 20 Cape Town - Pelagic 2.3.
- Sooty Shearwater (NT)** *Ardenna grisea*
(1) 750 Cape Town - Pelagic 2.3.
- Great Shearwater** *Ardenna gravis*
(1) 10 Cape Town - Pelagic 2.3.
- Manx Shearwater** *Puffinus puffinus*
(1) 1 Cape Town - Pelagic 2.3.

Grebes Podicipedidae

- Little Grebe** *Tachybaptus ruficollis capensis*
(6) 1 Zaagkuilsdrift Road 16.2, 12 Kruger NP - Skukuza 18.2, 10 Wakkerstroom area 20.2, 1 Wakkerstroom area 21.2, 6 Hilton 26.2 and 50 Strandfontein Sewage Works 2.3.
- Black-necked Grebe** *Podiceps nigricollis gurneyi*
(1) 38 West Coast NP 4.3.

Flamingos Phoenicopteridae

- Greater Flamingo** *Phoenicopterus roseus*
(4) 12 Wakkerstroom area 20.2, 5 St Lucia 24.2, 200 Strandfontein Sewage Works 2.3 and 300 West Coast NP 4.3.

Storks Ciconiidae

- Yellow-billed Stork** *Mycteria ibis*
(3) 4 Kruger NP - Skukuza 19.2, 1 Mkuze GR 23.2 and 2 St Lucia 24.2.
- Black Stork** *Ciconia nigra*
(1) 1 Kruger NP - Skukuza 19.2.
- Abdim's Stork** *Ciconia abdimii*
(1) 3 Johannesburg to Kruger NP 17.2.

Woolly-necked Stork (VU) *Ciconia episcopus microscelis*

(3) 2 Kruger NP - Skukuza 19.2, 1 St Lucia 25.2 and 4 Hilton 26.2.

White Stork *Ciconia ciconia ciconia*

(10) 10 Johannesburg to Kruger NP 17.2, 40 Kruger NP - Skukuza 18.2, 20 Wakkerstroom area 20.2, 25 Wakkerstroom area 21.2, 20 Mkuze GR 22.2, 20 Hilton 26.2, 1 Underberg 27.2, 6 Sani Pass 28.2, 8 Strandfontein Sewage Works 2.3 and 1 West Coast NP 4.3.

Saddle-billed Stork *Ephippiorhynchus senegalensis*

(3) 3 Kruger NP - Skukuza 19.2, 1 Kruger NP - Skukuza 20.2 and 2 St Lucia 24.2.

Ibises, Spoonbills *Threskiornithidae***African Sacred Ibis** *Threskiornis aethiopicus*

(11) 30 Johannesburg to Kruger NP 17.2, up to 30 Wakkerstroom area 20-22.2, 10 Hilton 26.2, 10 Underberg 27.2, 6 Sani Pass 28.2, 100 Strandfontein Sewage Works 2.3, 50 Rooi-Els 3.3, 100 West Coast NP 4.3 and 10 Tanqua Karoo 5.3.

Southern Bald Ibis (VU) *Geronticus calvus*

(4) Up to 80 Wakkerstroom area 20-22.2 and 6 Sani Pass 28.2.

Hadada Ibis *Bostrychia hagedash hagedash*

(18) 6 Johannesburg 15.2, 2 Zaagkuilsdrift Road 16.2, 2 Johannesburg to Kruger NP 17.2, 2 Kruger NP - Skukuza 18.2, 2 Kruger NP - Skukuza 19.2, 10 Wakkerstroom area 20.2, 40 Wakkerstroom area 21.2, 2 Mkuze GR 22.2, 2 Mkuze GR 23.2, 2 St Lucia 24.2, 5 St Lucia 25.2, 60 Hilton 26.2, 20 Underberg 27.2, 6 Cape Town - Kirstenbosch Botanical Garden 1.3, 4 Strandfontein Sewage Works 2.3, 6 Rooi-Els 3.3, 10 West Coast NP 4.3 and 20 Tanqua Karoo 5.3.

Glossy Ibis *Plegadis falcinellus*

(4) 6 Wakkerstroom area 20.2, 1 Mkuze GR 22.2, 1 Strandfontein Sewage Works 2.3 and 1 West Coast NP 4.3.

African Spoonbill *Platalea alba*

(5) 1 Wakkerstroom area 20.2, 3 Wakkerstroom area 21.2, 1 Mkuze GR 23.2, 2 St Lucia 24.2 and 3 West Coast NP 4.3.

Hérons, Egrets, and Bitterns *Ardeidae***Little Bittern** *Ixobrychus minutus payesii*

(1) 3 Wakkerstroom area 22.2.

Dwarf Bittern *Ixobrychus sturmii*

(1) 1 Kruger NP - Skukuza 19.2.

White-backed Night Heron *Gorsachius leuconotus*

(1) 1 Kruger NP - Skukuza 18.2.

Black-crowned Night Heron *Nycticorax nycticorax nycticorax*

(3) 3 Kruger NP - Skukuza 18.2, 1 heard Wakkerstroom area 20.2 and 1 heard Wakkerstroom area 22.2.

Striated Heron *Butorides striata atricapilla*

(2) 3 Kruger NP - Skukuza 18.2 and 2 Kruger NP - Skukuza 20.2.

Squacco Heron *Ardeola ralloides*

(6) 1 Zaagkuilsdrift Road 16.2, up to 1 Wakkerstroom area 20-22.2, 6 Mkuze GR 23.2 and 1 St Lucia 24.2.

Western Cattle Egret *Bubulcus ibis*

(14) 3 Johannesburg 15.2, 15 Zaagkuilsdrift Road 16.2, 10 Johannesburg to Kruger NP 17.2, 10 Kruger NP - Skukuza 19.2, 20 Wakkerstroom area 20.2, 15 Wakkerstroom area 21.2, 50 Mkuze GR 22.2, 10 Mkuze GR 23.2, 20 St Lucia 24.2, 30 Hilton 26.2, 10 Underberg 27.2, 6 Strandfontein Sewage Works 2.3, 6 Rooi-Els 3.3 and 8 West Coast NP 4.3.

Grey Heron*Ardea cinerea cinerea*

(11) Up to 2 Kruger NP - Skukuza 18-20.2, 1 Wakkerstroom area 21.2, 1 Mkuze GR 23.2, 1 St Lucia 24.2, 2 Hilton 26.2, 1 Sani Pass 28.2, 1 Strandfontein Sewage Works 2.3, 2 West Coast NP 4.3 and 2 Tanqua Karoo 5.3.

Black-headed Heron*Ardea melanocephala*

(10) 2 Zaagkuilsdrift Road 16.2, 2 Johannesburg to Kruger NP 17.2, up to 15 Wakkerstroom area 20-22.2, 6 Hilton 26.2, 1 Underberg 27.2, 1 Underberg 1.3, 1 Rooi-Els 3.3 and 1 West Coast NP 4.3.

Goliath Heron*Ardea goliath*

(5) 1 Kruger NP - Skukuza 19.2, 1 Kruger NP - Skukuza 20.2, 1 Mkuze GR 23.2, 1 St Lucia 24.2 and 1 Hilton 26.2.

Purple Heron*Ardea purpurea purpurea*

(3) 1 Wakkerstroom area 20.2, 1 Mkuze GR 22.2 and 1 West Coast NP 4.3.

Great Egret*Ardea alba melanorhynchos*

(5) 1 Zaagkuilsdrift Road 16.2, up to 1 Kruger NP - Skukuza 18-20.2 and 3 Mkuze GR 23.2.

Intermediate Egret*Ardea intermedia brachyrhyncha*

(2) 1 Zaagkuilsdrift Road 16.2 and 1 Wakkerstroom area 20.2.

Black Heron*Egretta ardesiaca*

(1) 2 Zaagkuilsdrift Road 16.2.

Little Egret*Egretta garzetta garzetta*

(6) 2 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 20.2, 4 Mkuze GR 23.2, 1 St Lucia 24.2 and 1 West Coast NP 4.3.

Hamerkop Scopidae**Hamerkop***Scopus umbretta umbretta*

(6) 1 Zaagkuilsdrift Road 16.2, up to 2 Kruger NP - Skukuza 18-20.2, 1 Wakkerstroom area 22.2 and 1 Hilton 26.2.

Pelicans Pelecanidae**Great White Pelican***Pelecanus onocrotalus*

(2) 60 Strandfontein Sewage Works 2.3 and 40 West Coast NP 4.3.

Pink-backed Pelican*Pelecanus rufescens*

(3) 5 Mkuze GR 23.2, 1 St Lucia 24.2 and 3 St Lucia 25.2.

Gannets, Boobies Sulidae**Cape Gannet (VU)***Morus capensis*

(4) 2 St Lucia 24.2, 3 St Lucia 25.2, 70 Strandfontein Sewage Works 2.3 and 1 Rooi-Els 3.3.

Cormorants and Shags Phalacrocoracidae**Reed Cormorant***Microcarbo africanus africanus*

(10) 6 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 18.2, 1 Wakkerstroom area 20.2, 5 Wakkerstroom area 21.2, 2 Mkuze GR 22.2, 6 Mkuze GR 23.2, 2 St Lucia 25.2, 1 Sani Pass 28.2, 6 West Coast NP 4.3 and 6 Tanqua Karoo 5.3.

Crowned Cormorant (NT)*Microcarbo coronatus*

(2) 1 Cape Town - Pelagic 2.3 and 2 Rooi-Els 3.3.

Bank Cormorant (EN)*Phalacrocorax neglectus*

(2) 3 Cape Town - Pelagic 2.3 and 40 Rooi-Els 3.3.

White-breasted Cormorant*Phalacrocorax lucidus*

(8) 2 Kruger NP - Skukuza 18.2, 5 Kruger NP - Skukuza 19.2, 6 Wakkerstroom area 20.2, 1 Wakkerstroom area 21.2, 2 Mkuze GR 23.2, 3 Cape Town - Pelagic 2.3, 60 Rooi-Els 3.3 and 1 West Coast NP 4.3.

Cape Cormorant (NT)*Phalacrocorax capensis*

(3) 200 Cape Town - Pelagic 2.3, 5 Rooi-Els 3.3 and 60 West Coast NP 4.3.

Anhingas Anhingidae**African Darter***Anhinga rufa rufa*

(5) 2 Zaagkuilsdrift Road 15.2, 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2, 1 Wakkerstroom area 21.2 and 50 Mkuze GR 23.2.

Secretarybird Sagittariidae**Secretarybird (VU)***Sagittarius serpentarius*

(3) 2 Wakkerstroom area 20.2, 1 Wakkerstroom area 21.2 and 2 Mkuze GR 22.2.

Osprey Pandionidae**Western Osprey***Pandion haliaetus haliaetus*

(1) 1 Mkuze GR 23.2.

Kites, Hawks & Eagles Accipitridae**Black-winged Kite***Elanus caeruleus caeruleus*

(11) 4 Zaagkuilsdrift Road 16.2, 2 Johannesburg to Kruger NP 17.2, 1 Kruger NP - Skukuza 18.2, up to 4 Wakkerstroom area 20-22.2, 2 Mkuze GR 23.2, 1 St Lucia 24.2, 2 Underberg 27.2, 1 Sani Pass 28.2 and 4 West Coast NP 4.3.

African Harrier-Hawk*Polyboroides typus typus*

(6) 1 Zaagkuilsdrift Road 16.2, 1 Wakkerstroom area 22.2, 2 Hilton 26.2, 1 Underberg 27.2, 1 Sani Pass 28.2 and 2 Rooi-Els 3.3.

Bearded Vulture (NT)*Gypaetus barbatus meridionalis*

(1) 4 Sani Pass 28.2.

European Honey Buzzard*Pernis apivorus*

(1) 1 Dlinza Forest NR 26.2.

African Cuckoo-Hawk*Aviceda cuculoides verreauxii*

(1) 1 Mkuze GR 22.2.

Hooded Vulture (EN)*Necrosyrtes monachus*

(1) 1 Kruger NP - Skukuza 18.2.

White-backed Vulture (NT)*Gyps africanus*

(5) 6 Zaagkuilsdrift Road 16.2, 3 Johannesburg to Kruger NP 17.2, 20 Kruger NP - Skukuza 18.2, 10 Kruger NP - Skukuza 19.2 and 4 Mkuze GR 23.2.

Cape Vulture (VU)*Gyps coprotheres*

(2) 2 Johannesburg to Kruger NP 17.2 and 2 Sani Pass 28.2.

White-headed Vulture (VU)*Trionoceph occipitalis*

(1) 2 Kruger NP - Skukuza 18.2.

Lappet-faced Vulture (VU)*Torgos tracheliotos tracheliotos*

(3) 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2 and 1 Mkuze GR 22.2.

Black-chested Snake Eagle*Circaetus pectoralis*

(4) 1 Kruger NP - Skukuza 19.2, 2 St Lucia 25.2, 1 Dlinza Forest NR 26.2 and 1 West Coast NP 4.3.

Brown Snake Eagle*Circaetus cinereus*

(4) 1 Kruger NP - Skukuza 17.2, 2 Kruger NP - Skukuza 19.2, 1 Mkuze GR 23.2 and 1 St Lucia 25.2.

Southern Banded Snake Eagle (NT) (1) 1 St Lucia 25.2.	<i>Circaetus fasciolatus</i>
Bateleur (NT) (6) Up to 6 Kruger NP - Skukuza 17-20.2, 2 Mkuze GR 22.2 and 1 Mkuze GR 23.2.	<i>Terathopius ecaudatus</i>
Martial Eagle (NT) (2) 1 Kruger NP - Skukuza 17.2 and 2 St Lucia 25.2.	<i>Polemaetus bellicosus</i>
Long-crested Eagle (2) 1 Mkuze GR 23.2 and 3 Underberg 27.2.	<i>Lophaetus occipitalis</i>
Wahlberg's Eagle (5) Up to 5 Kruger NP - Skukuza 17-20.2 and 1 Mkuze GR 23.2.	<i>Hieraaetus wahlbergi</i>
Booted Eagle (1) 1 West Coast NP 4.3.	<i>Hieraaetus pennatus</i>
Tawny Eagle (3) Up to 2 Kruger NP - Skukuza 17-19.2.	<i>Aquila rapax rapax</i>
Verreaux's Eagle (1) 1 Cape Town - Kirstenbosch Botanical Garden 1.3.	<i>Aquila verreauxii</i>
African Hawk-Eagle (1) 2 Kruger NP - Skukuza 19.2.	<i>Aquila spilogaster</i>
Lizard Buzzard (1) 1 Mkuze GR 23.2.	<i>Kaupifalco monogrammicus meridionalis</i>
Pale Chanting Goshawk (1) 3 Tanqua Karoo 5.3.	<i>Melierax canorus</i>
African Goshawk (2) 1 St Lucia 25.2 and 1 Dlinza Forest NR 26.2.	<i>Accipiter tachiro tachiro</i>
Little Sparrowhawk (2) 1 Kruger NP - Skukuza 19.2 and 2 Mkuze GR 23.2.	<i>Accipiter minullus minullus</i>
Black Sparrowhawk (3) 1 Wakkerstroom area 21.2, 1 St Lucia 24.2 and 1 Hilton 27.2.	<i>Accipiter melanoleucus melanoleucus</i>
African Marsh Harrier (2) 1 Wakkerstroom area 21.2 and 2 Strandfontein Sewage Works 2.3.	<i>Circus ranivorus</i>
Black Harrier (VU) (1) 2 West Coast NP 4.3.	<i>Circus maurus</i>
Yellow-billed Kite (10) Up to 2 Kruger NP - Skukuza 17-20.2, 3 Mkuze GR 22.2, 3 St Lucia 24.2, 10 St Lucia 25.2, 6 Hilton 26.2, 1 Underberg 27.2 and 3 West Coast NP 4.3.	<i>Milvus aegyptius</i>
African Fish Eagle (8) 1 Zaagkuilsdrift Road 16.2, up to 2 Kruger NP - Skukuza 18-20.2, 2 Mkuze GR 22.2, 1 Mkuze GR 23.2, 2 St Lucia 24.2 and 1 St Lucia 25.2.	<i>Haliaeetus vocifer</i>
Common Buzzard (13) 2 Zaagkuilsdrift Road 16.2, 2 Johannesburg to Kruger NP 17.2, 2 Kruger NP - Skukuza 18.2, up to 10 Wakkerstroom area 20-22.2, 1 Mkuze GR 23.2, 1 St Lucia 24.2, 2 St Lucia 25.2, 2 Hilton 26.2, 2 Underberg 27.2, 2 Sani Pass 28.2 and 3 West Coast NP 4.3.	<i>Buteo buteo</i>
Jackal Buzzard (10) 1 Johannesburg to Kruger NP 17.2, 1 Wakkerstroom area 20.2, 1 Wakkerstroom area 21.2, 1 Hilton 26.2, 1 Underberg 27.2, 1 Sani Pass 28.2, 1 Cape Town - Kirstenbosch Botanical Garden 1.3, 2 Rooi-Els 3.3, 2 West Coast NP 4.3 and 1 Tanqua Karoo 5.3.	<i>Buteo rufofuscus</i>

Bustards Otididae

Denham's Bustard (NT)	<i>Neotis denhami stanleyi</i>
(1) 3 Wakkerstroom area 21.2.	
White-bellied Bustard	<i>Eupodotis senegalensis barrowii</i>
(1) 2 Wakkerstroom area 21.2.	
Blue Korhaan (NT)	<i>Eupodotis caerulescens</i>
(1) 11 Wakkerstroom area 21.2.	
Karoo Korhaan	<i>Eupodotis vigorsii</i>
(1) 3 Tanqua Karoo 5.3.	
Red-crested Korhaan	<i>Lophotis ruficrista</i>
(2) 1 heard Kruger NP - Skukuza 17.2 and 1 Kruger NP - Skukuza 19.2.	
Southern Black Korhaan (VU)	<i>Afrotis afra</i>
(1) 6 West Coast NP 4.3.	

Flufftails Sarothruridae

Buff-spotted Flufftail	<i>Sarothrura elegans elegans</i>
(1) 1 St Lucia 25.2.	
Red-chested Flufftail	<i>Sarothrura rufa rufa</i>
(3) 1 heard Wakkerstroom area 22.2, 1 heard Hilton 26.2 and 1 Tanqua Karoo 5.3.	

Rails, Crakes & Coots Rallidae

African Rail	<i>Rallus caerulescens</i>
(2) 1 heard Wakkerstroom area 22.2 and 1 heard West Coast NP 4.3.	
African Crake	<i>Crex egregia</i>
(1) 2 Zaagkuilsdrift Road 16.2.	
Corn Crake	<i>Crex crex</i>
(1) 1 Mkuze GR 22.2.	
Black Crake	<i>Amaurornis flavirostra</i>
(4) 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2, 1 Wakkerstroom area 22.2 and 3 Mkuze GR 23.2.	
Baillon's Crake	<i>Porzana pusilla intermedia</i>
(1) 1 heard West Coast NP 4.3.	
Spotted Crake	<i>Porzana porzana</i>
(1) 1 Wakkerstroom area 22.2.	
African Swamphen	<i>Porphyrio madagascariensis</i>
(3) 2 Wakkerstroom area 20.2, 2 Mkuze GR 23.2 and 3 Strandfontein Sewage Works 2.3.	
Common Moorhen	<i>Gallinula chloropus meridionalis</i>
(8) 1 Zaagkuilsdrift Road 16.2, up to 6 Wakkerstroom area 20-22.2, 6 Mkuze GR 23.2, 2 Hilton 26.2, 6 Strandfontein Sewage Works 2.3 and 1 Ceres 5.3.	
Lesser Moorhen	<i>Paragallinula angulata</i>
(3) 1 heard Zaagkuilsdrift Road 16.2, 2 Kruger NP - Skukuza 18.2 and 2 Kruger NP - Skukuza 19.2.	
Red-knobbed Coot	<i>Fulica cristata</i>
(6) 20 Johannesburg to Kruger NP 17.2, up to 80 Wakkerstroom area 20-22.2, 2 Hilton 26.2 and 40 Strandfontein Sewage Works 2.3.	

Cranes Gruidae

Grey Crowned Crane (VU)	<i>Balearica regulorum regulorum</i>
(4) 5 Wakkerstroom area 20.2, 1 Wakkerstroom area 22.2, 1+1 heard Hilton 27.2 and 10 Sani Pass 28.2.	

Blue Crane (VU) *Grus paradisea*
 (3) 2 Wakkerstroom area 20.2, 2 Wakkerstroom area 21.2 and 2 Ceres 4.3.

Buttonquails Turnicidae

Common Buttonquail *Turnix sylvaticus lepurana*
 (2) 1 heard Kruger NP - Skukuza 18.2 and 2 Kruger NP - Skukuza 19.2.

Thick-knees Burhinidae

Water Thick-knee *Burhinus vermiculatus vermiculatus*
 (4) Up to 20 Kruger NP - Skukuza 18-20.2 and 6 St Lucia 24.2.
Spotted Thick-knee *Burhinus capensis*
 (2) 5 Strandfontein Sewage Works 2.3 and 1 heard Ceres 4.3.

Oystercatchers Haematopodidae

African Oystercatcher (NT) *Haematopus moquini*
 (4) 1 St Lucia 24.2, 6 Strandfontein Sewage Works 2.3, 15 Rooi-Els 3.3 and 10 West Coast NP 4.3.
Eurasian Oystercatcher *Haematopus ostralegus*
 (1) 1 St Lucia 24.2.

Stilts and Avocets Recurvirostridae

Black-winged Stilt *Himantopus himantopus*
 (8) 2 Kruger NP - Skukuza 19.2, 3 Wakkerstroom area 20.2, 6 Mkuze GR 23.2, 2 St Lucia 24.2, 15 Hilton 26.2, 3 Strandfontein Sewage Works 2.3, 10 West Coast NP 4.3 and 6 Tanqua Karoo 5.3.
Pied Avocet *Recurvirostra avosetta*
 (4) 6 Wakkerstroom area 20.2, 1 St Lucia 24.2, 150 Strandfontein Sewage Works 2.3 and 20 West Coast NP 4.3.

Plovers and Lapwings Charadriidae

Blacksmith Lapwing *Vanellus armatus*
 (11) 10 Zaagkuilsdrift Road 16.2, 10+1 heard Johannesburg to Kruger NP 17.2, 20 Kruger NP - Skukuza 18.2, 20 Kruger NP - Skukuza 19.2, up to 6 Wakkerstroom area 20-22.2, 30 Hilton 26.2, 2 Strandfontein Sewage Works 2.3, 1 Rooi-Els 3.3 and 10 West Coast NP 4.3.
White-crowned Lapwing *Vanellus albiceps*
 (1) 7 Kruger NP - Skukuza 19.2.
Black-winged Lapwing *Vanellus melanopterus minor*
 (2) 12 Wakkerstroom area 21.2 and 3 Hilton 26.2.
Crowned Lapwing *Vanellus coronatus*
 (6) 30 Zaagkuilsdrift Road 16.2, 2 Kruger NP - Skukuza 17.2, 5 Kruger NP - Skukuza 19.2, 10 Wakkerstroom area 20.2, 6 Wakkerstroom area 21.2 and 6 Mkuze GR 22.2.
African Wattled Lapwing *Vanellus senegallus lateralis*
 (3) 3 Zaagkuilsdrift Road 16.2, 1 Wakkerstroom area 20.2 and 2 Wakkerstroom area 21.2.
Grey Plover *Pluvialis squatarola squatarola*
 (2) 8 St Lucia 24.2 and 100 West Coast NP 4.3.
Common Ringed Plover *Charadrius hiaticula tundrae*
 (2) 3 St Lucia 24.2 and 40 West Coast NP 4.3.
Kittlitz's Plover *Charadrius pecuarius*
 (2) 6 Rooi-Els 3.3 and 4 West Coast NP 4.3.

Three-banded Plover*Charadrius tricollaris tricollaris*

(8) 2 Zaagkuilsdrift Road 16.2, 2 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2, 1 Wakkerstroom area 21.2, 1 Wakkerstroom area 22.2, 3 Mkuze GR 23.2, 2 Hilton 26.2 and 1 Strandfontein Sewage Works 2.3.

White-fronted Plover*Charadrius marginatus*

(3) 6 St Lucia 24.2, 2 St Lucia 25.2 and 6 West Coast NP 4.3.

Chestnut-banded Plover (NT)*Charadrius pallidus pallidus*

(1) 4 West Coast NP 4.3.

Jacanas Jacanidae**African Jacana***Actophilornis africanus*

(5) 3 Zaagkuilsdrift Road 16.2, 4 Kruger NP - Skukuza 18.2, 3 Kruger NP - Skukuza 19.2, 15 Mkuze GR 23.2 and 2 Hilton 26.2.

Sandpipers and Allies Scolopacidae**Whimbrel***Numenius phaeopus*

(2) 4 St Lucia 24.2 and 100 West Coast NP 4.3.

Bar-tailed Godwit*Limosa lapponica*

(1) 8 West Coast NP 4.3.

Ruddy Turnstone*Arenaria interpres interpres*

(1) 6 West Coast NP 4.3.

Red Knot*Calidris canutus canutus*

(1) 1 West Coast NP 4.3.

Ruff*Calidris pugnax*

(3) 4 Wakkerstroom area 20.2, 12 St Lucia 24.2 and 2 West Coast NP 4.3.

Curlew Sandpiper*Calidris ferruginea*

(2) 30 St Lucia 24.2 and 200 West Coast NP 4.3.

Sanderling*Calidris alba alba*

(3) 100 St Lucia 24.2, 3 St Lucia 25.2 and 20 West Coast NP 4.3.

Little Stint*Calidris minuta*

(3) 20 Wakkerstroom area 20.2, 20 St Lucia 24.2 and 150 West Coast NP 4.3.

African Snipe*Gallinago nigripennis nigripennis*

(1) 1 Wakkerstroom area 20.2.

Common Sandpiper*Actitis hypoleucos*

(4) 2 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2, 1 Mkuze GR 23.2 and 1 St Lucia 24.2.

Marsh Sandpiper*Tringa stagnatilis*

(1) 1 St Lucia 24.2.

Wood Sandpiper*Tringa glareola*

(7) 1 Zaagkuilsdrift Road 16.2, 2 Kruger NP - Skukuza 18.2, 3 Kruger NP - Skukuza 19.2, 2 Wakkerstroom area 20.2, 3 Wakkerstroom area 21.2, 6 St Lucia 24.2 and 2 Hilton 26.2.

Common Greenshank*Tringa nebularia*

(3) 1 Wakkerstroom area 20.2, 1 St Lucia 24.2 and 100 West Coast NP 4.3.

Pratincoles and Coursers Glareolidae**Black-winged Pratincole (NT)***Glareola nordmanni*

(1) 50 Zaagkuilsdrift Road 16.2.

Gulls, Terns & Skimmers Laridae**Sabine's Gull***Xema sabini*

(1) 30 Strandfontein Sewage Works 2.3.

Grey-headed Gull*Chroicocephalus cirrocephalus poiocephalus*

(5) 3 Johannesburg 15.2, 1 Johannesburg 16.2, 1 Wakkerstroom area 20.2, 15 St Lucia 24.2 and 1 West Coast NP 4.3.

Hartlaub's Gull*Chroicocephalus hartlaubii*

(3) 50 Strandfontein Sewage Works 2.3, 20 Rooi-Els 3.3 and 100 West Coast NP 4.3.

Kelp Gull*Larus dominicanus*

(3) 500 Strandfontein Sewage Works 2.3, 50 Rooi-Els 3.3 and 20 West Coast NP 4.3.

Caspian Tern*Hydroprogne caspia*

(1) 4 West Coast NP 4.3.

Greater Crested Tern*Thalasseus bergii bergii*

(2) 20 St Lucia 24.2 and 6+10 heard Cape Town - Pelagic 2.3.

Lesser Crested Tern*Thalasseus bengalensis bengalensis*

(1) 7 St Lucia 24.2.

Sandwich Tern*Thalasseus sandvicensis*

(3) 10 St Lucia 24.2, 1 Rooi-Els 3.3 and 15 West Coast NP 4.3.

Little Tern*Sternula albifrons albifrons*

(2) 5 St Lucia 24.2 and 10 West Coast NP 4.3.

Common Tern*Sterna hirundo hirundo*

(2) 20 St Lucia 24.2 and 3 Cape Town - Pelagic 2.3.

Arctic Tern*Sterna paradisaea*

(1) 6 Cape Town - Pelagic 2.3.

Whiskered Tern*Chlidonias hybrida*

(3) 8 Wakkerstroom area 20.2, 1 Wakkerstroom area 22.2 and 6 Mkuze GR 23.2.

White-winged Tern*Chlidonias leucopterus*

(2) 1 Wakkerstroom area 20.2 and 1 Wakkerstroom area 21.2.

Skuas and Jaegers Stercorariidae**Brown Skua***Stercorarius antarcticus*

(1) 5 Cape Town - Pelagic 2.3.

Pomarine Jaeger*Stercorarius pomarinus*

(1) 2 Cape Town - Pelagic 2.3.

Parasitic Jaeger*Stercorarius parasiticus*

(1) 12 Cape Town - Pelagic 2.3.

Long-tailed Jaeger*Stercorarius longicaudus longicaudus*

(1) 2 Cape Town - Pelagic 2.3.

Pigeons and Doves Columbidae**Rock Dove***Columba livia*

(3) 5 Johannesburg 15.2, 20 Dlinza Forest NR 26.2 and 30 Rooi-Els 3.3.

Speckled Pigeon*Columba guinea phaeonota*

(9) 3 Johannesburg 15.2, 40 Zaagkuilsdrift Road 16.2, 50 Johannesburg to Kruger NP 17.2, 20 Wakkerstroom area 20.2, 10 Wakkerstroom area 21.2, 1 Underberg 27.2, 6 Sani Pass 28.2, 2 Strandfontein Sewage Works 2.3 and 1 Rooi-Els 3.3.

African Olive Pigeon*Columba arquatrix*

(3) 3 Hilton 26.2, 10 Underberg 27.2 and 3 Sani Pass 28.2.

Eastern Bronze-naped Pigeon (1) 1 Hilton 26.2.	<i>Columba delegorguei delegorguei</i>
Lemon Dove (1) 7 Dlinza Forest NR 26.2.	<i>Columba larvata larvata</i>
Mourning Collared Dove (1) 5 Kruger NP - Skukuza 18.2.	<i>Streptopelia decipiens ambigua</i>
Red-eyed Dove (9) 2 Johannesburg 15.2, 6 Zaagkuilsdrift Road 16.2, 4 Wakkerstroom area 20.2, 2 St Lucia 24.2, 2 St Lucia 25.2, 2 Hilton 26.2, 5 Sani Pass 28.2, 1 Rooi-Els 3.3 and 3 West Coast NP 4.3.	<i>Streptopelia semitorquata</i>
Ring-necked Dove (11) 20 Zaagkuilsdrift Road 16.2, up to 20 Kruger NP - Skukuza 17-20.2, 15 Wakkerstroom area 21.2, 10 Mkuze GR 22.2, 10 Mkuze GR 23.2, 6 Underberg 27.2, 6 West Coast NP 4.3 and 5 Ceres 5.3.	<i>Streptopelia capicola</i>
Laughing Dove (9) 6 Johannesburg 15.2, 15 Zaagkuilsdrift Road 16.2, up to 20 Kruger NP - Skukuza 17-20.2, 6 Wakkerstroom area 21.2, 4 Mkuze GR 22.2 and 4 Hilton 26.2.	<i>Spilopelia senegalensis senegalensis</i>
Emerald-spotted Wood Dove (8) 1 heard Zaagkuilsdrift Road 16.2, up to 3 Kruger NP - Skukuza 18-20.2, 1 Mkuze GR 22.2, 20 Mkuze GR 23.2, 1 St Lucia 24.2 and 1 St Lucia 25.2.	<i>Turtur chalcospilos</i>
Tambourine Dove (4) 1 Mkuze GR 23.2, 1 St Lucia 24.2, 1 St Lucia 25.2 and 2 Dlinza Forest NR 26.2.	<i>Turtur tympanistria</i>
Namaqua Dove (5) 2 Zaagkuilsdrift Road 16.2, 4 Mkuze GR 22.2, 2 St Lucia 24.2, 2 West Coast NP 4.3 and 1 Tanqua Karoo 5.3.	<i>Oena capensis capensis</i>
African Green Pigeon (3) 4 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 20.2 and 5 Mkuze GR 23.2.	<i>Treron calvus delalandii</i>

Turacos Musophagidae

Livingstone's Turaco (2) 3 St Lucia 24.2 and 3 St Lucia 25.2.	<i>Tauraco livingstonii reichenowi</i>
Knysna Turaco (1) 2 Underberg 27.2.	<i>Tauraco corythaix</i>
Purple-crested Turaco (6) 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 20.2, 1 heard Mkuze GR 22.2, 1 heard Mkuze GR 23.2, 1 heard St Lucia 24.2 and 1 heard Dlinza Forest NR 26.2.	<i>Tauraco porphyreolophus porphyreolophus</i>
Grey Go-away-bird (5) 2 Johannesburg 15.2, 4 Zaagkuilsdrift Road 16.2 and up to 5 Kruger NP - Skukuza 17-19.2.	<i>Corythaixoides concolor</i>

Cuckoos Cuculidae

Burchell's Coucal (6) 1 heard Zaagkuilsdrift Road 16.2, 1 heard Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2, 1 heard Mkuze GR 23.2, 1 St Lucia 24.2 and 1 St Lucia 25.2.	<i>Centropus burchellii burchellii</i>
Green Malkoha (2) 1 Mkuze GR 23.2 and 1 heard St Lucia 25.2.	<i>Ceuthmochares australis</i>
Great Spotted Cuckoo (2) 2 Zaagkuilsdrift Road 16.2 and 1 Kruger NP - Skukuza 17.2.	<i>Clamator glandarius</i>
Levaillant's Cuckoo (2) 1 Zaagkuilsdrift Road 16.2 and 2 Kruger NP - Skukuza 19.2.	<i>Clamator levaillantii</i>

Jacobin Cuckoo*Clamator jacobinus*

(6) Up to 4 Kruger NP - Skukuza 17-19.2, 1 Mkuze GR 22.2, 3 Mkuze GR 23.2 and 1 heard St Lucia 24.2.

Diederik Cuckoo*Chrysococcyx caprius*

(6) 1 heard Zaagkuilsdrift Road 16.2, 1 heard Kruger NP - Skukuza 17.2, 2 Kruger NP - Skukuza 18.2, 1+1 heard Kruger NP - Skukuza 20.2, 2 Wakkerstroom area 21.2 and 1 heard Sani Pass 28.2.

Klaas's Cuckoo*Chrysococcyx klaas*

(3) 1 Kruger NP - Skukuza 17.2, 1 Kruger NP - Skukuza 20.2 and 1 Mkuze GR 23.2.

Black Cuckoo*Cuculus clamosus clamosus*

(5) 1 Zaagkuilsdrift Road 16.2, up to 1 Kruger NP - Skukuza 18-20.2 and 1 heard Hilton 26.2.

Red-chested Cuckoo*Cuculus solitarius*

(5) 1 heard Zaagkuilsdrift Road 16.2, up to 1 Kruger NP - Skukuza 18-20.2 and 1 Mkuze GR 24.2.

African Cuckoo*Cuculus gularis*

(1) 1 Kruger NP - Skukuza 18.2.

Common Cuckoo*Cuculus canorus canorus*

(1) 1 Kruger NP - Skukuza 19.2.

Barn-Owls Tytonidae**Western Barn Owl***Tyto alba poensis*

(1) 3 Kruger NP - Skukuza 19.2.

Owls Strigidae**Spotted Eagle-Owl***Bubo africanus africanus*

(1) 1 Wakkerstroom area 20.2.

African Wood Owl*Strix woodfordii woodfordii*

(1) 1 St Lucia 25.2.

Pearl-spotted Owlet*Glaucidium perlatum licua*

(3) 1 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 18.2 and 1 Mkuze GR 22.2.

Marsh Owl*Asio capensis capensis*

(1) 1 Mkuze GR 24.2.

Nightjars and Allies Caprimulgidae**Fiery-necked Nightjar***Caprimulgus pectoralis*

(1) 1 heard Kruger NP - Skukuza 18.2.

Swifts Apodidae**African Palm Swift***Cypsiurus parvus*

(6) 6 Zaagkuilsdrift Road 16.2, up to 2 Kruger NP - Skukuza 18-20.2, 20 Hilton 26.2 and 10 Underberg 27.2.

Alpine Swift*Tachymarptis melba*

(3) 1 Wakkerstroom area 21.2, 3 Sani Pass 28.2 and 5 Rooi-Els 3.3.

Common Swift*Apus apus*

(1) 1 Sani Pass 28.2.

African Black Swift*Apus barbatus barbatus*

(3) 10 Sani Pass 28.2, 50 Cape Town - Pelagic 2.3 and 10 Rooi-Els 3.3.

Little Swift*Apus affinis*

(7) 4 Johannesburg 15.2, 8 Zaagkuilsdrift Road 16.2, up to 20 Kruger NP - Skukuza 17-20.2 and 2 West Coast NP 4.3.

Horus Swift *Apus horus horus*

(2) 2 Wakkerstroom area 21.2 and 2 Sani Pass 28.2.

White-rumped Swift *Apus caffer*

(3) 1 Kruger NP - Skukuza 17.2, 1 Kruger NP - Skukuza 19.2 and 2 Wakkerstroom area 20.2.

Mousebirds *Coliidae*

Speckled Mousebird *Colius striatus*

(8) 1 Johannesburg 15.2, 1 Kruger NP - Skukuza 19.2, 1 Kruger NP - Skukuza 20.2, 1 Wakkerstroom area 21.2, up to 1 Mkuze GR 22-24.2 and 2 Ceres 5.3.

White-backed Mousebird *Colius colius*

(2) 2 Zaagkuilsdrift Road 16.2 and 2 West Coast NP 4.3.

Red-faced Mousebird *Urocolius indicus*

(6) 6 Johannesburg 15.2, 3 Zaagkuilsdrift Road 16.2, 5 Kruger NP - Skukuza 19.2, 3 Kruger NP - Skukuza 20.2, 10 Mkuze GR 23.2 and 6 Tanqua Karoo 5.3.

Trogons *Trogonidae*

Narina Trogon *Apaloderma narina narina*

(1) 1 St Lucia 24.2.

Rollers *Coraciidae*

Purple Roller *Coracias naevius mosambicus*

(1) 2 Kruger NP - Skukuza 18.2.

Lilac-breasted Roller *Coracias caudatus caudatus*

(6) 2 Zaagkuilsdrift Road 16.2, up to 10 Kruger NP - Skukuza 17-20.2 and 2 Mkuze GR 23.2.

European Roller (NT) *Coracias garrulus garrulus*

(7) Up to 20 Kruger NP - Skukuza 17-20.2, 3 Mkuze GR 22.2, 2 St Lucia 24.2 and 5 St Lucia 25.2.

Broad-billed Roller *Eurystomus glaucurus suahelicus*

(1) 3 Mkuze GR 23.2.

Kingfishers *Alcedinidae*

Brown-hooded Kingfisher *Halcyon albiventris*

(6) 1 Kruger NP - Skukuza 17.2, 1 heard Wakkerstroom area 22.2, 1 Mkuze GR 23.2, 1 St Lucia 24.2, 5 St Lucia 25.2 and 1 Hilton 27.2.

Striped Kingfisher *Halcyon chelicuti chelicuti*

(2) 1 Mkuze GR 22.2 and 1 Mkuze GR 23.2.

Woodland Kingfisher *Halcyon senegalensis cyanoleuca*

(7) 1 Zaagkuilsdrift Road 16.2, up to 4 Kruger NP - Skukuza 17-20.2, 1 heard Mkuze GR 22.2 and 2 Mkuze GR 23.2.

African Pygmy Kingfisher *Ispidina picta natalensis*

(1) 1 Kruger NP - Skukuza 19.2.

Malachite Kingfisher *Corythornis cristatus cristatus*

(5) 1 Zaagkuilsdrift Road 16.2, up to 4 Kruger NP - Skukuza 18-20.2 and 2 Mkuze GR 23.2.

Half-collared Kingfisher *Alcedo semitorquata*

(1) 1 Sani Pass 28.2.

Giant Kingfisher *Megaceryle maxima maxima*

(3) 1 Kruger NP - Skukuza 19.2, 1 heard Wakkerstroom area 22.2 and 1 Sani Pass 28.2.

Pied Kingfisher *Ceryle rudis rudis*

(4) 1 Zaagkuilsdrift Road 16.2, 3 Kruger NP - Skukuza 18.2, 2 Kruger NP - Skukuza 19.2 and 2 Mkuze GR 23.2.

Bee-eaters *Meropidae***Little Bee-eater***Merops pusillus*

(2) 1 Kruger NP - Skukuza 19.2 and 1 Mkuze GR 22.2.

White-fronted Bee-eater*Merops bullockoides*

(2) 3 Kruger NP - Skukuza 19.2 and 1 Kruger NP - Skukuza 20.2.

Blue-cheeked Bee-eater*Merops persicus persicus*

(4) 6 Zaagkuilsdrift Road 16.2, 10 Mkuze GR 23.2, 20 St Lucia 24.2 and 15 St Lucia 25.2.

European Bee-eater*Merops apiaster*

(7) Up to 6 Kruger NP - Skukuza 17-20.2, 10 Mkuze GR 22.2, 6 Mkuze GR 23.2 and 5 St Lucia 25.2.

Southern Carmine Bee-eater*Merops nubicoides*

(2) 15 Kruger NP - Skukuza 18.2 and 15 Kruger NP - Skukuza 19.2.

Hoopoes *Upupidae***African Hoopoe***Upupa africana*

(2) 1 Kruger NP - Skukuza 19.2 and 2 Mkuze GR 23.2.

Wood Hoopoes *Phoeniculidae***Green Wood Hoopoe***Phoeniculus purpureus*

(4) Up to 6 Kruger NP - Skukuza 17-19.2 and 1 Mkuze GR 23.2.

Common Scimitarbill*Rhinopomastus cyanomelas*

(1) 3 Kruger NP - Skukuza 18.2.

Ground Hornbills *Bucorvidae***Southern Ground Hornbill (VU)***Bucorvus leadbeateri*

(2) 3 Kruger NP - Skukuza 17.2 and 1 heard Kruger NP - Skukuza 19.2.

Hornbills *Bucerotidae***Southern Red-billed Hornbill***Tockus rufirostris*

(6) 2 Zaagkuilsdrift Road 16.2, up to 2 Kruger NP - Skukuza 17-20.2 and 1 Mkuze GR 22.2.

Southern Yellow-billed Hornbill*Tockus leucomelas leucomelas*

(6) 3 Zaagkuilsdrift Road 16.2, up to 3 Kruger NP - Skukuza 18-20.2, 1 Mkuze GR 22.2 and 2 Mkuze GR 23.2.

Crowned Hornbill*Lophoceros alboterminatus*

(5) 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2, 1 Mkuze GR 23.2, 3 St Lucia 24.2 and 4 St Lucia 25.2.

African Grey Hornbill*Lophoceros nasutus epirhinus*

(2) 1 Kruger NP - Skukuza 18.2 and 2 Kruger NP - Skukuza 20.2.

Trumpeter Hornbill*Bycanistes bucinator*

(4) 3 Kruger NP - Skukuza 18.2, 10 Mkuze GR 23.2, 6 St Lucia 24.2 and 6 St Lucia 25.2.

African Barbets *Lybiidae***White-eared Barbet***Stactolaema leucotis leucotis*

(4) 5 Mkuze GR 23.2, 6 St Lucia 24.2, 25 St Lucia 25.2 and 6 Dlinza Forest NR 26.2.

Yellow-rumped Tinkerbird*Pogoniulus bilineatus bilineatus*

(4) 1 Mkuze GR 23.2, 2 St Lucia 24.2, 4 St Lucia 25.2 and 1 heard Dlinza Forest NR 26.2.

Red-fronted Tinkerbird*Pogoniulus pusillus pusillus*

(2) 1 Mkuze GR 23.2 and 1 heard Underberg 27.2.

Acacia Pied Barbet*Tricholaema leucomelas*

(3) 2 Mkuze GR 22.2, 1 Mkuze GR 23.2 and 1 heard Tanqua Karoo 5.3.

Black-collared Barbet*Lybius torquatus torquatus*

(7) Up to 8 Kruger NP - Skukuza 17-19.2, 3 Wakkerstroom area 20.2, 2 Mkuze GR 22.2, 1 St Lucia 25.2 and 1 Hilton 26.2.

Crested Barbet*Trachyphonus vaillantii vaillantii*

(5) 2 Johannesburg 15.2, 1 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 17.2, 1 Kruger NP - Skukuza 18.2 and 1 Mkuze GR 23.2.

Honeyguides Indicatoridae**Lesser Honeyguide***Indicator minor minor*

(2) 1 Kruger NP - Skukuza 20.2 and 1 Underberg 27.2.

Scaly-throated Honeyguide*Indicator variegatus*

(1) 1 St Lucia 25.2.

Greater Honeyguide*Indicator indicator*

(1) 1 Zaagkuilsdrift Road 16.2.

Woodpeckers Picidae**Red-throated Wryneck***Jynx ruficollis ruficollis*

(1) 2 Wakkerstroom area 21.2.

Golden-tailed Woodpecker*Campethera abingoni*

(3) 1 Kruger NP - Skukuza 18.2, 2 Kruger NP - Skukuza 19.2 and 1 Mkuze GR 23.2.

Ground Woodpecker*Geocolaptes olivaceus*

(2) 5 Wakkerstroom area 21.2 and 3 Sani Pass 28.2.

Bearded Woodpecker*Chloropicus namaquus*

(1) 2 Kruger NP - Skukuza 19.2.

Cardinal Woodpecker*Dendropicus fuscescens*

(4) 1 Zaagkuilsdrift Road 16.2, 1 Mkuze GR 23.2, 2 St Lucia 25.2 and 1 Hilton 27.2.

Olive Woodpecker*Dendropicus griseocephalus griseocephalus*

(3) 1 Dlinza Forest NR 26.2, 1 heard Sani Pass 28.2 and 1 heard Cape Town - Kirstenbosch Botanical Garden 1.3.

Falcons and Caracaras Falconidae**Rock Kestrel***Falco rupicolus*

(4) 2 Johannesburg to Kruger NP 17.2, 1 Sani Pass 28.2, 1 Cape Town - Kirstenbosch Botanical Garden 1.3 and 3 West Coast NP 4.3.

Greater Kestrel*Falco rupicoloides rupicoloides*

(1) 1 Wakkerstroom area 21.2.

Red-footed Falcon (NT)*Falco vespertinus*

(1) 1 Wakkerstroom area 21.2.

Amur Falcon*Falco amurensis*

(6) 30 Zaagkuilsdrift Road 16.2, up to 80 Wakkerstroom area 20-22.2, 5 St Lucia 25.2 and 5 Sani Pass 28.2.

Eurasian Hobby*Falco subbuteo subbuteo*

(1) 1 Kruger NP - Skukuza 19.2.

Lanner Falcon*Falco biarmicus biarmicus*

(4) 1 Johannesburg to Kruger NP 17.2, 2 Wakkerstroom area 21.2, 1 Sani Pass 28.2 and 1 West Coast NP 4.3.

Peregrine Falcon*Falco peregrinus*

(1) 2 Cape Town - Pelagic 2.3.

Taita Falcon (NT) *Falco fasciinucha*

(1) 1 Johannesburg to Kruger NP 17.2.

African & New World Parrots *Psittacidae*

Cape Parrot *Poicephalus robustus*

(1) 19 Underberg 27.2.

Brown-headed Parrot *Poicephalus cryptoxanthus cryptoxanthus*

(2) 1 Kruger NP - Skukuza 18.2 and 1 heard Kruger NP - Skukuza 19.2.

Wattle-eyes, Batises *Platysteiridae*

Cape Batis *Batis capensis*

(4) 2 Dlinza Forest NR 26.2, 1 Underberg 27.2, 1 heard Cape Town - Kirstenbosch Botanical Garden 1.3 and 3 Rooi-Els 3.3.

Woodward's Batis *Batis fratrum*

(2) 2 St Lucia 24.2 and 1 heard St Lucia 25.2.

Chinspot Batis *Batis molitor*

(6) Up to 3 Kruger NP - Skukuza 17-20.2, 2 Mkuze GR 22.2 and 1 Mkuze GR 23.2.

Pirit Batis *Batis pririt*

(1) 3 Tanqua Karoo 5.3.

Black-throated Wattle-eye *Platysteira peltata peltata*

(1) 2 St Lucia 24.2.

Bushshrikes and Allies *Malaconotidae*

Grey-headed Bushshrike *Malaconotus blanchoti*

(2) 1 heard Kruger NP - Skukuza 19.2 and 1 heard Dlinza Forest NR 26.2.

Olive Bushshrike *Chlorophoneus olivaceus*

(2) 1 heard Hilton 26.2 and 1 Underberg 27.2.

Orange-breasted Bushshrike *Chlorophoneus sulfureopectus similis*

(4) Up to 1 Kruger NP - Skukuza 18-20.2 and 1 heard Mkuze GR 23.2.

Gorgeous Bushshrike *Telophorus viridis quadricolor*

(6) Up to 1 Kruger NP - Skukuza 18-20.2, 1 heard Mkuze GR 22.2, 1 heard Mkuze GR 23.2 and 1 heard St Lucia 25.2.

Bokmakierie *Telophorus zeylonus*

(5) 1 Wakkerstroom area 21.2, 1 heard Sani Pass 28.2, 1 heard Rooi-Els 3.3, 6 West Coast NP 4.3 and 2 Tanqua Karoo 5.3.

Brown-crowned Tchagra *Tchagra australis*

(4) 2 Zaagkuilsdrift Road 16.2, 2 Kruger NP - Skukuza 19.2, 1 Mkuze GR 22.2 and 1 Mkuze GR 23.2.

Black-crowned Tchagra *Tchagra senegalus*

(3) 1 heard Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2 and 1 heard Mkuze GR 23.2.

Black-backed Puffback *Dryoscopus cubla*

(8) Up to 2 Kruger NP - Skukuza 17-19.2, 2 Mkuze GR 23.2, 1 St Lucia 24.2, 2 St Lucia 25.2, 2 Dlinza Forest NR 26.2 and 2 Underberg 27.2.

Southern Boubou *Laniarius ferrugineus*

(9) 1 heard Johannesburg to Kruger NP 17.2, 1 Kruger NP - Skukuza 19.2, 1 Kruger NP - Skukuza 20.2, 1 Mkuze GR 23.2, 1 heard St Lucia 25.2, 1 heard Dlinza Forest NR 26.2, 2 Underberg 27.2, 1 heard Cape Town - Kirstenbosch Botanical Garden 1.3 and 1 Rooi-Els 3.3.

Crimson-breasted Shrike *Laniarius atrococcineus*

(1) 2 Zaagkuilsdrift Road 16.2.

Brubru*Nilaus afer*

(2) 2 Kruger NP - Skukuza 18.2 and 1 heard Kruger NP - Skukuza 19.2.

Vangas Vangidae**White-crested Helmetshrike***Prionops plumatus*

(3) 5 Kruger NP - Skukuza 19.2, 8 Mkuze GR 22.2 and 6 Mkuze GR 23.2.

Retz's Helmetshrike*Prionops retzii*

(1) 8 Kruger NP - Skukuza 18.2.

Cuckoo-shrikes Campephagidae**Grey Cuckooshrike***Cebblepyris caesius caesius*

(2) 2 Dlinza Forest NR 26.2 and 1 Underberg 27.2.

Black Cuckooshrike*Campephaga flava*

(2) 2 Kruger NP - Skukuza 19.2 and 1 Mkuze GR 23.2.

Shrikes Laniidae**Magpie Shrike***Urolestes melanoleucus*

(5) 10 Zaagkuilsdrift Road 16.2 and up to 10 Kruger NP - Skukuza 17-20.2.

Southern White-crowned Shrike*Eurocephalus anguitimens*

(3) 5 Kruger NP - Skukuza 17.2, 3 Kruger NP - Skukuza 18.2 and 1 Kruger NP - Skukuza 20.2.

Red-backed Shrike*Lanius collurio*

(7) 70 Zaagkuilsdrift Road 16.2, up to 20 Kruger NP - Skukuza 17-19.2, 15 Mkuze GR 22.2, 10 Mkuze GR 23.2 and 1 Hilton 26.2.

Lesser Grey Shrike*Lanius minor*

(5) 5 Zaagkuilsdrift Road 16.2, up to 3 Kruger NP - Skukuza 18-20.2 and 1 Mkuze GR 22.2.

Southern Fiscal*Lanius collaris*

(7) Up to 3 Wakkerstroom area 20-22.2, 2 Mkuze GR 24.2, 1 Hilton 26.2, 2 Sani Pass 28.2 and 1 heard Ceres 4.3.

Old World Orioles Oriolidae**Eurasian Golden Oriole***Oriolus oriolus*

(2) 2 Kruger NP - Skukuza 17.2 and 1 Kruger NP - Skukuza 20.2.

Black-headed Oriole*Oriolus larvatus larvatus*

(3) 1 Kruger NP - Skukuza 18.2, 1 Mkuze GR 23.2 and 1 Underberg 27.2.

Drongos Dicruridae**Square-tailed Drongo***Dicrurus ludwigii ludwigii*

(3) 2 Mkuze GR 23.2, 2 St Lucia 24.2 and 2 St Lucia 25.2.

Fork-tailed Drongo*Dicrurus adsimilis*

(10) 3 Zaagkuilsdrift Road 16.2, up to 4 Kruger NP - Skukuza 17-20.2, 2 Mkuze GR 22.2, 4 Mkuze GR 23.2, 2 Hilton 26.2, 2 Hilton 27.2 and 2 Sani Pass 28.2.

Monarchs Monarchidae**Blue-mantled Crested Flycatcher***Trochocercus cyanomelas*

(2) 1 Mkuze GR 23.2 and 1 heard Underberg 27.2.

African Paradise Flycatcher*Terpsiphone viridis*

(3) 1 Kruger NP - Skukuza 19.2, 1 Mkuze GR 23.2 and 1 Tanqua Karoo 5.3.

Crows, Jays, and Magpies Corvidae**House Crow** *Corvus splendens splendens*

(1) 1 Rooi-Els 3.3.

Cape Crow *Corvus capensis capensis*

(6) Up to 20 Wakkerstroom area 20-22.2, 2 Hilton 27.2, 5 Sani Pass 28.2 and 2 Underberg 1.3.

Pied Crow *Corvus albus*

(12) 10 Zaagkuilsdrift Road 16.2, 3 Johannesburg to Kruger NP 17.2, 2 Wakkerstroom area 22.2, 2 St Lucia 24.2, 1 St Lucia 25.2, 40 Hilton 26.2, 1 Hilton 27.2, 1 Underberg 1.3, 2 Strandfontein Sewage Works 2.3, 2 Rooi-Els 3.3, 20 West Coast NP 4.3 and 2 Tanqua Karoo 5.3.

White-necked Raven *Corvus albicollis*

(6) 1 Underberg 27.2, 2 Sani Pass 28.2, 7 Cape Town - Kirstenbosch Botanical Garden 1.3, 2 Rooi-Els 3.3, 2 Ceres 4.3 and 1 Ceres 5.3.

Rockjumpers Chaetopidae**Cape Rockjumper** *Chaetops frenatus*

(1) 1 Rooi-Els 3.3.

Drakensberg Rockjumper *Chaetops aurantius*

(1) 7 Sani Pass 28.2.

Fairy Flycatchers Stenostiridae**Fairy Flycatcher** *Stenostira scita*

(2) 2 Sani Pass 28.2 and 1 heard Tanqua Karoo 5.3.

Tits, Chickadees Paridae**Southern Black Tit** *Melaniparus niger*

(5) 3 Kruger NP - Skukuza 17.2, 1 Kruger NP - Skukuza 18.2, 2 Mkuze GR 23.2, 1 heard Underberg 27.2 and 1 Sani Pass 28.2.

Grey Tit *Melaniparus afer*

(1) 6 Sani Pass 28.2.

Penduline-Tits Remizidae**Cape Penduline Tit** *Anthoscopus minutus*

(1) 6 West Coast NP 4.3.

Nicator Nicatoridae**Eastern Nicator** *Nicator gularis*

(1) 1 St Lucia 25.2.

Larks Alaudidae**Spike-heeled Lark** *Chersomanes albofasciata*

(2) 6 Wakkerstroom area 20.2 and 3 Wakkerstroom area 21.2.

Eastern Long-billed Lark *Certhilauda semitorquata*

(1) 3 Wakkerstroom area 22.2.

Grey-backed Sparrow-Lark *Eremopterix verticalis*

(1) 2 Ceres 4.3.

Sabota Lark *Calendulauda sabota*

(3) 1 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 20.2 and 2 Mkuze GR 23.2.

Karoo Lark *Calendulauda albescens*

(2) 2 West Coast NP 4.3 and 1 Tanqua Karoo 5.3.

Rudd's Lark (VU) (1) 1 Wakkerstroom area 21.2.	<i>Heteromiraфра ruddi</i>
Eastern Clapper Lark (1) 1 Wakkerstroom area 21.2.	<i>Miraфра fasciolata fasciolata</i>
Rufous-naped Lark (4) 1 heard Zaagkuilsdrift Road 16.2, 1 Johannesburg to Kruger NP 17.2, 1 Kruger NP - Skukuza 19.2 and 1 Wakkerstroom area 21.2.	<i>Miraфра africana</i>
Monotonous Lark (3) Up to 2 Kruger NP - Skukuza 18-20.2.	<i>Miraфра passerina</i>
Botha's Lark (EN) (1) 2 Wakkerstroom area 21.2.	<i>Spizocorys fringillaris</i>
Pink-billed Lark (1) 2 Wakkerstroom area 21.2.	<i>Spizocorys conirostris</i>
Large-billed Lark (3) 2 Sani Pass 28.2, 1 West Coast NP 4.3 and 1 Tanqua Karoo 5.3.	<i>Galerida magnirostris</i>
Red-capped Lark (3) 2 Wakkerstroom area 20.2, 6 Wakkerstroom area 21.2 and 10 Sani Pass 28.2.	<i>Calandrella cinerea cinerea</i>

Bulbuls Pycnonotidae

Cape Bulbul (4) 6 Cape Town - Kirstenbosch Botanical Garden 1.3, 2 Rooi-Els 3.3, 30 West Coast NP 4.3 and 6 Tanqua Karoo 5.3.	<i>Pycnonotus capensis</i>
Dark-capped Bulbul (12) 6 Zaagkuilsdrift Road 16.2, 6 Johannesburg to Kruger NP 17.2, up to 20 Kruger NP - Skukuza 18-20.2, 2 Wakkerstroom area 21.2, 10 Mkuze GR 22.2, 10 Mkuze GR 23.2, 6 St Lucia 24.2, 10 St Lucia 25.2, 10 Hilton 26.2 and 6 Sani Pass 28.2.	<i>Pycnonotus tricolor layardi</i>
Sombre Greenbul (9) 1 heard Johannesburg to Kruger NP 17.2, 1 heard Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2, 1 Mkuze GR 23.2, 1 heard St Lucia 24.2, 1 St Lucia 25.2, 1 Dlinza Forest NR 26.2, 1 heard Cape Town - Kirstenbosch Botanical Garden 1.3 and 1 heard Rooi-Els 3.3.	<i>Andropadus importunus</i>
Yellow-bellied Greenbul (5) 1 Zaagkuilsdrift Road 16.2, 1 heard Kruger NP - Skukuza 20.2, 2 Mkuze GR 23.2, 2 St Lucia 24.2 and 3 St Lucia 25.2.	<i>Chlorocichla flaviventris</i>
Terrestrial Brownbul (4) 1 Kruger NP - Skukuza 19.2, 3 St Lucia 25.2, 1 heard Dlinza Forest NR 26.2 and 2 Underberg 27.2.	<i>Phyllastrephus terrestris</i>

Swallows Hirundinidae

Black Saw-wing (6) 2 Wakkerstroom area 21.2, 2 St Lucia 24.2, 3 St Lucia 25.2, 8 Sani Pass 28.2, 1 Cape Town - Kirstenbosch Botanical Garden 1.3 and 2 Rooi-Els 3.3.	<i>Psalidoprocne pristoptera</i>
Brown-throated Martin (7) Up to 6 Wakkerstroom area 20-22.2, 2 Hilton 26.2, 2 Sani Pass 28.2, 2 Strandfontein Sewage Works 2.3 and 2 West Coast NP 4.3.	<i>Riparia paludicola paludicola</i>
Sand Martin (1) 3 Mkuze GR 24.2.	<i>Riparia riparia riparia</i>
Banded Martin (3) 8 Wakkerstroom area 20.2, 25 Wakkerstroom area 21.2 and 3 Sani Pass 28.2.	<i>Riparia cincta cincta</i>

Barn Swallow*Hirundo rustica rustica*

(15) 6 Johannesburg 15.2, 6 Zaagkuilsdrift Road 16.2, up to 30 Kruger NP - Skukuza 17-19.2, up to 50 Wakkerstroom area 20-22.2, 50 Mkuze GR 23.2, 50 Mkuze GR 24.2, 10 St Lucia 25.2, 10 Underberg 27.2, 20 Sani Pass 28.2, 200 Strandfontein Sewage Works 2.3 and 50 Rooi-Els 3.3.

White-throated Swallow*Hirundo albigularis*

(7) 2 Zaagkuilsdrift Road 16.2, up to 10 Wakkerstroom area 20-22.2, 2 Sani Pass 28.2, 2 Strandfontein Sewage Works 2.3 and 2 West Coast NP 4.3.

Wire-tailed Swallow*Hirundo smithii smithii*

(5) Up to 5 Kruger NP - Skukuza 18-20.2, 1 Mkuze GR 23.2 and 2 Hilton 26.2.

Rock Martin*Ptyonoprogne fuligula*

(4) 3 Johannesburg to Kruger NP 17.2, 6 Sani Pass 28.2, 2 West Coast NP 4.3 and 2 Tanqua Karoo 5.3.

Common House Martin*Delichon urbicum*

(2) 1 Kruger NP - Skukuza 20.2 and 2 Sani Pass 28.2.

Greater Striped Swallow*Cecropis cucullata*

(8) 1 Zaagkuilsdrift Road 16.2, 6 Johannesburg to Kruger NP 17.2, up to 30 Wakkerstroom area 20-22.2, 1 Underberg 27.2, 10 Sani Pass 28.2 and 1 Rooi-Els 3.3.

Lesser Striped Swallow*Cecropis abyssinica unitatis*

(6) Up to 6 Kruger NP - Skukuza 17-20.2, 20 Mkuze GR 23.2 and 6 St Lucia 25.2.

Red-breasted Swallow*Cecropis semirufa semirufa*

(5) 2 Zaagkuilsdrift Road 16.2, 2 Kruger NP - Skukuza 18.2, 3 Kruger NP - Skukuza 19.2, 2 Mkuze GR 24.2 and 4 St Lucia 25.2.

Mosque Swallow*Cecropis senegalensis monteiri*

(1) 1 Kruger NP - Skukuza 19.2.

South African Cliff Swallow*Petrochelidon spilodera*

(1) 3 Wakkerstroom area 22.2.

Crombecs, African warblers *Macrosphenidae***Cape Grassbird***Sphenoeacus afer*

(6) 1 heard Wakkerstroom area 21.2, 1 heard Wakkerstroom area 22.2, 1 heard Hilton 26.2, 1 Sani Pass 28.2, 1 Rooi-Els 3.3 and 1 heard West Coast NP 4.3.

Long-billed Crombec*Sylvietta rufescens*

(7) 1 Zaagkuilsdrift Road 16.2, up to 2 Kruger NP - Skukuza 17-20.2, 2 Mkuze GR 23.2 and 1 heard West Coast NP 4.3.

Victorin's Warbler*Cryptillas victorini*

(1) 2 Rooi-Els 3.3.

Leaf warblers and allies *Phylloscopidae***Willow Warbler***Phylloscopus trochilus*

(5) 1 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 20.2, 1 heard Mkuze GR 23.2 and 1 heard Sani Pass 28.2.

Yellow-throated Woodland Warbler*Phylloscopus ruficapilla*

(2) 1 Hilton 26.2 and 2 Underberg 27.2.

Reed warblers and allies *Acrocephalidae***Lesser Swamp Warbler***Acrocephalus gracilirostris*

(4) 1 Kruger NP - Skukuza 19.2, 1 Wakkerstroom area 22.2, 1 heard St Lucia 24.2 and 2 Hilton 26.2.

Great Reed Warbler*Acrocephalus arundinaceus arundinaceus*

(1) 1 heard Kruger NP - Skukuza 20.2.

- Marsh Warbler** *Acrocephalus palustris*
 (2) 1 heard Kruger NP - Skukuza 20.2 and 1 heard Mkuze GR 23.2.
- African Yellow Warbler** *Iduna natalensis natalensis*
 (1) 2 Hilton 26.2.
- Olive-tree Warbler** *Hippolais olivetorum*
 (3) 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2 and 2 Mkuze GR 22.2.

Grassbirds and allies *Locustellidae*

- Barratt's Warbler** *Bradypterus barratti*
 (1) 1 Sani Pass 28.2.
- Little Rush Warbler** *Bradypterus baboecala*
 (1) 1 Wakkerstroom area 22.2.

Cisticolas and allies *Cisticolidae*

- Red-faced Cisticola** *Cisticola erythrops nyasa*
 (3) 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 20.2 and 1 heard Mkuze GR 22.2.
- Lazy Cisticola** *Cisticola aberrans*
 (3) 2 Wakkerstroom area 22.2, 1 heard St Lucia 25.2 and 1 Hilton 26.2.
- Rattling Cisticola** *Cisticola chiniana*
 (6) 15 Zaagkuilsdrift Road 16.2, up to 20 Kruger NP - Skukuza 17-19.2, 6 Mkuze GR 22.2 and 10 Mkuze GR 23.2.
- Grey-backed Cisticola** *Cisticola subruficapilla*
 (1) 1 Rooi-Els 3.3.
- Wailing Cisticola** *Cisticola lais*
 (4) 1 Wakkerstroom area 21.2, 1 Wakkerstroom area 22.2, 1 heard Underberg 27.2 & 6 Sani Pass 28.2.
- Rufous-winged Cisticola** *Cisticola galactotes galactotes*
 (2) 1 Mkuze GR 22.2 and 1 St Lucia 25.2.
- Levaillant's Cisticola** *Cisticola tinniens*
 (5) Up to 2 Wakkerstroom area 20-22.2, 1 heard Hilton 26.2 and 1 heard Strandfontein Sewage Works 2.3.
- Croaking Cisticola** *Cisticola natalensis natalensis*
 (2) 1 Kruger NP - Skukuza 19.2 and 2 St Lucia 25.2.
- Neddicky** *Cisticola fulvicapilla*
 (3) 1 heard Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 19.2 and 1 Rooi-Els 3.3.
- Zitting Cisticola** *Cisticola juncidis terrestris*
 (9) 3 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 18.2, 1 heard Kruger NP - Skukuza 19.2, 1 heard Wakkerstroom area 20.2, 1 heard Wakkerstroom area 21.2, 1 heard Mkuze GR 22.2, 1 heard St Lucia 24.2, 1 heard St Lucia 25.2 and 1 heard Strandfontein Sewage Works 2.3.
- Desert Cisticola** *Cisticola aridulus*
 (1) 2 Mkuze GR 22.2.
- Cloud Cisticola** *Cisticola textrix*
 (1) 1 Wakkerstroom area 21.2.
- Pale-crowned Cisticola** *Cisticola cinnamomeus egregius*
 (1) 1 Wakkerstroom area 21.2.
- Wing-snapping Cisticola** *Cisticola ayresii ayresii*
 (1) 2 Wakkerstroom area 21.2.

- Tawny-flanked Prinia** *Prinia subflava*
(6) 1 Zaagkuilsdrift Road 16.2, up to 2 Kruger NP - Skukuza 18-20.2, 1 heard Mkuze GR 23.2 and 1 heard St Lucia 24.2.
- Black-chested Prinia** *Prinia flavicans*
(1) 3 Zaagkuilsdrift Road 16.2.
- Karoo Prinia** *Prinia maculosa*
(5) 6 Sani Pass 28.2, 3 Cape Town - Kirstenbosch Botanical Garden 1.3, 2 Rooi-Els 3.3, 2 West Coast NP 4.3 and 2 Tanqua Karoo 5.3.
- Drakensberg Prinia** *Prinia hypoxantha*
(4) 1 heard Wakkerstroom area 21.2, 2 Hilton 26.2, 1 Underberg 27.2 and 2 Sani Pass 28.2.
- Namaqua Warbler** *Phragmacia substriata*
(1) 2 Tanqua Karoo 5.3.
- Bar-throated Apalis** *Apalis thoracica*
(4) 1 Johannesburg to Kruger NP 17.2, 2 Underberg 27.2, 1 Rooi-Els 3.3 and 1 heard West Coast NP 4.3.
- Rudd's Apalis** *Apalis ruddi fumosa*
(2) 1 Mkuze GR 23.2 and 2 St Lucia 24.2.
- Yellow-breasted Apalis** *Apalis flavida*
(6) 2 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2, 1 Mkuze GR 23.2, 1 heard St Lucia 24.2, 1 heard St Lucia 25.2 and 1 heard Underberg 27.2.
- Rufous-eared Warbler** *Malcorus pectoralis*
(1) 1 Tanqua Karoo 5.3.
- Green-backed Camaroptera** *Camaroptera brachyura*
(6) Up to 1 Kruger NP - Skukuza 18-20.2, 1 heard Mkuze GR 23.2, 1 heard St Lucia 24.2 and 2 St Lucia 25.2.
- Grey-backed Camaroptera** *Camaroptera brevicaudata*
(2) 1 heard Zaagkuilsdrift Road 16.2 and 1 heard Kruger NP - Skukuza 17.2.
- Stierling's Wren-Warbler** *Calamonastes stierlingi pintoii*
(2) 1 heard Kruger NP - Skukuza 19.2 and 1 Kruger NP - Skukuza 20.2.
- Barred Wren-Warbler** *Calamonastes fasciolatus*
(1) 1 heard Zaagkuilsdrift Road 16.2.
- Cinnamon-breasted Warbler** *Euryptila subcinnaomea*
(1) 1 Tanqua Karoo 5.3.
- Yellow-bellied Eremomela** *Eremomela icteropygialis*
(1) 1 Kruger NP - Skukuza 18.2.
- Karoo Eremomela** *Eremomela gregalis*
(1) 8 Tanqua Karoo 5.3.
- Burnt-necked Eremomela** *Eremomela usticollis usticollis*
(3) 2 Zaagkuilsdrift Road 16.2, 1 heard Kruger NP - Skukuza 18.2 and 1 heard Mkuze GR 23.2.

Laughingthrushes *Leiothrichidae*

- Arrow-marked Babbler** *Turdoides jardineii jardineii*
(4) 6 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 17.2, 2 Kruger NP - Skukuza 19.2 and 1 heard Mkuze GR 22.2.
- Southern Pied Babbler** *Turdoides bicolor*
(1) 4 Zaagkuilsdrift Road 16.2.

Sylviid Babblers *Sylviidae*

- Bush Blackcap (NT)** *Lioptilus nigricapillus*
(1) 1 Underberg 27.2.
- Common Whitethroat** *Sylvia communis*
(1) 1 Zaagkuilsdrift Road 16.2.
- Chestnut-vented Warbler** *Sylvia subcoerulea*
(1) 2 Zaagkuilsdrift Road 16.2.
- Layard's Warbler** *Sylvia layardi*
(2) 2 Sani Pass 28.2 and 1 Tanqua Karoo 5.3.

White-eyes *Zosteropidae*

- Cape White-eye** *Zosterops virens*
(9) 1 Johannesburg 15.2, 1 Johannesburg to Kruger NP 17.2, 2 Kruger NP - Skukuza 20.2, 2 Hilton 26.2, 2 Underberg 27.2, 2 Sani Pass 28.2, 4 Cape Town - Kirstenbosch Botanical Garden 1.3, 4 Rooi-Els 3.3 and 3 Ceres 5.3.
- African Yellow White-eye** *Zosterops senegalensis*
(1) 1 St Lucia 25.2.

Sugarbirds *Promeropidae*

- Cape Sugarbird** *Promerops cafer*
(2) 6 Cape Town - Kirstenbosch Botanical Garden 1.3 and 1 Rooi-Els 3.3.
- Gurney's Sugarbird** *Promerops gurneyi gurneyi*
(1) 4 Sani Pass 28.2.

Starlings *Sturnidae*

- Common Myna** *Acridotheres tristis tristis*
(6) 2 Johannesburg 15.2, 4 Zaagkuilsdrift Road 16.2, 4 Wakkerstroom area 21.2, 4 Mkuze GR 22.2, 6 St Lucia 24.2 and 3 Underberg 1.3.
- Common Starling** *Sturnus vulgaris vulgaris*
(3) 10 Wakkerstroom area 21.2, 6 Strandfontein Sewage Works 2.3 and 10 West Coast NP 4.3.
- Wattled Starling** *Creatophora cinerea*
(1) 15 Kruger NP - Skukuza 18.2.
- Black-bellied Starling** *Notopholia corusca corusca*
(3) 5 St Lucia 24.2, 6 St Lucia 25.2 and 6 Dlinza Forest NR 26.2.
- Cape Starling** *Lamprotornis nitens*
(7) 3 Zaagkuilsdrift Road 16.2, up to 10 Kruger NP - Skukuza 17-20.2, 1 Wakkerstroom area 21.2 and 40 Mkuze GR 23.2.
- Greater Blue-eared Starling** *Lamprotornis chalybaeus nordmanni*
(1) 2 Kruger NP - Skukuza 18.2.
- Burchell's Starling** *Lamprotornis australis*
(6) 6 Zaagkuilsdrift Road 16.2, up to 8 Kruger NP - Skukuza 17-20.2 and 1 Mkuze GR 22.2.
- Pied Starling** *Lamprotornis bicolor*
(6) 2 Johannesburg to Kruger NP 17.2, up to 10 Wakkerstroom area 20-22.2, 30 West Coast NP 4.3 and 10 Tanqua Karoo 5.3.
- Violet-backed Starling** *Cinnyricinclus leucogaster verreauxi*
(7) Up to 6 Kruger NP - Skukuza 17-20.2, 2 Mkuze GR 23.2, 1 St Lucia 25.2 and 2 Dlinza Forest NR 26.2.

Red-winged Starling*Onychognathus morio morio*

(8) 6 Johannesburg to Kruger NP 17.2, 1 Wakkerstroom area 22.2, 1 Dlinza Forest NR 26.2, 2 Sani Pass 28.2, 10 Cape Town - Kirstenbosch Botanical Garden 1.3, 6 Cape Town - Pelagic 2.3, 6 Rooi-Els 3.3 and 2 Ceres 5.3.

Oxpeckers *Buphagidae***Yellow-billed Oxpecker***Buphagus africanus africanus*

(1) 1 Kruger NP - Skukuza 19.2.

Red-billed Oxpecker*Buphagus erythrorynchus*

(4) Up to 10 Kruger NP - Skukuza 17-19.2 and 30 Mkuze GR 23.2.

Thrushes and Allies *Turdidae***Orange Ground Thrush***Geokichla gurneyi*

(1) 1 Underberg 27.2.

Spotted Ground Thrush*Geokichla guttata guttata*

(1) 3 Dlinza Forest NR 26.2.

Kurrichane Thrush*Turdus libonyana*

(1) 1 Dlinza Forest NR 26.2.

Olive Thrush*Turdus olivaceus*

(3) 1 Dlinza Forest NR 26.2, 3 Sani Pass 28.2 and 6 Cape Town - Kirstenbosch Botanical Garden 1.3.

Karoo Thrush*Turdus smithi*

(2) 2 Johannesburg 15.2 and 1 Johannesburg 16.2.

Chats, Old World Flycatchers *Muscicapidae***Karoo Scrub Robin***Cercotrichas coryphoeus*

(2) 6 West Coast NP 4.3 and 2 Tanqua Karoo 5.3.

Bearded Scrub Robin*Cercotrichas quadrivirgata quadrivirgata*

(2) 2 Mkuze GR 23.2 and 1 heard Mkuze GR 24.2.

Kalahari Scrub Robin*Cercotrichas paena*

(1) 1 Zaagkuilsdrift Road 16.2.

White-browed Scrub Robin*Cercotrichas leucophrys leucophrys*

(6) 1 Zaagkuilsdrift Road 16.2, up to 2 Kruger NP - Skukuza 17-20.2 and 1 Mkuze GR 23.2.

Brown Scrub Robin*Cercotrichas signata*

(1) 1 St Lucia 25.2.

Grey Tit-Flycatcher*Myioparus plumbeus*

(2) 1 heard Kruger NP - Skukuza 18.2 and 1 heard Mkuze GR 22.2.

Southern Black Flycatcher*Melaenornis pammelaina*

(6) 1 Zaagkuilsdrift Road 16.2, 2 Kruger NP - Skukuza 19.2, 2 Mkuze GR 23.2, 2 St Lucia 25.2, 1 Hilton 26.2 and 2 Hilton 27.2.

Pale Flycatcher*Melaenornis pallidus*

(1) 3 Kruger NP - Skukuza 19.2.

Marico Flycatcher*Melaenornis mariquensis*

(1) 3 Zaagkuilsdrift Road 16.2.

Fiscal Flycatcher*Melaenornis silens*

(3) 1 Johannesburg 15.2, 1 Rooi-Els 3.3 and 2 West Coast NP 4.3.

Spotted Flycatcher*Muscicapa striata*

(6) 5 Zaagkuilsdrift Road 16.2, up to 3 Kruger NP - Skukuza 18-20.2, 1 Mkuze GR 22.2 and 1 Mkuze GR 23.2.

Ashy Flycatcher	<i>Muscicapa caerulescens</i>
(1) 3 Kruger NP - Skukuza 17.2.	
African Dusky Flycatcher	<i>Muscicapa adusta</i>
(3) 2+1 heard Hilton 27.2, 2 Cape Town - Kirstenbosch Botanical Garden 1.3 and 1 Rooi-Els 3.3.	
Cape Robin-Chat	<i>Cossypha caffra</i>
(7) 1 Wakkerstroom area 21.2, 1 Wakkerstroom area 22.2, 1 Sani Pass 28.2, 1 Cape Town - Kirstenbosch Botanical Garden 1.3, 2 Rooi-Els 3.3, 3 West Coast NP 4.3 and 3 Tanqua Karoo 5.3.	
White-throated Robin-Chat	<i>Cossypha humeralis</i>
(2) 1 heard Zaagkuilsdrift Road 16.2 and 1 Kruger NP - Skukuza 19.2.	
White-browed Robin-Chat	<i>Cossypha heuglini</i>
(2) 1 heard Kruger NP - Skukuza 18.2 and 2 Kruger NP - Skukuza 19.2.	
Red-capped Robin-Chat	<i>Cossypha natalensis</i>
(2) 2 St Lucia 24.2 and 1 St Lucia 25.2.	
Chorister Robin-Chat	<i>Cossypha dichroa</i>
(2) 1 Hilton 26.2 and 1 Underberg 27.2.	
White-starred Robin	<i>Pogonocichla stellata</i>
(1) 1 Underberg 27.2.	
Cape Rock Thrush	<i>Monticola rupestris</i>
(2) 5 Sani Pass 28.2 and 1 Ceres 5.3.	
Sentinel Rock Thrush	<i>Monticola explorator</i>
(1) 6 Sani Pass 28.2.	
African Stonechat	<i>Saxicola torquatus</i>
(5) Up to 6 Wakkerstroom area 20-22.2, 1 Underberg 27.2 and 6 Sani Pass 28.2.	
Buff-streaked Chat	<i>Campicoloides bifasciatus</i>
(4) Up to 3 Wakkerstroom area 20-22.2 and 3 Sani Pass 28.2.	
Sickle-winged Chat	<i>Emarginata sinuata</i>
(1) 10 Sani Pass 28.2.	
Karoo Chat	<i>Emarginata schlegelii</i>
(1) 6 Tanqua Karoo 5.3.	
Tractrac Chat	<i>Emarginata tractrac</i>
(1) 2 Tanqua Karoo 5.3.	
Mocking Cliff Chat	<i>Thamnolaea cinnamomeiventris</i>
(1) 2 Kruger NP - Skukuza 17.2.	
Ant-eating Chat	<i>Myrmecocichla formicivora</i>
(3) 20 Wakkerstroom area 20.2, 30 Wakkerstroom area 21.2 and 1 West Coast NP 4.3.	
Mountain Wheatear	<i>Myrmecocichla monticola monticola</i>
(4) 4 Wakkerstroom area 21.2, 2 Wakkerstroom area 22.2, 6 Sani Pass 28.2 and 4 Tanqua Karoo 5.3.	
Capped Wheatear	<i>Oenanthe pileata</i>
(1) 3 West Coast NP 4.3.	
Familiar Chat	<i>Oenanthe familiaris</i>
(3) 2 Sani Pass 28.2, 2 Rooi-Els 3.3 and 3 Ceres 5.3.	

Sunbirds and Spiderhunters *Nectariniidae*

Collared Sunbird	<i>Hedydipna collaris</i>
(5) 2 Kruger NP - Skukuza 19.2, 3 Kruger NP - Skukuza 20.2, 1 St Lucia 24.2, 2 St Lucia 25.2 and 2 Hilton 27.2.	
Orange-breasted Sunbird	<i>Anthobaphes violacea</i>
(2) 2 Cape Town - Kirstenbosch Botanical Garden 1.3 and 5 Rooi-Els 3.3.	

Olive Sunbird (2) 1 St Lucia 25.2 and 1 heard Hilton 27.2.	<i>Cyanomitra olivacea</i>
Grey Sunbird (2) 1 heard Mkuze GR 23.2 and 1 Mkuze GR 24.2.	<i>Cyanomitra veroxii</i>
Amethyst Sunbird (1) 2 Hilton 26.2.	<i>Chalcomitra amethystina amethystina</i>
Scarlet-chested Sunbird (3) 1 Kruger NP - Skukuza 19.2, 1 Kruger NP - Skukuza 20.2 and 1 St Lucia 25.2.	<i>Chalcomitra senegalensis gutturalis</i>
Malachite Sunbird (5) 1 Wakkerstroom area 20.2, 2 Wakkerstroom area 21.2, 10 Sani Pass 28.2, 1 Cape Town - Kirstenbosch Botanical Garden 1.3 and 3 Rooi-Els 3.3.	<i>Nectarinia famosa famosa</i>
Southern Double-collared Sunbird (4) 1 Underberg 27.2, 15 Cape Town - Kirstenbosch Botanical Garden 1.3, 5 Rooi-Els 3.3 and 3 Tanqua Karoo 5.3.	<i>Cinnyris chalybeus</i>
Neergaard's Sunbird (1) 1 Mkuze GR 23.2.	<i>Cinnyris neergaardi</i>
Greater Double-collared Sunbird (1) 4 Sani Pass 28.2.	<i>Cinnyris afer</i>
Marico Sunbird (2) 2 Kruger NP - Skukuza 19.2 and 1 Kruger NP - Skukuza 20.2.	<i>Cinnyris mariquensis mariquensis</i>
Purple-banded Sunbird (1) 1 St Lucia 24.2.	<i>Cinnyris bifasciatus microrhynchus</i>
White-bellied Sunbird (5) 4 Zaagkuilsdrift Road 16.2, up to 3 Kruger NP - Skukuza 18-20.2 and 1 Mkuze GR 22.2.	<i>Cinnyris talatala</i>
Dusky Sunbird (1) 1 Tanqua Karoo 5.3.	<i>Cinnyris fuscus fuscus</i>

Old World Sparrows *Passeridae*

House Sparrow (4) 6 Zaagkuilsdrift Road 16.2, 10 Johannesburg to Kruger NP 17.2, 3 Kruger NP - Skukuza 18.2 and 1 Wakkerstroom area 21.2.	<i>Passer domesticus</i>
Great Sparrow (1) 2 Zaagkuilsdrift Road 16.2.	<i>Passer motitensis</i>
Cape Sparrow (7) 3 Zaagkuilsdrift Road 16.2, 2 Johannesburg to Kruger NP 17.2, 2 Wakkerstroom area 20.2, 2 Wakkerstroom area 21.2, 10 Sani Pass 28.2, 2 West Coast NP 4.3 and 2 Tanqua Karoo 5.3.	<i>Passer melanurus</i>
Southern Grey-headed Sparrow (8) 1 Zaagkuilsdrift Road 16.2, up to 6 Kruger NP - Skukuza 17-20.2, 2 Mkuze GR 23.2, 1 St Lucia 25.2 and 2 Sani Pass 28.2.	<i>Passer diffusus</i>
Yellow-throated Petronia (1) 2 Mkuze GR 22.2.	<i>Gymnoris superciliaris</i>

Weavers, Widowbirds *Ploceidae*

Red-billed Buffalo Weaver (3) 2 Zaagkuilsdrift Road 16.2, 3 Kruger NP - Skukuza 18.2 and 1 Kruger NP - Skukuza 20.2.	<i>Bubalornis niger niger</i>
White-browed Sparrow-Weaver (1) 3 Zaagkuilsdrift Road 16.2.	<i>Plocepasser mahali mahali</i>

- Scaly-feathered Weaver** *Sporopipes squamifrons*
(1) 10 Zaagkuilsdrift Road 16.2.
- Thick-billed Weaver** *Amblyospiza albifrons*
(4) 3 Zaagkuilsdrift Road 16.2, 3 Kruger NP - Skukuza 18.2, 3 Kruger NP - Skukuza 20.2 and 1 St Lucia 25.2.
- Spectacled Weaver** *Ploceus ocularis ocularis*
(2) 1 Kruger NP - Skukuza 19.2 and 1 heard Mkuze GR 23.2.
- Cape Weaver** *Ploceus capensis*
(4) 3 Wakkerstroom area 21.2, 1 Rooi-Els 3.3, 6 West Coast NP 4.3 and 2 Ceres 5.3.
- Eastern Golden Weaver** *Ploceus subaureus subaureus*
(2) 1 St Lucia 24.2 and 6 St Lucia 25.2.
- Southern Brown-throated Weaver** *Ploceus xanthopterus marleyi*
(1) 2 St Lucia 24.2.
- Lesser Masked Weaver** *Ploceus intermedius cabanisii*
(2) 50 Kruger NP - Skukuza 18.2 and 4 Kruger NP - Skukuza 19.2.
- Southern Masked Weaver** *Ploceus velatus*
(8) 2 Johannesburg 15.2, 15 Zaagkuilsdrift Road 16.2, 2 Johannesburg to Kruger NP 17.2, 6 Kruger NP - Skukuza 18.2, 6 Kruger NP - Skukuza 19.2 and up to 10 Wakkerstroom area 20-22.2.
- Village Weaver** *Ploceus cucullatus*
(6) 50 Kruger NP - Skukuza 18.2, 4 Wakkerstroom area 20.2, 2 Wakkerstroom area 21.2, 2 Mkuze GR 22.2, 10 Mkuze GR 23.2 and 6 Hilton 26.2.
- Dark-backed Weaver** *Ploceus bicolor*
(2) 2 Mkuze GR 23.2 and 2 St Lucia 24.2.
- Red-headed Weaver** *Anaplectes rubriceps rubriceps*
(1) 1 Wakkerstroom area 20.2.
- Red-billed Quelea** *Quelea quelea lathamii*
(7) 300 Zaagkuilsdrift Road 16.2, up to 1000 Kruger NP - Skukuza 17-20.2, 6 Wakkerstroom area 21.2 and 4 Mkuze GR 23.2.
- Yellow-crowned Bishop** *Euplectes afer taha*
(6) 25 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 19.2, up to 20 Wakkerstroom area 20-22.2 and 1 Hilton 26.2.
- Southern Red Bishop** *Euplectes orix*
(11) 2 Johannesburg 15.2, 8 Zaagkuilsdrift Road 16.2, up to 20 Kruger NP - Skukuza 17-20.2, 10 Wakkerstroom area 21.2, 1 Wakkerstroom area 22.2, 2 Mkuze GR 23.2, 2 Hilton 26.2 and 2 Sani Pass 28.2.
- Yellow Bishop** *Euplectes capensis*
(3) 1 Underberg 27.2, 3 Sani Pass 28.2 and 2 Ceres 5.3.
- Fan-tailed Widowbird** *Euplectes axillaris axillaris*
(9) 1 Johannesburg to Kruger NP 17.2, 1 Kruger NP - Skukuza 19.2, 1 Wakkerstroom area 20.2, 1 Wakkerstroom area 21.2, 1 Mkuze GR 22.2, 1 Mkuze GR 23.2, 1 St Lucia 25.2, 1 Hilton 26.2 and 2 Underberg 27.2.
- White-winged Widowbird** *Euplectes albonotatus albonotatus*
(5) 40 Zaagkuilsdrift Road 16.2 and up to 20 Kruger NP - Skukuza 17-20.2.
- Red-collared Widowbird** *Euplectes ardens ardens*
(5) 1 Kruger NP - Skukuza 17.2, 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 20.2, 1 Hilton 26.2 and 2 Underberg 27.2.

Long-tailed Widowbird*Euplectes progne progne*

(6) 4 Johannesburg to Kruger NP 17.2, up to 20 Wakkerstroom area 20-22.2, 1 Underberg 27.2 and 2 Sani Pass 28.2.

Waxbills, Munias and allies *Estrildidae***Green-winged Pytilia***Pytilia melba melba*

(3) 6 Zaagkuilsdrift Road 16.2, 2 Kruger NP - Skukuza 18.2 and 6 Mkuze GR 23.2.

Red-headed Finch*Amadina erythrocephala*

(2) 50 Johannesburg 15.2 and 2 Wakkerstroom area 21.2.

Green Twinspot*Mandingoa nitidula nitidula*

(1) 1 Dlinza Forest NR 26.2.

Pink-throated Twinspot*Hypargos margaritatus*

(1) 1 Mkuze GR 23.2.

Red-billed Firefinch*Lagonosticta senegala rendalli*

(4) 6 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 19.2 and 4 Mkuze GR 23.2.

African Firefinch*Lagonosticta rubricata rubricata*

(1) 1 heard Underberg 27.2.

Jameson's Firefinch*Lagonosticta rhodopareia jamesoni*

(3) 1 Kruger NP - Skukuza 19.2, 1 Kruger NP - Skukuza 20.2 and 4 Mkuze GR 23.2.

Blue Waxbill*Uraeginthus angolensis*

(8) 10 Zaagkuilsdrift Road 16.2, up to 4 Kruger NP - Skukuza 17-20.2, 1 Wakkerstroom area 21.2, 2 Mkuze GR 22.2 and 10 Mkuze GR 23.2.

Violet-eared Waxbill*Uraeginthus granatinus*

(1) 2 Zaagkuilsdrift Road 16.2.

Swee Waxbill*Coccygia melanotis*

(3) 1 Johannesburg to Kruger NP 17.2, 6 Sani Pass 28.2 and 4 Cape Town - Kirstenbosch Botanical Garden 1.3.

Grey Waxbill*Estrilda perreini incana*

(1) 1 St Lucia 25.2.

Common Waxbill*Estrilda astrild*

(7) 1 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 20.2, 3 Wakkerstroom area 22.2, 5 Mkuze GR 23.2, 1 heard Underberg 27.2, 2 Sani Pass 28.2 and 2 Strandfontein Sewage Works 2.3.

Black-faced Waxbill*Estrilda erythronotos erythronotos*

(1) 2 Zaagkuilsdrift Road 16.2.

Orange-breasted Waxbill*Amandava subflava clarkei*

(1) 1 Zaagkuilsdrift Road 16.2.

Quailfinch*Ortygospiza atricollis digressa*

(1) 1 Wakkerstroom area 21.2.

Bronze Mannikin*Lonchura cucullata scutata*

(4) 3 Kruger NP - Skukuza 18.2, 1 Kruger NP - Skukuza 20.2, 6 Mkuze GR 22.2 and 2 St Lucia 24.2.

Red-backed Mannikin*Lonchura nigriceps*

(1) 2 Mkuze GR 23.2.

Indigobirds *Viduidae***Village Indigobird***Vidua chalybeata amauropteryx*

(2) 3 Zaagkuilsdrift Road 16.2 and 1 Kruger NP - Skukuza 18.2.

Purple Indigobird*Vidua purpurascens*

(1) 1 Kruger NP - Skukuza 17.2.

Dusky Indigobird*Vidua funerea funerea*

(2) 1 Kruger NP - Skukuza 18.2 and 1 Mkuze GR 23.2.

Pin-tailed Whydah*Vidua macroura*

(6) 3 Zaagkuilsdrift Road 16.2, 1 Johannesburg to Kruger NP 17.2, 1 Kruger NP - Skukuza 19.2, 1 Kruger NP - Skukuza 20.2, 2 Wakkerstroom area 21.2 and 4 Sani Pass 28.2.

Shaft-tailed Whydah*Vidua regia*

(1) 1 Zaagkuilsdrift Road 16.2.

Long-tailed Paradise Whydah*Vidua paradisaea*

(3) Up to 3 Kruger NP - Skukuza 17-19.2.

Wagtails, Pipits *Motacillidae***Cape Wagtail***Motacilla capensis capensis*

(11) 2 Johannesburg 15.2, 6 Zaagkuilsdrift Road 16.2, 1 Wakkerstroom area 20.2, 2 Wakkerstroom area 21.2, 1 St Lucia 24.2, 4 Sani Pass 28.2, 1 Cape Town - Kirstenbosch Botanical Garden 1.3, 2 Strandfontein Sewage Works 2.3, 6 Rooi-Els 3.3, 2 West Coast NP 4.3 and 1 Ceres 5.3.

Mountain Wagtail*Motacilla clara torrentium*

(1) 2 Kruger NP - Skukuza 17.2.

African Pied Wagtail*Motacilla aguimp*

(6) 2 Kruger NP - Skukuza 18.2, 2 Kruger NP - Skukuza 19.2, 4 Mkuze GR 23.2, 2 St Lucia 24.2, 2 St Lucia 25.2 and 1 Underberg 27.2.

Cape Longclaw*Macronyx capensis*

(4) 3 Wakkerstroom area 20.2, 4 Wakkerstroom area 21.2, 1 Underberg 27.2 and 2 Strandfontein Sewage Works 2.3.

Yellow-throated Longclaw*Macronyx croceus vulturinus*

(4) 2 Kruger NP - Skukuza 19.2, 1 Mkuze GR 23.2, 2 Mkuze GR 24.2 and 1 St Lucia 25.2.

Rosy-throated Longclaw*Macronyx ameliae ameliae*

(1) 4 St Lucia 24.2.

African Pipit*Anthus cinnamomeus*

(8) 3 Zaagkuilsdrift Road 16.2, 1 Kruger NP - Skukuza 19.2, 3 Wakkerstroom area 20.2, 4 Wakkerstroom area 21.2, 6 Mkuze GR 22.2, 2 Mkuze GR 24.2, 1 Strandfontein Sewage Works 2.3 and 1 Tanqua Karoo 5.3.

Mountain Pipit*Anthus hoeschi*

(1) 2 Sani Pass 28.2.

Long-billed Pipit*Anthus similis*

(1) 2 Wakkerstroom area 22.2.

African Rock Pipit*Anthus crenatus*

(2) 1 heard Wakkerstroom area 21.2 and 1 Wakkerstroom area 22.2.

Yellow-breasted Pipit (VU)*Anthus chloris*

(1) 1 Wakkerstroom area 21.2.

Finches *Fringillidae***Common Chaffinch***Fringilla coelebs*

(1) 3 Rooi-Els 3.3.

Forest Canary*Crithagra scotops*

(2) 2 Underberg 27.2 and 2 Cape Town - Kirstenbosch Botanical Garden 1.3.

Black-throated Canary (2) 1 Zaagkuilsdrift Road 16.2 and 2 Wakkerstroom area 21.2.	<i>Crithagra atrogularis</i>
Lemon-breasted Canary (1) 3 Mkuze GR 22.2.	<i>Crithagra citrinipectus</i>
Yellow-fronted Canary (7) Up to 2 Kruger NP - Skukuza 18-20.2, 6 Mkuze GR 22.2, 2 Mkuze GR 23.2, 6 St Lucia 25.2 and 2 Hilton 27.2.	<i>Crithagra mozambica</i>
Cape Siskin (1) 2 Rooi-Els 3.3.	<i>Crithagra totta</i>
Drakensberg Siskin (1) 40 Sani Pass 28.2.	<i>Crithagra symonsi</i>
Yellow Canary (3) 10 Sani Pass 28.2, 10 West Coast NP 4.3 and 6 Tanqua Karoo 5.3.	<i>Crithagra flaviventris</i>
Brimstone Canary (3) 1 Zaagkuilsdrift Road 16.2, 2 St Lucia 24.2 and 2 Rooi-Els 3.3.	<i>Crithagra sulphurata</i>
Streaky-headed Seedeater (3) 1 Wakkerstroom area 22.2, 1 heard Sani Pass 28.2 and 1 Ceres 5.3.	<i>Crithagra gularis</i>
White-throated Canary (1) 2 Tanqua Karoo 5.3.	<i>Crithagra albogularis</i>
Protea Canary (1) 2 Ceres 6.3.	<i>Crithagra leucoptera</i>
Cape Canary (6) Up to 15 Wakkerstroom area 20-22.2, 6 Sani Pass 28.2, 8 Cape Town - Kirstenbosch Botanical Garden 1.3 and 10 Ceres 5.3.	<i>Serinus canicollis</i>
Black-headed Canary (1) 2 Sani Pass 28.2.	<i>Serinus alario</i>

Old World Buntings *Emberizidae*

Cinnamon-breasted Bunting (3) 2+1 heard Johannesburg to Kruger NP 17.2, 6 Kruger NP - Skukuza 18.2 and 2 Kruger NP - Skukuza 19.2.	<i>Emberiza tahapisi tahapisi</i>
Cape Bunting (6) 3 Wakkerstroom area 21.2, 2 Wakkerstroom area 22.2, 8 Sani Pass 28.2, 2 Rooi-Els 3.3, 3 West Coast NP 4.3 and 3 Ceres 5.3.	<i>Emberiza capensis</i>
Golden-breasted Bunting (5) Up to 3 Kruger NP - Skukuza 17-19.2, 1 Mkuze GR 22.2 and 2 Mkuze GR 23.2.	<i>Emberiza flaviventris</i>

Mammals (52 in total: 52 seen)

Status codes: E = Endemic, NE = Near-endemic, I = Introduced

IUCN codes: CR = Critically endangered, EN = Endangered, VU = Vulnerable, EW = Extinct in the Wild, NT = Near Threatened, DD = Data Deficient

Elephants *Elephantidae*

African Elephant (6) Up to 50 Kruger NP - Skukuza 17-20.2, 30 Mkuze GR 22.2 and 5 Mkuze GR 23.2.	<i>Loxodonta africana</i>
--	---------------------------

Hyraxes Procaviidae**Rock Hyrax***Procavia capensis*

(2) 2 Sani Pass 28.2 and 6 Rooi-Els 3.3.

Galagos Galagidae**Southern Lesser Galago***Galago moholi*

(1) 1 Kruger NP - Skukuza 18.2.

Thick-tailed Greater Galago*Otolemur crassicaudatus crassicaudatus*

(2) 1 Mkuze GR 22.2 and 1 St Lucia 25.2.

Old World monkeys Cercopithecidae**Blue Monkey***Cercopithecus mitis*

(1) 6 St Lucia 25.2.

Vervet*Chlorocebus pygerythrus*

(7) 2 Zaagkuilsdrift Road 16.2, up to 20 Kruger NP - Skukuza 18-20.2, 1 Mkuze GR 22.2, 10 Mkuze GR 23.2 and 6 St Lucia 25.2.

Chacma Baboon*Papio ursinus ursinus*

(7) Up to 50 Kruger NP - Skukuza 17-19.2, 1 St Lucia 25.2, 4 Sani Pass 28.2, 8 Rooi-Els 3.3 and 1 West Coast NP 4.3.

Rabbits, Hares Leporidae**Scrub Hare***Lepus saxatilis*

(2) 1 Underberg 27.2 and 1 West Coast NP 4.3.

True Mice and Rats, Gerbils, Spiny Mice, Crested Rat Muridae**Sloggett's Vlei Rat***Otomys sloggetti*

(1) 6 Sani Pass 28.2.

Squirrels Sciuridae**Smith's Bush Squirrel***Paraxerus cepapi*

(4) 1 Zaagkuilsdrift Road 16.2 and up to 3 Kruger NP - Skukuza 18-20.2.

Red Bush Squirrel*Paraxerus palliatus*

(1) 1 St Lucia 25.2.

Cats Felidae**Cheetah***Acinonyx jubatus jubatus*

(1) 1 Kruger NP - Skukuza 19.2.

Lion*Panthera leo leo*

(2) 3 Kruger NP - Skukuza 18.2 and 5 Kruger NP - Skukuza 19.2.

Leopard*Panthera pardus pardus*

(1) 1 Kruger NP - Skukuza 18.2.

Mongoose Herpestidae**Yellow Mongoose***Cynictis penicillata*

(2) 2 Wakkerstroom area 20.2 and 2 Wakkerstroom area 21.2.

Common Dwarf Mongoose*Helogale parvula*

(1) 4 Kruger NP - Skukuza 18.2.

Cape Grey Mongoose*Herpestes pulverulentus*

(3) 2 Sani Pass 28.2, 1 Strandfontein Sewage Works 2.3 and 1 Ceres 5.3.

Slender Mongoose *Herpestes sanguineus*

(1) 1 St Lucia 25.2.

Banded Mongoose *Mungos mungo*

(3) 3 Kruger NP - Skukuza 18.2, 20 Kruger NP - Skukuza 20.2 and 3 St Lucia 25.2.

Meerkat *Suricata suricatta*

(2) 4 Wakkerstroom area 20.2 and 3 Wakkerstroom area 21.2.

Hyaenas, Aardwolf *Hyaenidae*

Spotted Hyaena *Crocuta crocuta*

(2) 12 Kruger NP - Skukuza 18.2 and 3 Kruger NP - Skukuza 19.2.

Wolves, Coyote, Foxes, Jackals *Canidae*

Black-backed Jackal *Canis mesomelas*

(1) 1 Mkuze GR 22.2.

African Wild Dog *Lycaon pictus*

(1) 10 Kruger NP - Skukuza 17.2.

Sea Lions *Otariidae*

Afro-Australian Fur Seal *Arctocephalus pusillus*

(1) 50 Cape Town - Pelagic 2.3.

Zebras, Horse, Asses *Equidae*

Plains Zebra *Equus quagga*

(6) Up to 6 Kruger NP - Skukuza 18-20.2, 15 Mkuze GR 22.2, 6 Mkuze GR 23.2 and 6 St Lucia 25.2.

Rhinoceroses *Rhinocerotidae*

White Rhinoceros *Ceratotherium simum simum*

(3) 3 Kruger NP - Skukuza 17.2, 3 Kruger NP - Skukuza 20.2 and 5 Mkuze GR 22.2.

Black Rhinoceros *Diceros bicornis*

(2) 2 Kruger NP - Skukuza 20.2 and 1 St Lucia 25.2.

Pigs *Suidae*

Common Warthog *Phacochoerus africanus sundevallii*

(6) Up to 10 Kruger NP - Skukuza 17-20.2, 3 Mkuze GR 22.2 and 2 St Lucia 25.2.

Oceanic Dolphins *Delphinidae*

Long-beaked Common Dolphin *Delphinus capensis capensis*

(1) 30 Cape Town - Pelagic 2.3.

Rorquals *Balaenopteridae*

Bryde's Whale *Balaenoptera edeni*

(1) 2 Cape Town - Pelagic 2.3.

Hippopotamuses *Hippopotamidae*

Hippopotamus *Hippopotamus amphibius capensis*

(5) Up to 5 Kruger NP - Skukuza 18-20.2, 6 Mkuze GR 22.2 and 5 St Lucia 25.2.

Cattle, Antelopes, Sheep, Goats Bovidae

- Impala** *Aepyceros melampus melampus*
(6) Up to 500 Kruger NP - Skukuza 17-20.2, 100 Mkuze GR 22.2 and 200 Mkuze GR 23.2.
- Hartebeest** *Alcelaphus buselaphus*
(2) 6 Rooi-Els 3.3 and 2 Tanqua Karoo 5.3.
- Springbok** *Antidorcas marsupialis*
(2) 10 West Coast NP 4.3 and 2 Tanqua Karoo 5.3.
- Natal Red Duiker** *Cephalophus natalensis*
(3) 2 Mkuze GR 22.2, 1 Mkuze GR 23.2 and 10 St Lucia 25.2.
- Black Wildebeest** *Connochaetes gnou*
(1) 3 Wakkerstroom area 21.2.
- Common Wildebeest** *Connochaetes taurinus*
(4) 10 Kruger NP - Skukuza 18.2, 6 Mkuze GR 22.2, 10 Mkuze GR 23.2 and 15 St Lucia 25.2.
- Blesbok** *Damaliscus pygargus*
(3) 40 Kruger NP - Skukuza 17.2, 20 Wakkerstroom area 20.2 and 40 Wakkerstroom area 21.2.
- Blesbok** *Damaliscus pygargus pygargus*
(1) 2 Rooi-Els 3.3.
- Sable Antelope** *Hippotragus niger*
(1) 8 Wakkerstroom area 21.2.
- Waterbuck** *Kobus ellipsiprymnus ellipsiprymnus*
(4) 15 Kruger NP - Skukuza 18.2, 15 Kruger NP - Skukuza 19.2, 5 Mkuze GR 22.2 and 1 St Lucia 25.2.
- Oribi** *Ourebia ourebi*
(1) 1 Sani Pass 28.2.
- Grey Rhebok** *Pelea capreolus*
(2) 1 Wakkerstroom area 21.2 and 8 Sani Pass 28.2.
- Blue Duiker** *Philantomba monticola*
(1) 2 Dlinza Forest NR 26.2.
- Steenbok** *Raphicerus campestris campestris*
(3) 1 Kruger NP - Skukuza 18.2, 1 Mkuze GR 22.2 and 1 Tanqua Karoo 5.3.
- Common Duiker** *Sylvicapra grimmia*
(2) 1 Kruger NP - Skukuza 18.2 and 1 Wakkerstroom area 20.2.
- African Buffalo** *Syncerus caffer caffer*
(3) 60 Kruger NP - Skukuza 19.2, 40 Wakkerstroom area 21.2 and 5 St Lucia 25.2.
- Nyala** *Tragelaphus angasii*
(3) 1 Kruger NP - Skukuza 18.2, 6 Mkuze GR 22.2 and 20 Mkuze GR 23.2.
- Common Eland** *Tragelaphus oryx*
(3) 3 Sani Pass 28.2, 5 Rooi-Els 3.3 and 6 West Coast NP 4.3.
- Bushbuck** *Tragelaphus scriptus*
(2) 1 Kruger NP - Skukuza 19.2 and 4 St Lucia 25.2.
- Greater Kudu** *Tragelaphus strepsiceros*
(7) Up to 10 Kruger NP - Skukuza 17-20.2, 3 Mkuze GR 22.2, 2 Mkuze GR 23.2 and 5 St Lucia 25.2.

Giraffe, Okapi Giraffidae

- Giraffe** *Giraffa camelopardalis giraffa*
(6) Up to 20 Kruger NP - Skukuza 17-20.2, 6 Mkuze GR 22.2 and 10 Mkuze GR 23.2.

Old World Fruit Bats *Pteropodidae***Wahlberg's Epauletted Fruit Bat***Epomophorus wahlbergi*

(1) 40 Kruger NP - Skukuza 17.2.

Reptiles (12 in total: 12 seen)**Status codes:** E = Endemic, NE = Near-endemic, I = Introduced**IUCN codes:** CR = Critically endangered, EN = Endangered, VU = Vulnerable, EW = Extinct in the Wild, NT = Near Threatened, DD = Data DeficientTortoises *Testudinidae***Angulated Tortoise***Chersina angulata*

(1) 5 West Coast NP 4.3.

Speke's Hinge-back Tortoise*Kinixys spekii*

(2) 1 Kruger NP - Skukuza 17.2 and 1 Kruger NP - Skukuza 20.2.

Leopard Tortoise*Stigmochelys pardalis*

(2) 1 Kruger NP - Skukuza 17.2 and 2 Mkuze GR 23.2.

Afro-American Sideneck Turtles *Pelomedusidae***Helmeted Turtle***Pelomedusa subrufa nigra*

(5) Up to 3 Kruger NP - Skukuza 17-20.2 and 10 Mkuze GR 23.2.

Chameleons *Chamaeleonidae***Setaro's Dwarf Chameleon***Bradypodion setaroi*

(1) 1 St Lucia 25.2.

Geckos *Gekkonidae***House Gecko***Hemidactylus mabouia*

(1) 2 Mkuze GR 22.2.

Spinytail Lizards *Cordylidae***Highveld Crag Lizard***Cordylus melanotus*

(1) 1 Sani Pass 28.2.

Skinks *Scincidae***African Five-lined Skink***Trachylepis quinquetaeniata*

(1) 1 Kruger NP - Skukuza 19.2.

Variable Skink*Trachylepis varia*

(1) 1 Kruger NP - Skukuza 18.2.

Monitor Lizards *Varanidae***Savannah Monitor***Varanus exanthematicus*

(1) 1 Kruger NP - Skukuza 18.2.

Nile Monitor*Varanus niloticus*

(1) 1 Kruger NP - Skukuza 19.2.

Crocodiles and relatives *Crocodylidae*

Nile Crocodile

Crocodylus niloticus cowiei

(2) 2 Kruger NP - Skukuza 18.2 and 10 Kruger NP - Skukuza 19.2.

Rockjumper Birding Tours

Worldwide Birding Adventures

PO Box 13972,

Cascades, 3202

South Africa

Tel: +27 33 394 0225

Fax: +27 88 033 394 0225

Email: info@rockjumperbirding.com

Alternative email: rockjumperbirding@yahoo.com

Website: www.rockjumperbirding.com